Volume 41/2003
Part B: Physics

JOURNAL OF POLYMER SCIENCE

PART • B

Polymer Physics

EDITORS

ROBERT M. BRIBER
University of Maryland

TISATO KAJIYAMA
Kyushu University

SANAT K. KUMAR
Rensselaer Polytechnic Institute

GREGORY B. MCKENNA
Texas Tech University

EDITORIAL ADVISORY BOARD

E. Amis
I. Ando
N.P. Balsara
F.S. Bates
T. Chang
S.Z.D. Cheng
B. Chu
R.H. Colby
P.G. de Gennes
J.R. Dutcher
M.D. Ediger
A.P. Gast
S. Granick
P. Green
C.C. Han
T. Hashimoto
K. Horie
X. Jin
J. Klein
E.J. Kramer
R. Krishnamoorti
S.K. Kumar
L. Leibler
T.P. Lodge
H. Marand
J.E. Mark
T.C.B. McLeish
S.T. Milner
M. Muthukumar
M. Olvera de la Cruz
D.R. Paul
R.A. Register
T. Russell
M. Shibayama
K.R. Shull
H.W. Spiess
R.S. Stein
K. Tashiro
N. Wagner
K.I. Winey

FOUNDING EDITOR

Herman F. Mark

Jeanine Jordan, Assistant Managing Editor, Editorial Administration Office

Assistant to Robert M. Briber: JoAnne Kagle; Assistant to Tisato Kajiyama: Mayumi Eto; Assistant to Gregory B. McKenna: Pat Smith Nickell

The Journal of Polymer Science (USPS #282-240) is published in 2 parts: *Polymer Chemistry* (Print ISSN 0887-624X; Online ISSN 1099-0518 at Wiley InterScience, www.interscience.wiley.com) and *Polymer Physics* (Print ISSN 0887-6266; Online ISSN 1099-0488 at Wiley InterScience, www.interscience.wiley.com), semi-monthly; Polymer Symposia, irregularly (one volume per year) by Wiley Subscription Services, Inc., a Wiley Company, 111 River Street, Hoboken, NJ 07030.

Copyright © 2003 Wiley Periodicals, Inc., a Wiley Company. All rights reserved. No part of this publication may be reproduced in any form or by any means, except as permitted under section 107 or 108 of the 1976 United States Copyright Act, without either the prior written permission of the publisher, or authorization through the Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923, Tel.: (978) 750-8400, Fax: (978) 750-4470. Periodicals postage paid at New York, NY, and at additional mailing offices.

The copyright notice appearing at the bottom of the first page of an article in this journal indicates the copyright holder's consent that 2 copies may be made for personal or internal use, or for personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by law. This consent does not extend to other kinds of copying such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the Permissions Department, % John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, Tel.: (201) 748-6011, Fax: (201) 748-6008, e-mail: permreq@wiley.com.

Subscription price (Volume 40, 2002) Print only: $9,995.00 in US., $10,475.00 in Canada and Mexico, $10,883.00 outside North America. Electronic only: $9,995.00 worldwide. A combination price of $10,495.00 in US., $10,975.00 in Canada and Mexico, $11,383.00 outside North America, includes the subscription in both electronic and print formats. All subscriptions containing a print element, shipped outside US, will be sent by air. Payment must be made in US dollars drawn on a US bank. Claims for undelivered copies will be accepted only after the following issue has been delivered. Please enclose a copy of the mailing label. Missing copies will be supplied when losses have been sustained in transit and where reserve stock permits. Please allow four weeks for processing a change of address. For subscription inquiries, please contact John Wiley & Sons, Inc., Attn: Journals Admin Dept. UK, 111 River Street, Hoboken, NJ 07030; (201) 748-6645 or e-mail: subinfo@wiley.com

Postmaster: Send address changes to *Journal of Polymer Science*, Subscription Distribution, % John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030.

Advertising Sales: Inquiries concerning advertising should be forwarded to the Advertising Sales Manager, % John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-8832. Advertising Sales, European Contact: Jackie Sibley, % John Wiley & Sons, Ltd., Baffins Lane, Chichester, West Sussex, PO19 1UD, England. Tel: 44 1243 770 351; Fax: 44 1243 770 432; e-mail: adsales@wiley.co.uk

Reprints: Reprint sales and inquiries should be directed to the Customer Service Department, % John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030, (201) 748-8789.

Other Correspondence: Address all other correspondence to *Journal of Polymer Science*, Publisher, % John Wiley & Sons, Inc., 111 River Street, Hoboken, NJ 07030.

The contents of this journal are indexed in the following: *Chemical Abstracts, Chemical Titles, Chemistry Citation Index®, Compendex, Current Contents®/Physical, Chemical and Earth Sciences, INSPEC, ISI Alerting Services (includes Research Alert®), Materials Science Citation Index®, Reaction Citation Index®, Science Citation Index®, SciSearch® (also known as Science Citation Index-Expanded), Urethane Abstracts, Polymer Blends, Alloys & Interpenetrating Polymer Networks Abstracts, World Surface Coatings Abstracts.*

Editorial Production: Brooke Insley

This paper meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

JOURNAL OF
POLYMER SCIENCE

Combined Author Index to Volume 41

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science*, Vol. 41, 2003. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Abbasi, F.
—; Mirzadeh, H.: Properties of Poly(dimethylsiloxane)/Hydrogel Multicomponent Systems, 2145P
Abe, S.
—; Chen, L.: Tuning the Photophysical Properties of an Ionic Conjugated Polymer through Interactions with Conventional Polyelectrolytes, 1676P
Abe, Y.
—; Shimano, R.; Arimitsu, K.; Gunji, T.: Preparation and Properties of High Molecular Weight Polyethoxysiloxanes Stable to Self-Condensation by Acid-Catalyzed Hydrolytic Polycondensation of Tetraethoxysilane, 2250C
Abuganima, E. See Ben-Shabat, S., 3781C
Acar, M. H.
—; Bicak, N.: Synthesis of Hexylated Triethylenetetramine: New Ligand for Homogeneous Atom Transfer Radical Polymerization, 1677C
Acosta, J. L. See Nácher, A., 2809C
Adhikari, R. See Ivankova, E. M., 1157P
Adla, A.
—; Fuess, H.; Trautmann, C.: Characterization of Heavy Ion Tracks in Polymers by Transmission Electron Microscopy, 2892P
Adriaensens, P. J. See Polec, I., 1034C
Ahlgrén, M. See Castro, P. M., 1380C
Ahn, H. See Lee, T. S., 1196C
Ahn, J. See Crivello, J. V., 2556C, 2570C
Ai, S. See Zheng, S., 466P
Aida, T. See Kimata, S.-I., 3524C
Ait-Kadi, A. See Cai, X., 2022P
Akasaka, A. See Hori, A., 3478C
Akashi, M. See Hamada, K.-I., 1807C; Kang, E.-C., 841C
Alam, M. A. See Kilburn, D., 3089P
Albayrak, A. Z. See Avci, D., 2207C
Albérola, N. D. See Pinel, E., 2998P
Albertsson, A.-C. See Andronova, N., 2412C; Finne, A., 1296C, 3074C
Aldabbagh, F.
—; Dervan, P.; Phelan, M.; Gilligan, K.; Cunningham, D.; McArdle, P.; Zetterlund, P. B.; Yamada, B.: Influence of Nitroxide Structure on the 2,5- and 2,6-Spirodicyclohexyl Substituted Cyclic Nitroxide-Mediated Free-Radical Polymerization of Styrene, 3892C
—; See Dervan, P., 327C
Alemán, C. See Zazueta, D. A., 2928P
Alexander-Katz, R. See Montiel, R., 1362P
Ali, R. O. See Naguib, H. F., 3180C
Ali, S. A.
—; Mazumder, M. A. J.; Al-Muallem, H. A.: Synthesis and Solution Properties of a New pH-Responsive Polymer Containing Amino Propanesulfonic Acid Residues, 172C
Alicata, R. See Samperi, F., 2778C
Alla, A. See Kint, D. P. R., 124C
Allgeier, A. M. See Zhao, J., 376C
Al-Muallem, H. A. See Ali, S. A., 172C
Al-Sheikhly, M. See Feng, H., 196C
Alsyouri, H. See Ye, Z., 2433P
Alvarez, D. See Ilundain, P., 3744C
Ameduri, B.
—; Bauduin, G.: Synthesis and Polymerization of Fluorinated Monomers Bearing a Reactive Lateral Group. XIV. Radical Copolymerization of Vinylidene Fluoride with Methyl 1,1-Dihydro-4,7-dioxaperfluoro-5,8-dimethyl Non-1-enoate, 3109C
—; See Bongiovanni, R., 2890C; Gelin, M.-P., 160C
Amis, E. J. See Crosby, A. J., 883P; Granick, S., 2755P
Amutha Rani, D.
—; Yamamoto, Y.; Mohri, S.; Sivakumar, M.; Tsujita, Y.; Yoshimizu, H.: Structure and Properties of the Mesophase of Syndiotactic Polystyrene. II. Effect of Stepwise Extraction on the Preparation of the Mesophase, 269P
An, Y. U. See Chang, J.-H., 94P
Anada, T. See Ito, N., 213C
Anantawaraskul, S.
—; Soares, J. B. P.; Wood-Adams, P. M.: Effect of Operation Parameters on Temperature Rising Elution Fractionation

and Crystallization Analysis Fractionation, 1762P
Anastasiou, T. J.
—; Uhrich, K. E.: Aminosalicylate-Based Biodegradable Polymers: Syntheses and *in vitro* Characterization of Poly(anhydride-ester)s and Poly(anhydride-amide)s, 3667C
Anderson, K. L. See Sinsawat, A., 3272P
Andersson, T.
—; Holappa, S.; Aseyev, V.; Tenhu, H.: Complexation of Linear and Poly(ethylene oxide)-Grafted Poly(methacryl oxyethyl trimethylammonium chloride) with Poly(ethylene oxide-*block*-sodium methacrylate), 1904C
Ando, J. See Kaneko, D., 2808P
Ando, S. See Matsuda, S.-I., 418P
Ando, T.
—; Sawauchi, C.; Ouchi, M.; Kamigaito, M.; Sawamoto, M.: Amino Alcohol Additives for the Fast Living Radical Polymerization of Methyl Methacrylate with $RuCl_2(PPh_3)_3$, 3597C
Andreopoulou, A. K. See Kallitsis, J. K., 2485P
Andronova, N.
—; Finne, A.; Albertsson, A.-C.: Fibrillar Structure of Resorbable Microblock Copolymers Based on 1,5-Dioxepan-2-one and ε-Caprolactone, 2412C
Androsch, R.
—; Wunderlich, B.: Specific Reversible Melting of Polyethylene, 2157P
—; Wunderlich, B.: Specific Reversible Melting of Polymers, 2039P
Aneja, A.
—; Wilkes, G. L.; Rightor, E. G.: Study of Slabstock Flexible Polyurethane Foams Based on Varied Toluene Diisocyanate Isomer Ratios, 258P
Annenkov, V. V.
—; Danilovtseva, E. N.; Saraev, V. V.; Mikhaleva, A. I.: Complexation of Copper(II) Ions with Imidazole–Carboxylic Polymeric Systems, 2256C
Antonietti, M. See Granick, S., 2755P
Aoi, K. See Yokoe, M., 2312C
Aoki, H. See Harada, M., 1739P
Aoki, Y. See Orimoto, Y., 483C
Aoshima, S. See Sugihara, S., 3300C
Aota, H. See Kiguchi, T., 606C, 3243C
Aoyagi, T. See Yoshida, T., 779C
Arai, M. See Yamamoto, T., 1449C
Aranda, P.
—; Mosqueda, Y.; Pérez-Cappe, E.; Ruiz-Hitzky, E.: Electrical Characterization of Poly(ethylene oxide)–Clay Nanocomposites Prepared by Microwave Irradiation, 3249P
Arcos-Casarrubias, J. A.
—; Olayo, R.: Self-Diffusion of Styrene, 2,2′-Azobisisobutyronitrile, and Polystyrene in Bulk Polymerization by Pulsed-Gradient Spin-Echo Nuclear Magnetic Resonance Spectroscopy, 1605P
Arimitsu, K. See Abe, Y., 2250C
Armitage, B. See Gu, Z., 3037P
Arnould, M. A. See Quirk, R. P., 947C, 2435C
Aróstegui, A.
—; Nazábal, J.: Supertoughness and Critical Interparticle Distance Dependence in Poly(butylene terephthalate) and Poly(ethylene-*co*-glycidyl methacrylate) Blends, 2236P
Arun, A.
—; Reddy, B. S. R.: Photocurable and Thermally Stable Polymers Based on 1,4-Pentadien-3-one-1-*p*-hydroxyphenyl-5-*p*-phenyl Methacrylate: Copolymerization with Ethyl Acrylate, 1632C
Asano, N. See Miyatake, K., 3901C
Aseyev, V. See Andersson, T., 1904C
Assink, R. A. See Salazar, M. R., 1136C
Assouline, E.
—; Lustiger, A.; Barber, A. H.; Cooper, C. A.; Klein, E.; Wachtel, E.; Wagner, H. D.: Nucleation Ability of Multiwall Carbon Nanotubes in Polypropylene Composites, 520P
Asua, J. M. See Ilundain, P., 3744C
Audibert-Hayet, A. See Kujawa, P., 3261C
Avci, D.
—; Albayrak, A. Z.: Synthesis and Copolymerization of New Phosphorus-Containing Acrylates, 2207C
Awad, W. H. See Bourbigot, S., 3188P

Baba, Y. See Noguchi, H., 1316P
Bae, Y. H. See Lee, D., 2365P
Baek, C.-K. See Seoul, C., 1572P
Baek, J.-B.
—; Harris, F. W.: Poly(arylether amides) and Poly(arylether-ketone amides) via Aromatic Nucleophilic Substitution Reactions of Self-Polymerizable AB and AB_2 Monomers, 2374C
Baer, E. See Liu, R. Y. F., 289P; Stephens, C. H., 2062P
Bahr, J. L. See Pham, J. Q., 3339P
Bai, F. See Qin, A., 2846C
Bai, J. See Smith, E., 3988C
Bai, Y. See Yao, F., 2073C
Baille, W. E. See Malveau, C., 2969P
Bajaj, P. See Sen, K., 2949P
Baker, G. L. See Kim, J.-B., 386C
Balakrishnan, T.
—; Murugan, E.: Preparation and Spectroscopic Characterization of Surface-Enriched (with Active Sites) Polymer-Supported Phase-Transfer Catalysts and Their Efficiency in Organic Addition Reactions: A Kinetic Study, 347C
Balazs, A. C. See Granick, S., 2755P
Bamford, D. See Kilburn, D., 3089P
Bao, S. See Xu, W., 378P
Barandiaran, M. J. See Ilundain, P., 3744C
Barbari, T. A. See Elabd, Y. A., 2794P
Barber, A. H. See Assouline, E., 520P
Barber, T. A. See Kadkin, O., 1114C
Barham, P. J. See Finlay, J., 1384P
Barlow, S. See Domercq, B., 2726P
Barner-Kowollik, C.
—; Coote, M. L.; Davis, T. P.; Radom, L.; Vana, P.: The Reversible Addition–Fragmentation Chain

Transfer Process and the Strength and Limitations of Modeling: Comment on "The Magnitude of the Fragmentation Rate Coefficient", 2828C
—; Davis, T. P.; Heuts, J. P. A.; Stenzel, M. H.; Vana, P.; Whittaker, M.: RAFTing Down Under: Tales of Missing Radicals, Fancy Architectures, and Mysterious Holes, 365C
—; See Hao, X., 2949C; Jesberger, M., 3847C
Barner, L. See Jesberger, M., 3847C
Barocio, S. R. See Olayo, M. G., 1501P
Barra, G. M. O. See Leyva, M. E., 2983P
Barrière, B.
—; Leibler, L.: Kinetics of Solvent Absorption and Permeation through a Highly Swellable Elastomeric Network, 166P
—; Leibler, L.: Permeation of a Solvent Mixture through an Elastomeric Membrane—The Case of Pervaporation, 183P
Barthe, M.-F. See Pinel, E., 2998P
Bas, C. See Pinel, E., 2998P
Baschetti, G. See Elabd, Y. A., 2794P
Basko, D. M. See Conwell, E. M., 2595P
Bassett, D. C. See Weng, J., 2342P
Basu, S. See Hwu, T.-Y., 2218C
Bateman, F. B. See Xia, F., 797P
Bates, F. S. See Dean, J. M., 2444P; Guo, Q., 1994P; Xu, J. J., 725P
Bauduin, G. See Ameduri, B., 3109C
Bazan, G. C. See Gong, X., 2691P
Beaucage, G. See Rajan, G. S., 1897P
Beaudoin, S. See Pruden, K. G., 1486C
Beche, E. See Brun, C., 1183P
Belana, J. See Tamayo, I., 1412P
Belfiore, L. A. See Tang, J., 2200P
Beltsios, K. See Lin, D.-J., 1578P
Benavente, R. See Laguna, M. F., 2174P; Martínez-Burgos, J. M., 1244P; Prieto, Ó., 1878P
Benmouna, F. See Gogibus, N., 39P
Benmouna, M. See Gogibus, N., 39P
Ben-Shabat, S.
—; Abuganima, E.; Raziel, A.; Domb, A. J.: Biodegradable Polycaprolactone–Polyanhydrides Blends, 3781C
Berg, L.
—; Painter, P.: Composition Dependence of the Small-Angle Neutron Scattering χ Parameter in Isotope Blends, 2923P
Berg, L. P.
—; Painter, P. C.: Intramolecular Screening Effects in Nondilute Polymer Solutions: An Equation-of-State Approach, 2911P
Berger, F. See Brun, C., 1183P
Bernaerts, K. V.
—; Schacht, E. H.; Goethals, E. J.; Du Prez, F. E.: Synthesis of Poly(tetrahydrofuran)-*b*-Polystyrene Block Copolymers from Dual Initiators for Cationic Ring-Opening Polymerization and Atom Transfer Radical Polymerization, 3206C
Bhanu, V. A. See Harrison, W. L., 2264C
Bhattarai, N.
—; Cha, D. I.; Bhattarai, S. R.; Khil, M. S.; Kim, H. Y.: Biodegradable Electrospun Mat: Novel Block Copolymer of Poly(*p*-dioxanone-*co*-L-lactide)-*block*-poly(ethylene glycol), 1955P
Bhattarai, S. R. See Bhattarai, N., 1955P
Bhowmik, P. K.
—; Wang, X.; Han, H.: Main-Chain, Thermotropic, Liquid-Crystalline, Hydrogen-Bonded Polymers of 4,4′-Bipyridyl with Aliphatic Dicarboxylic Acids, 1282C
Bhuniya, S. P.
—; Rahman, M. S.; Satyanand, A. J.; Gharia, M. M.; Dave, A. M.: Novel Route to Synthesis of Allyl Starch and Biodegradable Hydrogel by Copolymerizing Allyl-Modified Starch with Methacrylic Acid and Acrylamide, 1650C
Bi, W. See Cui, D., 2667C
Bian, J.
—; Ye, S.-R.; Feng, L.-X.: Heterogeneous Nucleation on the Crystallization Poly(ethylene terephthalate), 2135P
Bian, X. See Tang, Z., 1934C
Biber, M. See Çakar, M., 1334P
Bicak, N.
—; Karagoz, B.; Tunca, U.: Self-Curable Polyester by a Reaction of Glycidol with Maleic Anhydride, 2549C
—; Ozlem, M.: Graft Copolymerization of Butyl Acrylate and 2-Ethyl Hexyl Acrylate from Labile Chlorines of Poly(vinyl chloride) by Atom Transfer Radical Polymerization, 3457C
—; See Acar, M. H., 1677C
Bidan, G. See Kern, J.-M., 3470C
Biesemans, M. See Vanhaecht, B., 2082C
Bilodeau, F. See Robertson, G. P., 1316C
Bisht, H. S.
—; Ray, S. S.; Chatterjee, A. K.: Resonance, Polar, and Steric Effects of Substituent on Monomer Reactivity in Radical Polymerization of Alkyl 4-Vinylbenzoate and Butylacrylate, 1864C
Blacher, S. See Harrats, C., 202P
Böhme, F. See Jakisch, L., 655C
Böhme, S. See Kricheldorf, H. R., 890C
Boisvert, J.-P.
—; Persello, J.; Guyard, A.: Influence of the Surface Chemistry on the Structural and Mechanical Properties of Silica–Polymer Composites, 3127P
Bondarenko, G. N. See Khotimsky, V. S., 2133C
Bondarenko, V. See Dlubek, G., 3077P
Bongiovanni, R.
—; Sangermano, M.; Malucelli, G.; Priola, A.; Leonardi, A.; Ameduri, B.; Pollicino, A.; Recca, A.: Fluorinated Vinyl Ethers as New Surface Agents in the Photocationic Polymerization of Vinyl Ether Resins, 2890C
Borque, L. See Ramos, J., 2404C
Borredon, M. E. See Vaca-Garcia, C., 281P

Borrull, F. See Fontanals, N., 1927C
Botelho do Rego, A. M. See Zhang, Y., 3768C
Botines, E.
—; Franco, L.; Rodríguez-Galán, A.; Puiggalí, J.: Crystallization Kinetics of PGBG4: A Sequential Poly(ester amide) Derived from Glycine, 1,4-Butanediol, and Adipic Acid, 903P
Boukaftane, C. See El-Ghayoury, A., 469C
Boullier, I.
—; Esnouf, S.; Le Moël, A.: Radiooxidation of Fluoropolymers: Identification of Oxidation Products, 1509P
Bourbigot, S.
—; Vanderhart, D. L.; Gilman, J. W.; Awad, W. H.; Davis, R. D.; Morgan, A. B.; Wilkie, C. A.: Investigation of Nanodispersion in Polystyrene–Montmorillonite Nanocomposites by Solid-State NMR, 3188P
Boutevin, B.
—; Gaboyard, M.; Guida-Pietrasanta, F.; Hairault, L.; Lebret, B.; Pasquinet, E.: Synthesis of 1,3-Bis(2-trimethylsilyloxyhexafluoro-2-propyl)-5-allylbenzene and Its Introduction into Polysiloxane Chains, 1400C
—; See David, G., 236C; Gaboyard, M., 2469C
Bozja, J.
—; Sherrill, J.; Michielsen, S.; Stojiljkovic, I.: Porphyrin-Based, Light-Activated Antimicrobial Materials, 2297C
Bozkaya, U. See Çaykara, T., 1656P
Braden, M. See Tilbrook, D. A., 528P
Brar, A. S.
—; Hooda, S.; Kumar, R.: Compositional and Configurational Sequence Determination of Methyl Methacrylate/Ethyl Acrylate Copolymers by One- and Two-Dimensional Nuclear Magnetic Resonance Spectroscopy, 313C
Braun, D.
—; Electronic Injection and Conduction Processes for Polymer Devices, 2622P
—; See Siewing, A., 3143C
Breiby, D. W.
—; Samuelsen, E. J.: Quantification of Preferential Orientation in Conjugated Polymers Using X-Ray Diffraction, 2375P
—; Samuelsen, E. J.; Groenendaal, L.; Struth, B.: Smectic Structures in Electrochemically Prepared Poly(3,4-ethylenedioxythiophene) Films, 945P
—; Sato, S.; Samuelsen, E. J.; Mizoguchi, K.: Electron Spin Resonance Studies of Anisotropy in Semiconducting Polymeric Films, 3011P
Briber, R. M. See Perez-Salas, U., 1902P
Briggs, G. A. D. See Burlakov, V. M., 1308P
Brown, T. M.
—; Cacialli, F.: Contact Optimization in Polymer Light-Emitting Diodes, 2649P
Brucato, V. See Lamberti, G., 998P
Bruening, M. L. See Kim, J.-B., 386C
Brun, C.
—; Fromm, M.; Berger, F.; Delobelle, P.; Takadoum, J.; Beche, E.; Chambaudet, A.; Jaffiol, F.: Modifications of Polypropylene Surface Properties by He^+ Ion Implantation, 1183P
Bualek-Limcharoen, S. See Kasemjit, P., 4016C
Buckley, L. J. See Maya, E. M., 60C
Budde, C. See Yang, H., 2107C
Bullions, T. A.
—; Edeki, E. M.; Porbeni, F. E.; Wei, M.; Shuai, X.; Rusa, C. C.; Tonelli, A. E.: Intimate Blend of Poly(ethylene terephthalate) and Poly(ethylene 2,6-naphthalate) via Formation with and Coalescence from Their Common Inclusion Compound with γ-Cyclodextrin, 139P
Burin, A. L.
—; Ratner, M. A.: Charge Injection into Disordered Molecular Films, 2601P
Burlakov, V. M.
—; Nörenberg, H.; Briggs, G. A. D.; Tsukahara, Y.: Model for the Pressure-Dependent Permeation of Small Molecules through a Polymer Membrane, 1308P
Busfield, J. J. C. See Yamaguchi, K., 2079P
Bushko, W. C. See Fan, B., 859P
Butler, M. F.
—; Ng, Y.-F.; Pudney, P. D. A.: Mechanism and Kinetics of the Crosslinking Reaction between Biopolymers Containing Primary Amine Groups and Genipin, 3941C
Butler, P. D. See Malwitz, M. M., 3237P
Buzin, A. See Hu, W., 403P
Byrne, K. See Finlay, J., 1384P

Cacialli, F. See Brown, T. M., 2649P
Cádiz, V. See Ronda, J. C., 2918C; Ruiz, J., 1462P
Cai, X.
—; Riedl, B.; Ait-Kadi, A.: Effect of Surface-Grafted Ionic Groups on the Performance of Cellulose-Fiber-Reinforced Thermoplastic Composites, 2022P
Çakar, M.
—; Biber, M.; Sağlam, M.; Türüt, A.: Conductance and Capacitance–Frequency Characteristics of Polypyrrole/*p*-Type Silicon Structures, 1334P
Callau, L.
—; Reina, J. A.; Mantecón, A.: Synthesis and Crosslinking of Biphenyl and Naphthalene Liquid-Crystalline Polyethers with Pendant Full-Saturated and Vinyl-Terminated Aliphatic Chains, 3384C
Campo, L. F. See Rodembusch, F. S., 341P
Cañadas, J. C. See Tamayo, I., 1412P
Candau, F. See Kujawa, P., 3261C
Cao, R. See Gu, Z., 3037P
Capek, I.
—; Chudej, J.; Janíčková, S.: Sterically Stabilized Emulsion Polymerization of Styrene: Pseudo-Semicontinuous Approach, 804C
—; Liaw, D.-J.; Huang, C.-C.: Partitioning of Unsaturated Hydrophilic Monomer in Microemulsion Media Monitored by Pyrene Fluorescence Method, 571P

Capitani, D.
—; Laurienzo, P.; Malinconico, M.; Proietti, N.; Roviello, A.: Unsaturated Alkoxy-Substituted Poly(*p*-phenylene 1,3,4-oxadiazole)s: Synthesis and Chemical–Physical Characterization, 3916C
Cappleman, B. P. See Zhang, C., 2109P
Carfagna, C. See Castell, P., 1C
Carlini, C.
—; Martinelli, M.; Raspolli Galletti, A. M.; Sbrana, G.: Highly Active Methyl Methacrylate Polymerization Catalysts Obtained from Bis(3,5-dinitro-salicylaldiminate)nickel(II) Complexes and Methylaluminoxane, 2117C
—; Martinelli, M.; Raspolli Galletti, A. M.; Sbrana, G.: Homopolymerization of Methyl Methacrylate by Novel Salicylaldiminate-Nickel/Methylaluminoxane Catalysts Obtained by Oxidative Addition of the Chelate Ligand to a Nickel(0) Precursor, 1716C
Carreau, P. J. See Lessard, D. G., 1627P
Carroll, D. L. See Hill, T. A., 149P
Casalboni, M. See Persico, P., 1841C
Cassagnau, P. See Joubert, C., 1779P
Castell, P.
—; Serra, A.; Galià, M.: New Liquid-Crystalline Thermosets from Liquid-Crystalline Bisazomethynic Epoxy Resins with Naphthylene Disruptors in the Central Core, 1536C
—; Serra, A.; Galiá, M.; Giamberini, M.; Carfagna, C.: Anisotropic Thermosets from Liquid-Crystalline Azomethynic Epoxy Resins and Primary Aromatic Diamines, 1C
Castro, P. M.
—; Lappalainen, K.; Ahlgrén, M.; Leskelä, M.; Repo, T.: Iron-Based Catalysts Bearing Bis(imido)-Pyridine Ligands for the Polymerization of *tert*-Butyl Acrylate, 1380C
Cavicchi, K. A.
—; Lodge, T. P.: Domain Size Equilibration in Sphere-Forming Block Copolymers, 715P
Çaykara, T.
—; Bozkaya, U.; Kantoğlu, Ö.: Network Structure and Swelling Behavior of Poly(acrylamide/crotonic acid) Hydrogels in Aqueous Salt Solutions, 1656P
Cazacu, M.
—; Marcu, M.; Vlad, A.; Tóth, A.; Racles, C.: Chelate Polymers. III. New Polyazomethines of 5,5′-Methylene-bissalicylaldehyde with Siloxane Diamines and Their Divalent Metal Complexes, 3169C
Cebe, P. See Xu, H., 3026P
Celik, C.
—; Hizal, G.; Tunca, U.: Synthesis of Miktoarm Star and Miktoarm Star Block Copolymers via a Combination of Atom Transfer Radical Polymerization and Stable Free-Radical Polymerization, 2542C
Centore, R. See Persico, P., 1841C
Cerrada, M. L. See Laguna, M. F., 2174P; Martínez-Burgos, J. M., 1244P; Prieto, Ó., 1878P
Cha, D. I. See Bhattarai, N., 1955P
Chai, Z.
—; Zheng, X.; Sun, X.: Preparation of Polymer Microspheres from Solutions, 159P
Chaikof, E. L. See Taton, D., 1669C
Chakraborty, A. K. See Granick, S., 2755P
Chakraborty, B. C. See Ratna, D., 2166C
Chambaudet, A. See Brun, C., 1183P
Champagne, B. See Truffier-Boutry, D., 1691C
Chan, C.-M. See Zheng, S., 1099P
Chan, W. K. See Hui, C. S., 1708C
Chang, C.-J.
—; Chang, S.-J.; Tsou, S.; Chen, S.-I.; Wu, F.-M.; Hsu, M.-W.: Effects of Polymeric Dispersants and Surfactants on the Dispersing Stability and High-Speed-Jetting Properties of Aqueous-Pigment-Based Ink-Jet Inks, 1909P
Chang, C.-L. See Lin, D.-J., 1578P
Chang, J.-H.
—; An, Y. U.; Sur, G. S.: Poly(lactic acid) Nanocomposites with Various Organoclays. I. Thermomechanical Properties, Morphology, and Gas Permeability, 94P
Chang, J. Y. See Hwang, I. H., 1881C
Chang, L. L.
—; Woo, E. M.: Thermal, Morphology, and NMR Characterizations on Phase Behavior and Miscibility in Blends of Isotactic Polystyrene with Poly(cyclohexyl methacrylate), 772P
Chang, S.-C. See Chen, F.-C., 2681P
Chang, S.-J. See Chang, C.-J., 1909P
Chang, Y.-T.
—; Shu, C.-F.; Leu, C.-M.; Wei, K.-H.: Synthesis and Characterization of Hyperbranched Aromatic Poly(ether imide)s with Terminal Amino Groups, 3726C
Chapman, B. E. See Strauch, J., 2491C
Char, K. See Lee, D., 2365P
Charreyre, M.-T. See D'Agosto, F., 1188C
Chatterjee, A. K. See Bisht, H. S., 1864C
Chatti, S. See Kricheldorf, H. R., 3414C
Chau, C. C.
—; Li, J. C. M.: Cross Deformation and Stress Relaxation of Biaxially Oriented Polystyrene Films, 687P
Chaves, É. G. See Marques, M. T. V., 1478C
Chen, C.-F. See Zhao, Y.-L., 2156C
Chen, C. Y.
—; Wu, S. M.; Chen, Z. R.; Huang, T. J.; Hua, C. C.: Nonlinear Stress Relaxation of an Entangled Linear Polystyrene in Single Step-Strain Flow: A Quantitative Theoretical Investigation, 1281P
—; See Lee, S.-M., 4006C

Chen, D. See Lei, C., 661P
Chen, E. Y.-X. See Jin, J., 3132C
Chen, F. See Wu, X., 449C
Chen, F.-C.
—; Chang, S.-C.; He, G.; Pyo, S.; Yang, Y.; Kurotaki, M.; Kido, J.: Energy Transfer and Triplet Exciton Confinement in Polymeric Electrophosphorescent Devices, 2681P
Chen, G.-Q. See Xu, J., 2128P
Chen, H.
—; Schmidt, D. F.; Pitsikalis, M.; Hadjichristidis, N.; Zhang, Y.; Wiesner, U.; Giannelis, E. P.: Poly(styrene-*block*-isoprene) Nanocomposites: Kinetics of Intercalation and Effects of Copolymer on Intercalation Behaviors, 3264P
—; Yin, J.: Synthesis of Autophotosensitive Hyperbranched Polyimides Based on 3,3′,4,4′-Benzophenonetetracarboxylic Dianhydride and 1,3,5-Tris(4-aminophenoxy)benzene via End Capping of the Terminal Anhydride Groups by *ortho*-Alkyl Aniline, 2026C
Chen, K.-H. See Yang, C.-P., 922C
Chen, L. See Abe, S., 1676P
Chen, R.-M. See Hwu, T.-Y., 2218C
Chen, R.-S. See Yang, C.-P., 922C
Chen, S.-I. See Chang, C.-J., 1909P
Chen, W. See Cui, D., 2667C
Chen, W. C.
—; Sauer, J. A.; Hara, M.: Melt-Processable Blends of Ionic Poly(*p*-phenylene terephthalamide) and Poly(4-vinylpyridine): Relaxation Behavior, 1468P
—; Sauer, J. A.; Hara, M.: Molecular Composites Made of Ionic Poly(*p*-phenylene terephthalamide) and Poly(4-vinylpyridine): Deformation Modes, 429P
Chen, W.-T. See Hsiao, S.-H., 420C, 914C
Chen, W.-Y. See Chiu, Y.-S., 432C
Chen, X. See Ma, H., 143C; Tang, Z., 1934C; Yu, Z., 1454C
Chen, Y.
—; Sheu, R.-B.; Wu, T.-Y.: Novel Light-Emitting Polymers Containing Donor and Acceptor Architectures, 725C
—; See Wu, T.-Y., 1444C; Yu, Y.-H., 2765C
Chen, Z. R. See Chen, C. Y., 1281P
Cheng, J. See Cui, D., 2667C
Cheng, L.-P. See Lin, D.-J., 1578P
Cheng, Q. See Lu, J., 1237C
Cheng, S.-X. See Zhang, J.-T., 2390C
Cheng, X. See Wang, J., 368P
Cheng, Y.-J. See Hwu, T.-Y., 2218C
Cheng, Y.-W. See Wang, C., 2457P
Cheng, Z.-Y. See Xia, F., 797P
Chiang, C.-L.
—; Ma, C.-C. M.: Synthesis, Characterization, and Properties of Novel Ladderlike Phosphorus-Containing Polysilsesquioxanes, 1371C
—; Ma, C.-C. M.; Wu, D.-L.; Kuan, H.-C.: Preparation, Characterization, and Properties of Novolac-Type Phenolic/SiO_2 Hybrid Organic–Inorganic Nanocomposite Materials by Sol–Gel Method, 905C
Chiu, C.-C.
—; Lin, K.-F.; Chou, H.-L.: Chain Composition Dependence of Luminescence Properties for Copolymers of 2-Methoxy-5-2′-ethyl-hexyloxy-1,4-phenylenevinylene and 2,3-Diphenyl-5-octyl-1,4-phenylenevinylene, 2180C
Chiu, F.-C.
—; Huang, K.-H.; Yang, J.-C.: Miscibility and Thermal Properties of Melt-Mixed Poly(trimethylene terephthalate)/Amorphous Copolyester Blends, 2264P
Chiu, W.-Y. See Lee, C.-F., 2053C
Chiu, Y.-C. See Liu, Y.-L., 1107C
Chiu, Y.-S.
—; Liu, Y.-L.; Wei, W.-L.; Chen, W.-Y.: Using Diethylphosphites as Thermally Latent Curing Agents for Epoxy Compounds, 432C
—; See Liu, Y.-L., 2354C
Cho, J.
—; Kwon, Y. K.: Mean-Field and Fluctuation Correction Analyses for a Diblock Copolymer Melt Exhibiting an Immiscibility Loop, 1889P
Choi, H. J. See Lim, S. T., 2052P
Choi, S. W. See Lee, K. H., 1256P
Choi, Y.-J.
—; Moon, S.-H.; Yamaguchi, T.; Nakao, S.-I.: New Morphological Control for Thick, Porous Membranes with a Plasma Graft-Filling Polymerization, 1216C
Chojnowski, J. See Sauvet, G., 2939C
Choplin, L. See Joubert, C., 1779P
Chou, H.-L. See Chiu, C.-C., 2180C
Christiansen, J. deC. See Drozdov, A. D., 476P
Chu, B. See Gelfer, M. Y., 44P
Chu, C.-C. See Zhang, X.-Z., 582P
Chudej, J. See Capek, I., 804C
Chujo, Y. See Kim, K.-M., 1306C; Naka, K., 708C, 1504C
Chum, S. P. See Stephens, C. H., 2062P
Chun, S.-H. See Son, S. U., 76C
Chung, C.-L. See Hsiao, S.-H., 2001C
Chung, T. C. See Wang, Z. M., 3173P
Chung, W. J. See Wilks, B. R., 2185P
Chung, Y. K. See Son, S. U., 76C
Chunwachirasiri, W. See Winokur, M. J., 2630P
Cianga, I. See Kasapoglu, F., 3320C
Cichos, F. See Fischer, K., 1210P
Cieplak, P. See Kaim, A., 1778C
Cimmino, S. See Silvestre, C., 493P
Claverie, J. See Gaillard, N., 684C
Cogan, U. See Livney, Y. D., 508P, 3053P
Cohen, Y. See Livney, Y. D., 508P, 3053P
Collard, D. M. See Liu, R. Y. F., 289P
Constable, G. S.
—; Lesser, A. J.; Coughlin, E. B.: Ultrasonic Spectroscopic Evaluation of the Ring-Opening Metathesis

Polymerization of Dicyclopentadiene, 1323P
Contreras, J. See Martínez, G., 508C
Conwell, E. M.
—; Basko, D. M.: Negative Differential Mobility in Pentacene, 2595P
Cook, R. F. See Dean, J. M., 2444P
Cooper, C. A. See Assouline, E., 520P
Coote, M. L.
—; Davis, T. P.: Effect of the Copolymer Composition On the K and α Constants of the Mark–Houwink Equation: Comments on a Recent Article by Songkhla and Wootthikanokkhan, 655P
—; See Barner-Kowollik, C., 2828C
Coqueret, X. See Gogibus, N., 39P
Cordeiro, C. F. See Immanuel, C. D., 2232C
Cornelissen, J. J. L. M.
—; Graswinckel, W. S.; Rowan, A. E.; Sommerdijk, N. A. J. M.; Nolte, R. J. M.: Conformational Analysis of Dipeptide-Derived Polyisocyanides, 1725C
Correa, M. See Cuevas, J. M., 1965P
Coşkun, M.
—; Temüz, M. M.: Grafting of Poly(styrene-*co*-*p*-chloromethyl styrene) with Ethyl Methacrylate via Atom Transfer Radical Polymerization Catalyzed by CuCl/1,2-Dipiperidinoethane, 668C
Costa, G. See Ding, Y., 387P
Coughlin, E. B. See Constable, G. S., 1323P
Coveney, P. V. See Tilbrook, D. A., 528P
Crescenzi, V. See Lai, S., 3123C
Crispin, X.
—; Marciniak, S.; Osikowicz, W.; Zotti, G.; Van der Gon, A. W. D.; Louwet, F.; Fahlman, M.; Groenendaal, L.; De Schryver, F.; Salaneck, W. R.: Conductivity, Morphology, Interfacial Chemistry, and Stability of Poly(3,4-ethylene dioxythiophene)–Poly(styrene sulfonate): A Photoelectron Spectroscopy Study, 2561P
Crivello, J. V.
—; Ahn, J.: Photoinduced and Thermally Induced Cationic Polymerizations Using *S,S*-Dialkyl-*S*-(3,5-dimethylhydroxyphenyl)sulfonium Salts, 2570C
—; Ahn, J.: Synthesis and Characterization of Second-Generation *S,S*-Dialkyl-*S*-(dimethylhydroxyphenyl)-sulfonium Salt Photoinitiators, 2556C
—; See Falk, B., 579C; Jang, M., 3056C
Croll, T.
—; Munro, P. D.; Winzor, D. J.; Trau, M.; Nielsen, L. K.: Quantitative Prediction of Phase Diagrams for Polymer Partitioning in Aqueous Two-Phase Systems, 437P
Crosby, A. J.
—; Karim, A.; Amis, E. J.: Combinatorial Investigations of Interfacial Failure, 883P
Croutxé-Barghorn, C. See Soppera, O., 716C, 831C
Crowley, T. J. See Immanuel, C. D., 2232C
Cruz, G. J. See Olayo, M. G., 1501P
Cuervo-Rodriguez, R. See Martín-Gomis, L., 2659C
Cuevas, J. M.
—; Laza, J. M.; Correa, M.; Vilas, J. L.; Rodríguez, M.; León, L. M.: Determination of the Rheological Behavior of Epoxy–Amine Thermosets by Dynamic Mechanical Analysis: Isothermal Methods versus Nonisothermal Methods, 1965P
Cui, D.
—; Tang, T.; Bi, W.; Cheng, J.; Chen, W.; Huang, B.: Ring-Opening Polymerization and Block Copolymerization of L-Lactide with Divalent Samarocene Complex, 2667C
Cui, Y. See Hong, L., 120P
Cummins, K. See Lei, Y., 2302P
Cunningham, D. See Aldabbagh, F., 3892C
Curcó, D. See Zazueta, D. A., 2928P
Curry, C. See Garcia, C. B. W., 3346P
Czerw, R. See Hill, T. A., 149P
Czupik, M.
—; Fossum, E.: Manipulation of the Molecular Weight and Branching Structure of Hyperbranched Poly(arylene ether phosphine oxide)s Prepared via an $A_2 + B_3$ Approach, 3871C

Da Cunha, L. See Ilundain, P., 3744C
D'Agosto, F.
—; Charreyre, M.-T.; Pichot, C.; Gilbert, R. G.: Latex Particles Bearing Hydrophilic Grafted Hairs with Controlled Chain Length and Functionality Synthesized by Reversible Addition–Fragmentation Chain Transfer, 1188C
Dalvi, V. See Ratna, D., 2166C
Daming, W.
—; Qingyun, M.; Ying, L.; Yumei, D.; Weihong, C.; Hong, X.; Dongyun, R.: *In situ* Bubble-Stretching Dispersion Mechanism for Additives in Polymers, 1051P
Danilovtseva, E. N. See Annenkov, V. V., 2256C
Da Silveira, N. P. See Rodembusch, F. S., 341P
Dave, A. M. See Bhuniya, S. P., 1650C
David, G.
—; Boutevin, B.; Robin, J. J.: Determination of the Cumulative Degree of Polymerization for the Dead-End Polymerization of Styrene, 236C
David, L. See Guichon, O., 327P
Davis, R. D. See Bourbigot, S., 3188P
Davis, T. P. See Barner-Kowollik, C., 365C, 2828C; Coote, M. L., 655P; Hao, X., 2949C; Jesberger, M., 3847C; Roberts, G. E., 752C
Day, M. See Zhang, Z., 1518P
Dean, J. M.
—; Grubbs, R. B.; Saad, W.; Cook, R. F.; Bates, F. S.: Mechanical Properties of Block Copolymer Vesicle and Micelle Modified Epoxies, 2444P
—; See Guo, Q., 1994P
Deb, P. C. See Ratna, D., 2166C
De Baerdemaeker, J. See Pinel, E., 2998P
Defibaugh-Chavez, M. See Zhang, C., 2109P
Delaite, C. See Meyer, N., 3329C
De La Peña, J. L. See García, F., 1567C

Della Martina, A.
—; Garamszegi, L.; Hilborn, J. G.: Pore Size Modification of Macroporous Crosslinked Poly(Dicyclopentadiene), 2036C
Delobelle, P. See Brun, C., 1183P
Del Río, C. See Nácher, A., 2809C
De Luca, E.
—; Richards, R. W.: Molecular Characterization of a Hyperbranched Polyester. I. Dilute Solution Properties, 1339P
—; Richards, R. W.; Grillo, I.; King, S. M.: Molecular Characterization of a Hyperbranched Polyester. II. Small-Angle Neutron Scattering, 1352P
Demoustier-Champagne, S. See Roux, S., 1347C; Truffier-Boutry, D., 1691C
Deng, X. See Li, Z., 1511C
Dersch, R.
—; Liu, T.; Schaper, A. K.; Greiner, A.; Wendorff, J. H.: Electrospun Nanofibers: Internal Structure and Intrinsic Orientation, 545C
De Ruiter, B. See El-Ghayoury, A., 469C
Dervan, P.
—; Aldabbagh, F.; Zetterlund, P. B.; Yamada, B.: Mechanism and Kinetics of the Imidazolidinone Nitroxide-Mediated Free-Radical Polymerization of Styrene, 327C
—; See Aldabbagh, F., 3892C
De Schryver, F. See Crispin, X., 2561P
Desjardins, S. G. See Holland, M. G., 2125C
Devaux, J. See Truffier-Boutry, D., 1691C
Devroede, J. See Vanhaecht, B., 2082C
De Wet-Roos, D. See Sprong, E., 223C
Dhavalikar, R.
—; Yamaguchi, M.; Xanthos, M.: Molecular and Structural Analysis of a Triepoxide-Modified Poly(ethylene terephthalate) from Rheological Data, 958C
Di, W.
—; Zhang, G.; Xu, J.; Peng, Y.; Wang, X.; Xie, Z.: Positive-Temperature-Coefficient/Negative-Temperature-Coefficient Effect of Low-Density Polyethylene Filled with a Mixture of Carbon Black and Carbon Fiber, 3094P
Di, Y.
—; Iannace, S.; Di Maio, E.; Nicolais, L.: Nanocomposites by Melt Intercalation Based on Polycaprolactone and Organoclay, 670P
Díaz-Calleja, R.
—; García-Bernabé, A.; Sánchez-Martínez, E.; Sanchis, M. J.; Hormazábal, E. A.; Gargallo, L.; Radić, D.: Dielectric Relaxational Behavior of Poly(diitaconate)s Containing Cyclic Rings in the Side Chain, 1059P
Díaz-García, M. A.
—; Light-Emitting Diodes and Lasers Based on Polymer Films Doped with Small Organic Molecules and Rare-Earth Complexes, 2706P
Dicillo, J. See Vaeth, K. M., 2715P
Diego, J. A. See Tamayo, I., 1412P
Dikshit, A. K.
—; Kaito, A.: Effects of the Oriented Mesophase on the Cold Crystallization of Syndiotactic Polystyrene and Its Blend with Poly(2,6-dimethyl-1,4-phenylene oxide), 1665P
Di Maio, E. See Di, Y., 670P
Ding, E. See Zhao, J., 376C
Ding, J.
—; Maitra, P.; Wunder, S. L.: Characterization of the Interaction of Poly(ethylene oxide) with Nanosize Fumed Silica: Surface Effects on Crystallization, 1978P
Ding, L.
—; Olesik, S. V.: Dispersion Polymerization of Styrene in Carbon Dioxide Stabilized by Copolymers of Poly(propylene glycol) Methacrylate and 2-(Perfluorooctyl)ethyl Methacrylate, 3804C
—; See Liao, L., 2650C, 3149C
Ding, M. See Li, Q., 3249C
Ding, Y.
—; Xin, Z.; Gao, Y.; Yin, J.; Costa, G.: Functionalization of an Ethylene–Propylene Copolymer with Allyl(3-isocyanate-4-tolyl) Carbamate, 387P
—; See Liu, M., 1135P
D'Iorio, M. See Shoji, E., 3006C
Divisia-Blohorn, B. See Kern, J.-M., 3470C
Djurišić, A. B. See Hui, C. S., 1708C
Dlubek, G.
—; Supej, M.; Bondarenko, V.; Pionteck, J.; Pompe, G.; Krause-Rehberg, R.; Emri, I.: *Ortho*-Positronium Lifetime Distribution Analyzed with MELT and LT and Free Volume in Poly(ε-caprolactone) during Glass Transition, Melting, and Crystallization, 3077P
—; See Kilburn, D., 3089P
Dodelet, J. P. See Shoji, E., 3006C
Domb, A. J. See Ben-Shabat, S., 3781C; Krasko, M. Y., 1059C
Domercq, B.
—; Hreha, R. D.; Zhang, Y.-D.; Haldi, A.; Barlow, S.; Marder, S. R.; Kippelen, B.: Organic Light-Emitting Diodes with Multiple Photocrosslinkable Hole-Transport Layers, 2726P
Domingues Dos Santos, F.
—; Leibler, L.: Large Deformation of Films from Soft-Core/Hard-Shell Hydrophobic Latices, 224P
Dondos, A.
—; Papanagopoulos, D.: Modification of the Universal Calibration of Gel Permeation Chromatography to Include Macromolecules Presenting a Draining Effect, 707P
Dong, R. See Yi, Y., 1799C
Dong, Y.
—; Sakurai, K.; Wu, Y.; Kondo, Y.: Spherulite Morphology Studies of *N*-Alkyl Chitosan Films Cast from Formic Acid Solutions, 2033P
—; See Wang, C., 273C
Dongyun, R. See Daming, W., 1051P
Donovan, M. S.
—; Lowe, A. B.; Sanford, T. A.; McCormick, C. L.: Sulfobetaine-Containing Diblock and Triblock Copolymers via Reversible Addition-Fragmentation Chain Transfer

Polymerization in Aqueous Media, 1262C
Dortmans, L. J. M. G. See Jiménez-Piqué, E., 1112P
Douglas, J. F. See Sung, L., 1697P
Doyle, F. J., III See Immanuel, C. D., 2232C
Dragan, S.
—; Timpu, D.: Polyelectrolyte Complexes. V. Solid-State Properties of Some Polycation/Azo Dye Complexes Controlled by the Dye Structure, 264C
Drinkenburg, A. A. H. See Reynhout, X. E. E., 2985C
Drozdov, A. D.
—; Christiansen, J. deC.; Gupta, R. K.; Shah, A. P.: Model for Anomalous Moisture Diffusion through a Polymer–Clay Nanocomposite, 476P
—; Yuan, Q.: Effect of Annealing on the Viscoelastic and Viscoplastic Responses of Low-Density Polyethylene, 1638P
Du, F.
—; Fischer, J. E.; Winey, K. I.: Coagulation Method for Preparing Single-Walled Carbon Nanotube/Poly(methyl methacrylate) Composites and Their Modulus, Electrical Conductivity, and Thermal Stability, 3333P
Du, Y. See Tang, R., 993P
Du, Y.-Z. See Fujioka, M., 1788C
Dubois, Ph. See Martin, E., 569C
Duchet, J.
—; Pascault, J. P.: Do Epoxy–Amine Networks Become Inhomogeneous at the Nanometric Scale? 2422P
Dumas, P. See Meyer, N., 3329C
Dunkers, J. P. See Holmes, G. A., 2976P
Du Prez, F. E. See Bernaerts, K. V., 3206C
Duran, R. See Taton, D., 1669C

Economy, J. See Liu, C., 3736C
Eddine, M. N. See Meyer, N., 3329C
Edeki, E. M. See Bullions, T. A., 139P
Eguiazábal, J. I. See García, M., 1022P
Eisenberg, A. See Lessard, D. G., 1627P; Tannenbaum, R., 1814P
Elabd, Y. A.
—; Baschetti, G.; Barbari, T. A.: Time-Resolved Fourier Transform Infrared/Attenuated Total Reflection Spectroscopy for the Measurement of Molecular Diffusion in Polymers, 2794P
El-Ghayoury, A.
—; Boukaftane, C.; De Ruiter, B.; Van Der Linde, R.: Ultraviolet–Ultraviolet Dual-Cure Process Based on Acrylate Oxetane Monomers, 469C
Elsabeé, M. Z. See Naguib, H. F., 3180C
Elvira, C. See González, N., 395C; Larraz, E., 1641C
Emami, S.-H.
—; Salovey, R.; Hogen-Esch, T. E.: Degradable Poly(ethylene oxide) Hydrogels Formed by Crosslinking with *tert*-Butylperoxybenzoate, 520C
Emri, I. See Dlubek, G., 3077P
Encinas, M. V. See Valdebenito, A., 2368C
Endo, K.
—; Saitoh, M.: Polymerization of Vinyl Chloride with Half-Titanocene/Methylaluminoxane Catalysts, 248C
Endo, T. See Koizumi, T., 476C; Nemoto, N., 185C, 699C, 1521C; Sudo, A., 116C; Takahashi, E., 3816C, 3828C; Tanaka, M., 853C
Erol, İ. See Soykan, C., 1942C
Escher, F. F. N.
—; Galland, G. B.; Ferreira, M.: ^{13}Carbon Nuclear Magnetic Resonance of Ethylene–Propylene–1-Decene Terpolymers, 2531C
Escribano, P. See Nácher, A., 2809C
Esnouf, S. See Boullier, I., 1509P
Evans, E. See Hao, X., 2949C
Ewen, B. See Gogibus, N., 39P
Ezra, A. See Krasko, M. Y., 1059C

Fahlman, M. See Crispin, X., 2561P
Fahoum, L. See Livney, Y. D., 3053P
Falk, B.
—; Vallinas, S. M.; Crivello, J. V.: Monitoring Photopolymerization Reactions with Optical Pyrometry, 579C
Fan, B.
—; Kazmer, D. O.; Bushko, W. C.; Theriault, R. P.; Poslinski, A. J.: Warpage Prediction of Optical Media, 859P
Fan, H.
—; Gu, Y.; Xie, M.: Novel Side-Chain Liquid-Crystalline Polyimide for Film Materials, 554C
Fan, J.
—; Hu, X.; Yue, C. Y.: Dielectric Properties of Self-Catalytic Interpenetrating Polymer Network Based on Modified Bismaleimide and Cyanate Ester Resins, 1123P
Fan, L. See Li, Z. X., 1831C; Tang, R., 993P
Fan, X. See Yi, Y., 1799C
Fan, Z. See Wang, Q., 998C
Fang, X. See Kim, G.-M., 3299P; Li, Q., 3249C
Fang, Y. See Zhang, W., 3218C
Fann, W. See Hwu, T.-Y., 2218C
Farhina, J. P. S. See Moffitt, M., 637P
Farmer, B. L. See Sinsawat, A., 3272P; Zhang, T., 984C, 1411C
Fasce, D. P. See Pellice, S. A., 1451P
Faught, M. See Garcia, C. B. W., 3346P
Faupin, B. See Livney, Y. D., 508P, 3053P
Fayt, R. See Harrats, C., 202P
Fazeli, N.
—; Taromi, F. A.: Using the New In–In Method for the Synthesis of Polyisoprene/Polystyrene Heteroarm Star Polymers, 135C
Feast, W. J. See Henze, O., 1737C
Feldman, Y. See Ryabov, Y. E., 217P
Feng, H.
—; Al-Sheikhly, M.; Silverman, J.; Weiss, D. E.; Neta, P.: Polymerization of Neat 2-Ethylhexyl Acrylate Induced by a Pulsed Electron Beam, 196C
Feng, L.-X. See Bian, J., 2135P
Feng, M. See Lu, Y., 2313P
Fernández-García, M. See Martín-Gomis, L., 2659C
Fernández-Monreal, M. C. See Martín-Gomis, L., 2659C
Ferreira, M. See Escher, F. F. N., 2531C

Fevola, M. J.
—; Hester, R. D.; McCormick, C. L.: Molecular Weight Control of Polyacrylamide with Sodium Formate as a Chain-Transfer Agent: Characterization via Size Exclusion Chromatography/ Multi-Angle Laser Light Scattering and Determination of Chain-Transfer Constant, 560C
Filyanova, R. See Mateva, R., 487C
Finlay, J.
—; Hill, M. J.; Barham, P. J.; Byrne, K.; Woogara, A.: Mechanical Properties and Characterization of Slowly Cooled Isotactic Polypropylene/High-Density Polyethylene Blends, 1384P
Finne, A.
—; Albertsson, A.-C.: Polyester Hydrogels with Swelling Properties Controlled by the Polymer Architecture, Molecular Weight, and Crosslinking Agent, 1296C
—; Reema; Albertsson, A.-C.: Use of Germanium Initiators in Ring-Opening Polymerization of L-Lactide, 3074C
—; See Andronova, N., 2412C
Fischer, J. E. See Du, F., 3333P
Fischer, K.
—; Prause, S.; Spange, S.; Cichos, F.; Von Borczyskowski, C.: Surface Polarity of Cellulose Derivates Observed by Coumarin 151 and 153 As Solvatochromic and Fluorochromic Probes, 1210P
Focarete, M. L. See Gazzano, M., 1009P
Fonseca, I. F. See Zhang, Y., 3768C
Fontanals, N.
—; Marcé, R. M.; Galià, M.; Borrull, F.: Preparation and Characterization of Highly Polar Polymeric Sorbents from Styrene-Divinylbenzene and Vinylpyridine-Divinylbenzene for the Solid-Phase Extraction of Polar Organic Pollutants, 1927C
Forcada, J. See Ramos, J., 2322C, 2404C
Ford, W. T. See Malveau, C., 2969P; Xu, Z., 597C
Fortelný, I.
—; Hlavatá, D.; Mikešová, J.; Michálková, D.; Potroková, L.; Šloufová, I.: Effect of Mixing Conditions on the Morphology and Properties of Polystyrene/Polyethylene Blends Compatibilized with Styrene–Butadiene Block Copolymers, 609P
Fortuniak, W. See Sauvet, G., 2939C
Fossum, E. See Czupik, M., 3871C
Foster, M. D. See Martter, T. D., 247P
France, M. B. See Holland, M. G., 2125C
Francis, L. F. See Sun, J., 1744P
Franco, L. See Botines, E., 903P
Fransen, M. See Henze, O., 1737C
Fréchet, J. M. J.
—; Dendrimers and Other Dendritic Macromolecules: From Building Blocks to Functional Assemblies in Nanoscience and Nanotechnology, 3713C
Freire, F. See Zhang, Y., 3768C
French, J. See Hayden, L. M., 2492P
Frisbie, C. D. See Merlo, J. A., 2674P
Fromm, M. See Brun, C., 1183P
Fu, P.-F. See Sun, J., 636C
Fu, Q. See Zhang, Q., 1P
Fuess, H. See Adla, A., 2892P
Fujikawa, S.-I. See Kobayashi, S., 3541C
Fujioka, M.
—; Ma, G.-H.; Du, Y.-Z.; Ogino, K.; Nagai, M.; Omi, S.: Synthesis of Functional Graft Copolymers by Solution Copolymerization and Their Evaluation as Dispersants in Nonaqueous Phase Dispersion Polymerization, 1788C
Fujita, M. See Hori, A., 3478C
Fujiwara, H.
—; Narita, T.; Hamana, H.: Self-Polyaddition of Triethylsilyl Perfluoroisopropenyl Ether, 2743C
Fujiwara, J. See Ma, G.-H., 2588C
Fukuda, T. See Wang, A. R., 2833C
Fukushima, T. See Miyagawa, T., 861C
Fukutomi, T. See Takizawa, M., 1251C
Funari, S. S. See Stribeck, N., 1947P
Furukawa, A.
—; Imanishi, Y.; Tanihara, M.: Design and Synthesis of Highly Photopolymerizable Styrenyl Compounds in Solid-State Photoinitiated Polymerization, 3227C
Furukawa, M.
—; Hamada, Y.; Kojio, K.: Aggregation Structure and Mechanical Properties of Functionally Graded Polyurethane Elastomers, 2355P
Furukawa, T. See Nakamura, K., 1701P
Furukawa, Y.
—; Yoneda, T.: Synthesis and Properties of Fluorosilicone with Perfluorooctylundecyl Side Chains, 2704C
Furusho, Y. See Oku, T., 119C
Furuzono, T. See Korematsu, A., 2840C

Gaboyard, M.
—; Jeanmaire, T.; Pichot, C.; Hervaud, Y.°; Boutevin, B.: Seeded Semicontinuous Emulsion Copolymerization of Methyl Methacrylate, Butyl Acrylate, and Phosphonated Methacrylates: Kinetics and Morphology, 2469C
—; See Boutevin, B., 1400C
Gadzinowski, M.
—; Sosnowski, S.: Biodegradable/ Biocompatible ABC Triblock Copolymer Bearing Hydroxyl Groups in the Middle Block, 3750C
Gaillard, N.
—; Guyot, A.; Claverie, J.: Block Copolymers of Acrylic Acid and Butyl Acrylate Prepared by Reversible Addition–Fragmentation Chain Transfer Polymerization: Synthesis, Characterization, and Use in Emulsion Polymerization, 684C
Galiá, M. See Castell, P., 1C, 1536C; Fontanals, N., 1927C
Galisteo-González, F. See Ramos, J., 2404C
Gallagher, S.
—; Synthesis and Characterization of Phosphonate-Containing Polysiloxanes, 48C
Galland, G. B. See Escher, F. F. N., 2531C

Gallego, J.
—; Mendicuti, F.; Mattice, W. L.: Energy Migration in Poly(*N*-Vinyl Carbazole) and Its Copolymers with Methyl Methacrylate: Fluorescence Polarization, Quenching, and Molecular Dynamics, 1615P

Gallez, X. A. See Truffier-Boutry, D., 1691C

Gamage, N. J. W.
—; Hill, D. J. T.; Lukey, C. A.; Pomery, P. J.: Thermal Characterization of Polyester–Melamine Coating Matrices Prepared under Nonisothermal Conditions, 1603C

Gan, D.
—; Mueller, A.; Wooley, K. L.: Amphiphilic and Hydrophobic Surface Patterns Generated from Hyperbranched Fluoropolymer/Linear Polymer Networks: Minimally Adhesive Coatings via the Crosslinking of Hyperbranched Fluoropolymers, 3531C

Gan, L.-H.
—; Ravi, P.; Mao, B. W.; Tam, K.-C.: Controlled/Living Polymerization of 2-(Diethylamino)ethyl Methacrylate and Its Block Copolymer with *tert*-butyl Methacrylate by Atom Transfer Radical Polymerization, 2688C

Gancheva, V. See Mateva, R., 487C

Gao, L. See Li, Q., 3249C

Gao, M. See Li, Z., 1511C

Gao, W. See Kahn, A., 2529P

Gao, Y.
—; Huang, H.; Yao, Z.; Shi, D.; Ke, Z.; Yin, J.: Morphology, Structure, and Properties of *In Situ* Compatibilized Linear Low-Density Polyethylene/Polystyrene and Linear Low-Density Polyethylene/High-Impact Polystyrene Blends, 1837P
—; Robertson, G. P.; Guiver, M. D.; Jian, X.: Synthesis and Characterization of Sulfonated Poly(phthalazinone ether ketone) for Proton Exchange Membrane Materials, 497C
—; Robertson, G. P.; Guiver, M. D.; Jian, X.; Mikhailenko, S. D.; Wang, K.; Kaliaguine, S.: Direct Copolymerization of Sulfonated Poly(phthalazinone arylene ether)s for Proton-Exchange-Membrane Materials, 2731C
—; See Ding, Y., 387P

Garaleh, M. See Kricheldorf, H. R., 3838C

Garamszegi, L. See Della Martina, A., 2036C

García-Bernabé, A. See Díaz-Calleja, R., 1059P

Garcia, C. B. W.
—; Lovell, C.; Curry, C.; Faught, M.; Zhang, Y.; Wiesner, U.: Synthesis and Characterization of Block Copolymer/Ceramic Precursor Nanocomposites Based on a Polysilazane, 3346P

García, F.
—; García, J. M.; Rubio, F.; De La Peña, J. L.; Guzmán, J.; Riande, E.: Synthesis and Radical Polymerization of Hydrophilic Methacrylates with Oxyethylene Units in the Pendant Chain, 1567C

García, F. C. See García, J. M., 1202C

García, J. M.
—; García, F. C.; Serna, F.: Constitutional Isomerism in Polyamides Derived from Isophthaloyl Chloride and 1,3-Diamine-4-chlorobenzene, 1202C
—; See García, F., 1567C

García, M.
—; Eguiazábal, J. I.; Nazábal, J.: Miscibility Level and Mechanical Characterization of Blends of Two Liquid-Crystalline Polymers Based on *p*-Hydroxybenzoic Acid, 1022P

Garcia-Leiner, M.
—; Song, J.; Lesser, A. J.: Drawing of Ultrahigh Molecular Weight Polyethylene Fibers in the Presence of Supercritical Carbon Dioxide, 1375P

Gargallo, L. See Díaz-Calleja, R., 1059P

Gazzano, M.
—; Malta, V.; Focarete, M. L.; Scandola, M.; Gross, R. A.: Crystal Structure of Poly(ω-pentadecalactone), 1009P

Ge, J.
—; Turunen, M. P. K.; Kivilahti, J. K.: Surface Modification of a Liquid-Crystalline Polymer for Copper Metallization, 623P

Ge, Z. Y. See Li, Z. X., 1831C

Gelfer, M. Y.
—; Song, H. H.; Liu, L.; Hsiao, B. S.; Chu, B.; Rafailovich, M.; Si, M.; Zaitsev, V.: Effects of Organoclays on Morphology and Thermal and Rheological Properties of Polystyrene and Poly(methyl methacrylate) Blends, 44P

Gelin, M.-P.
—; Ameduri, B.: Fluorinated Block Copolymers Containing Poly(vinylidene fluoride) or Poly(vinylidene fluoride-*co*-hexafluoropropylene) Blocks from Perfluoropolyethers: Synthesis and Thermal Properties, 160C

Gelover-Santiago, A. See Naka, K., 708C

Gerberich, W. W. See Sun, J., 1744P

Gerhardt, R. A. See Ou, R., 823P

Gharia, M. M. See Bhuniya, S. P., 1650C

Ghose, S. See Oh, J. S., 2959P

Ghosh, S. See Vishalakshi, B., 2288C

Giamberini, M. See Castell, P., 1C; Ronda, J. C., 2918C

Giannelis, E. P. See Chen, H., 3264P; Vohra, V. R., 3151P

Gibson, V. C. See McGuinness, D. S., 3798C

Gilbert, R. G. See D'Agosto, F., 1188C; Strauch, J., 2491C

Gill, N.
—; Pojman, J. A.; Willis, J.; Whitehead, J. B., Jr.: Polymer-Dispersed Liquid-Crystal Materials Fabricated with Frontal Polymerization, 204C

Gilligan, K. See Aldabbagh, F., 3892C

Gilman, J. W. See Bourbigot, S., 3188P; Wang, Z. M., 3173P

Glasser, W. G. See Vaca-Garcia, C., 281P

Gleason, W. B. See Stanek, L. G., 3027C

Gnanou, Y. See Taton, D., 1669C

Goethals, E. J. See Bernaerts, K. V., 3206C

Gogibus, N.
—; Benmouna, F.; Ewen, B.; Pakula, T.; Coqueret, X.; Benmouna, M.; Maschke, U.: Phase Diagrams of Poly(siloxane)/Liquid Crystal Blends, 39P
Goh, S. H. See Li, X.-D., 789P
Gohy, J.-F. See Vogel, V., 3159C
Gómez Ribelles, J. L. See Salmerón Sánchez, M., 1713P
Gomochak, D. L. See Quirk, R. P., 947C
Gong, I. P. See Kaneko, D., 2808P
Gong, X.
—; Ostrowski, J. C.; Moses, D.; Bazan, G. C.; Heeger, A. J.: High-Performance Polymer-Based Electrophosphorescent Light-Emitting Diodes, 2691P
Gonzales, C. P. See Gopalan, P., 3640C
González, N.
—; Elvira, C.; San Román, J.: Hydrophilic and Hydrophobic Copolymer Systems Based on Acrylic Derivatives of Pyrrolidone and Pyrrolidine, 395C
Goonewardena, W. See Vanhaecht, B., 2082C
Gopalan, P.
—; Li, X.; Li, M.; Ober, C. K.; Gonzales, C. P.; Hawker, C. J.: Rod–Coil Block Copolymers: An Iterative Synthetic Approach via Living Free-Radical Procedures, 3640C
Goris, L. See Polec, I., 1034C
Gorrasi, G.
—; Tammaro, L.; Tortora, M.; Vittoria, V.; Kaempfer, D.; Reichert, P.; Mülhaupt, R.: Transport Properties of Organic Vapors in Nanocomposites of Isotactic Polypropylene, 1798P
Goto, A. See Wang, A. R., 2833C
Gotoh, Y. See Okumura, W., 2322P; Uddin, A. J., 2878P
Govindjee, S. See Vijalapura, P. K., 2091P
Gozzelino, G. See Vaca-Garcia, C., 281P
Graciet, J.-C. See Tronc, F., 766C
Granick, S.
—; Kumar, S. K.; Amis, E. J.; Antonietti, M.; Balazs, A. C.; Chakraborty, A. K.; Grest, G. S.; Hawker, C.; Janmey, P.; Kramer, E. J.; Nuzzo, R.; Russell, T. P.; Safinya, C. R.: Macromolecules at Surfaces: Research Challenges and Opportunities from Tribology to Biology, 2755P
Graswinckel, W. S. See Cornelissen, J. J. L. M., 1725C
Green, P. F.
—; Wetting and Dynamics of Structured Liquid Films, 2219P
—; See Pham, J. Q., 3339P
Greiner, A. See Dersch, R., 545C
Grest, G. S. See Granick, S., 2755P
Griffith, V. E. See Holland, M. G., 2125C
Grillo, I. See De Luca, E., 1352P
Groenendaal, L. See Breiby, D. W., 945P; Crispin, X., 2561P
Groeninckx, G. See Mathew, A. P., 1680P
Gross, R. A. See Gazzano, M., 1009P
Grubb, D. T. See Murthy, N. S., 1538P
Grubbs, R. B. See Dean, J. M., 2444P; Guo, Q., 1994P
Gu, Y. See Fan, H., 554C
Gu, Z.
—; Patterson, G.; Cao, R.; Armitage, B.: Self-Assembled Supramolecular Microgels: Fractal Structure and Aggregation Mechanism, 3037P
Guan, Z.
—; Control of Polymer Topology through Late-Transition-Metal Catalysis, 3680C
Guha, S.
—; Rao, T. R. G.; Mandal, B. M.: Free-Radical Trapping in the Precipitation Polymerization of Acrylamide, 1192P
Guichon, O.
—; Séguéla, R.; David, L.; Vigier, G.: Influence of the Molecular Architecture of Low-Density Polyethylene on the Texture and Mechanical Properties of Blown Films, 327P
Guida-Pietrasanta, F. See Boutevin, B., 1400C
Guiver, M. D. See Gao, Y., 497C, 2731C; Robertson, G. P., 1316C
Gunji, T. See Abe, Y., 2250C
Guo, B.-H. See Xu, J., 2128P
Guo, Q.
—; Dean, J. M.; Grubbs, R. B.; Bates, F. S.: Block Copolymer Modified Novolac Epoxy Resin, 1994P
—; See Zheng, S., 466P, 1085P, 1099P
Guo, Y. See Quirk, R. P., 2435C
Gupta, R. K. See Drozdov, A. D., 476P
Gupta, R. R. See Ramachandrarao, V. S., 3114P
Gustafsson, B. See Smedberg, A., 2974C
Guyard, A. See Boisvert, J.-P., 3127P
Guyot, A. See Gaillard, N., 684C
Guzmán, J. See García, F., 1567C

Haase, W. See Vogel, V., 3159C
Habaue, S. See Isobe, Y., 1027C; Morioka, K., 3354C
Hadjichristidis, N. See Chen, H., 3264P; Vazaios, A., 3094C
Hadziioannou, G. See Melzer, C., 2665P
Hägele, K. See Klee, J. E., 2047C
Hahn, S. F. See Xu, J. J., 725P
Hairault, L. See Boutevin, B., 1400C
Hajipour, A.-R. See Mallakpour, S., 1077C
Haldi, A. See Domercq, B., 2726P
Hall, H. K., Jr.
—; Padias, A. B.: Bicyclobutanes and Cyclobutenes: Unusual Carbocyclic Monomers, 625C
Hamada, K.-I.
—; Yamashita, K.; Serizawa, T.; Kitayama, T.; Akashi, M.: Adsorption of Bovine Serum Albumin onto Poly(methyl methacrylate) Stereocomplex Films with a Molecularly Regulated Nanostructure, 1807C
Hamada, Y. See Furukawa, M., 2355P
Hamana, H. See Fujiwara, H., 2743C
Hammouda, B. See Ho, D. L., 135P
Han, C. C. See Holmes, G. A., 2976P; Sung, L., 1697P
Han, H. See Bhowmik, P. K., 1282C
Han, S. See Lim, H., 1791P
Han, Y. S.
—; Kim, S. D.; Park, L. S.; Kim, D. U.; Kwon, Y.: Synthesis of Conjugated Copolymers Containing Phenothiazinylene Vinylene Moieties

and Their Electrooptic Properties, 2502C
Hanai, A. See Nakajima, H., 3324P
Handa, Y. P. See Takahashi, M., 2214P
Hang, G. See Xu, W., 378P
Hao, J. See Li, Z., 1511C
Hao, X.
—; Heuts, J. P. A.; Barner-Kowollik, C.; Davis, T. P.; Evans, E.: Living Free-Radical Polymerization (Reversible Addition–Fragmentation Chain Transfer) of 6- 4-(4′-Methoxyphenyl)-phenoxy]hexyl Methacrylate: A Route to Architectural Control of Side-Chain Liquid-Crystalline Polymers, 2949C
Harada, A.
—; Miyauchi, M.; Hoshiono, T.: Supramolecular Polymers Formed by Cinnamoyl Cyclodextrins, 3519C
Harada, M.
—; Morimoto, M.; Ochi, M.: Influence of the Network Chain Orientation on the Fracture Toughness of a Mesogenic Epoxy Resin Modified with CTBN, 1198P
—; Ochi, M.; Tobita, M.; Kimura, T.; Ishigaki, T.; Shimoyama, N.; Aoki, H.: Thermal-Conductivity Properties of Liquid-Crystalline Epoxy Resin Cured under a Magnetic Field, 1739P
Harada, T. See Yamada, B., 645C
Hara, M. See Chen, W. C., 429P, 1468P
Hara, T. See Uddin, A. J., 2878P
Harrats, C.
—; Fayt, R.; Jérôme, R.; Blacher, S.: Stabilization of a Cocontinuous Phase Morphology by a Tapered Diblock or Triblock Copolymer in Polystyrene-Rich Low-Density Polyethylene/Polystyrene Blends, 202P
Harris, F. W. See Baek, J.-B., 2374C
Harrison, W. See Kim, Y. S., 2816P
Harrison, W. L.
—; Wang, F.; Mecham, J. B.; Bhanu, V. A.; Hill, M.; Kim, Y. S.; McGrath, J. E.: Influence of the Bisphenol Structure on the Direct Synthesis of Sulfonated Poly(arylene ether) Copolymers. I, 2264C
Hashida, T.
—; Tashiro, K.; Inaki, Y.: Structural Investigation of Water-Induced Phase Transitions of Poly(ethylene imine). III. The Thermal Behavior of Hydrates and the Construction of a Phase Diagram, 2937P
Hashimoto, K. See Sugihara, S., 3300C
Hashimoto, M. See Sato, T., 1819C
Hashimoto, T. See Rahman, MD. S., 281C
Hassager, O. See Neergaard, J., 701P
Hawker, C. See Granick, S., 2755P
Hawker, C. J. See Gopalan, P., 3640C
Hawkett, B. S. See Strauch, J., 2491C
Hay, A. S. See Shoji, E., 3006C; Wang, S. J., 2481C
Hayden, L. M.
—; Sinyukov, A. M.; Leahy, M. R.; French, J.; Lindahl, P.; Herman, W. N.; Twieg, R. J.; He, M.: New Materials for Optical Rectification and Electrooptic Sampling of Ultrashort Pulses in the Terahertz Regime, 2492P
Hayes, W. See Pan, X. D., 757P
He, G.
—; Riedl, B.: Phenol-Urea-Formaldehyde Cocondensed Resol Resins: Their Synthesis, Curing Kinetics, and Network Properties, 1929P
—; See Chen, F.-C., 2681P
He, J. See Wang, J., 368P
He, M. See Hayden, L. M., 2492P
He, P. See Xu, W., 378P
He, X.
—; Zhang, H.; Yan, D.; Wang, X.: Synthesis of Side-Chain Liquid-Crystalline Homopolymers and Triblock Copolymers with *p*-Methoxyazobenzene Moieties and Poly(ethylene glycol) as Coil Segments by Atom Transfer Radical Polymerization and Their Thermotropic Phase Behavior, 2854C
Hecht, S.
—; Functionalizing the Interior of Dendrimers: Synthetic Challenges and Applications, 1047C
Heeger, A. J. See Gong, X., 2691P
Heilmann, S. M. See Stanek, L. G., 3027C
Helminen, A. O.
—; Korhonen, H.; Seppälä, J. V.: Crosslinked Poly(ester anhydride)s Based on Poly(ε-caprolactone) and Polylactide Oligomers, 3788C
Henckens, A. See Polec, I., 1034C
Henderson, C. L. See Liu, T., 842P
Henriques, R. T. See Zhang, Y., 3768C
Henze, O.
—; Fransen, M.; Jonkheijm, P.; Meijer, E. W.; Feast, W. J.; Schenning, A. P. H. J.: Synthesis and Self-Assembly of a Chiral Alternating Sexithiophene–Undeca-(ethyleneoxy) Block Copolymer, 1737C
Heo, G.-Y. See Park, S.-J., 2393C
Herman, W. N. See Hayden, L. M., 2492P
Hervaud, Y. See Gaboyard, M., 2469C
Hester, R. D. See Fevola, M. J., 560C
Heuts, J. P. A. See Barner-Kowollik, C., 365C; Hao, X., 2949C; Roberts, G. E., 752C
Hibbs, M. R. See Liu, R. Y. F., 289P
Hickner, M. See Kim, Y. S., 2816P
Hidalgo-Álvarez, R. See Ramos, J., 2404C
Higashi, F.
—; Koshio, M.: Possible Structural Effect of *α′,b′*-Dihydroxyacetophenone Units in the Preformed Oligoesters upon Copoly-condensation with Isomeric *c′,d′*-Dihydroxyacetophenones by TsCl/Dimethylformamide/Pyridine, 616C
—; Mizutani, N.: Random Copolycondensation of Isophthalic Acid/Terephthalic Acid with Bisphenols by Tosyl Chloride/Dimethyl-formamide/Pyridine in Terms of the Monomer Reactivity Ratios of Bisphenols, 3908C

—; Moriya, M.: Solution Polycondensation of Isophthalic Acid/Terephthalic Acid and Tetrachlorobisphenol A of Low Polymerizability with Tosyl Chloride/Dimethylformamide/Pyridine Improved by the Introduction of Comonomers of Smaller Sizes, 821C
—; Shigeta, Y.: Modification of Polycondensation of Isophthalic and Terephthalic Acids and Bisphenols with Tosyl Chloride/Dimethylformamide/Pyridine by the Presence of Additives, 970C
Higashi, K. See Hirano, T., 3463C
Hilborn, J. G. See Della Martina, A., 2036C
Hill, A. J. See Wilks, B. R., 2185P
Hill, D. J. T. See Gamage, N. J. W., 1603C
Hill, M. See Harrison, W. L., 2264C
Hill, M. J. See Finlay, J., 1384P
Hill, T. A.
—; Carroll, D. L.; Czerw, R.; Martin, C. W.; Perahia, D.: Atomic Force Microscopy Studies on the Dewetting of Perfluorinated Ionomer Thin Films, 149P
Hiltner, A. See Liu, R. Y. F., 289P; Stephens, C. H., 2062P
Hirai, T. See Uddin, MD. Z., 2119P
Hirano, T.
—; Higashi, K.; Seno, M.; Sato, T.: Effect of Hydrogen-Bonding Interaction on Radical Polymerization of Di-*n*-butyl Itaconate, 3463C
—; See Sato, T., 1819C, 3038C
Hitaka, Y. See Sugi, R., 1341C
Hiyama, T. See Kawashima, Y., 3556C
Hizakae, S. See Nagata, M., 2930C
Hizal, G. See Celik, C., 2542C; Ucan, R., 2019C
Hjertberg, T. See Smedberg, A., 2974C
Hlavatá, D. See Fortelný, I., 609P
Hlil, A. R. See Shoji, E., 3006C; Wang, S. J., 2481C
Ho, D. L.
—; Hammouda, B.; Kline, S. R.: Clustering of Poly(ethylene oxide) in Water Revisited, 135P
Ho, W.-H. See Liu, Y.-L., 2354C
Hobaica, S. C.
—; Stability of Polyaniline in Air and Acidic Water, 807P
Hobbie, E. K. See Malwitz, M. M., 3237P
Hoekstra, L. See Reynhout, X. E. E., 2985C
Hoffmann, S. See Vanhaecht, B., 2082C
Hogen-Esch, T. E. See Emami, S.-H., 520C
Holappa, S. See Andersson, T., 1904C
Holder, E.
—; Meier, M. A. R.; Marin, V.; Schubert, U. S.: New Soluble Functional Polymers by Free-Radical Copolymerization of Methacrylates and Bipyridine Ruthenium Complexes, 3953C
Holder, S. J. See Rossi, N. A. A., 30C
Holland, M. G.
—; Griffith, V. E.; France, M. B.; Desjardins, S. G.: Kinetics of the Ring-Opening Metathesis Polymerization of a 7-Oxanorbornene Derivative by Grubbs' Catalyst, 2125C
Holmes, G. A.
—; McDonough, W. G.; Dunkers, J. P.; Han, C. C.: Interaction between Matrix Cracks in E-Glass/Epoxy Two-Dimensional Multi-Fiber-Array Model Composites, 2976P
Hong, J. See Wang, Q., 998C
Hong, L.
—; Cui, Y.; Wang, X.; Tang, X.: Conductivities and Spectroscopic Studies on Hyperbranched Polyurethane Electrolytes, 120P
Hong, X. See Daming, W., 1051P
Hong, Y. T. See Kim, Y. S., 2816P
Hooda, S. See Brar, A. S., 313C
Hoogenboom, R.
—; Schubert, U. S.: The Fast and the Curious: High-Throughput Experimentation in Synthetic Polymer Chemistry, 2425C
Hopkins, W. See Parent, J. S., 1915C
Horák, D.
—; Semenyuk, N.; Lednický, F.: Effect of the Reaction Parameters on the Particle Size in the Dispersion Polymerization of 2-Hydroxyethyl and Glycidyl Methacrylate in the Presence of a Ferrofluid, 1848C
Hori, A.
—; Kataoka, H.; Akasaka, A.; Okano, T.; Fujita, M.: Reversible Catenation of Coordination Rings with Pd(II) and/or Pt(II) Metal Centers: Chirality Induction through Catenation, 3478C
Hori, N. See Nge, T. T., 711P
Horiguchi, S. See Takizawa, M., 1251C
Horii, T. See Kimura, K., 3275C
Horiuchi, A. See Suzuki, N., 293C
Hormazábal, E. A. See Díaz-Calleja, R., 1059P
Hoshino, K.
—; Yoshio, M.; Mukai, T.; Kishimoto, K.; Ohno, H.; Kato, T.: Nanostructured Ion-Conductive Films: Layered Assembly of a Side-Chain Liquid-Crystalline Polymer with an Imidazolium Ionic Moiety, 3486C
Hoshiono, T. See Harada, A., 3519C
Hosoda, S. See Nakajima, H., 3324P
Hou, S. See Taton, D., 1669C
Hou, Y. H.
—; Zhang, M. Q.; Rong, M. Z.: Carbon Black-Filled Polyolefins as Positive Temperature Coefficient Materials: The Effect of *In Situ* Grafting during Melt Compounding, 127P
Hreha, R. D. See Domercq, B., 2726P
Hsiao, B. S. See Gelfer, M. Y., 44P
Hsiao, S.-H.
—; Chen, W.-T.: Syntheses and Properties of New Aromatic Polybenzoxazoles Bearing Ether and Phenylethylidene or 1-Phenyl-2,2,2-trifluoroethylidene Linkages, 914C
—; Chen, W.-T.: Syntheses and Properties of Novel Fluorinated Polyamides Based on a Bis(ether-carboxylic acid) or a Bis(ether amine) Extended from Bis(4-hydroxyphenyl)phenyl-2,2,2-trifluoroethane, 420C

—; Yang, C.-P.; Chung, C.-L.: Synthesis and Characterization of Novel Fluorinated Polyimides Based on 2,7-Bis(4-amino-2-trifluoromethylphenoxy)-naphthalene, 2001C
—; See Liou, G.-S., 94C
Hsieh, Y.-L. See Liu, H., 953P
Hsu, J.-H. See Hwu, T.-Y., 2218C
Hsu, M.-W. See Chang, C.-J., 1909P
Hsu, S.-F. See Wu, T.-M., 560P, 1730P
Hu, J. See Zong, Z., 3440C
Hu, W.
—; Buzin, A.; Lin, J.-S.; Wunderlich, B.: Annealing Behavior of Gel-Spun Polyethylene Fibers at Temperatures Lower than Needed for Significant Shrinkage, 403P
Hu, X.
—; Lesser, A. J.: Effect of a Silicate Filler on the Crystal Morphology of Poly(trimethylene terephthalate)/Clay Nanocomposites, 2275P
—; See Fan, J., 1123P; Tan, L. P., 2307P
Hu, Y. S. See Liu, R. Y. F., 289P
Hua, C. C. See Chen, C. Y., 1281P
Huang, B. See Cui, D., 2667C; Liu, C., 873C, 2187C; Qin, Y., 3313C
Huang, C. See Xia, F., 797P
Huang, C.-C. See Capek, I., 571P
Huang, H.
—; Kowalewski, T.; Wooley, K. L.: Nanodroplets of Polyisoprene Fluid Contained within Poly(acrylic acid-*co*-acrylamide) Shells, 1659C
—; See Gao, Y., 1837P
Huang, K.-H. See Chiu, F.-C., 2264P
Huang, T. J. See Chen, C. Y., 1281P
Huang, W. See Kim, J.-B., 386C
Huang, Y. See Liu, C., 3736C; Lu, G., 2599C; Zhen, Z., 1813C
Hudack, M. L. See Xu, J. J., 725P
Hui, C. S.
—; Lam, L. S. M.; Yin, C.; Chan, W. K.; Djurišić, A. B.: Roles of Rhenium Diimine Complexes as Metal-Ion Probes and Photosensitizers in Functional Polyurethanes, 1708C
Hung, A. Y. C.
—; Effect of the Repeated Unit Length of Guest Polymers on the Molecular Motion of Polymer Blends within a Miscible Window, 679P
Hurtrez, G. See Meyer, N., 3329C
Husu, I. See Lai, S., 3123C
Hwang, I. H.
—; Lee, S. J.; Chang, J. Y.: Supramolecular Discotic Liquid Crystals from Wedge-Shaped Diacetylenes and Their Polymerization, 1881C
Hwang, K. See Zhang, A., 22C
Hwu, T.-Y.
—; Basu, S.; Chen, R.-M.; Cheng, Y.-J.; Hsu, J.-H.; Fann, W.; Luh, T.-Y.: Intrachain Chromophore Interactions in Silanylene-Spaced Divinylbenzene Copolymers, 2218C

Iannace, S. See Di, Y., 670P
Iannotta, S.
—; Toccoli, T.: Supersonic Molecular Beam Growth of Thin Films of Organic Materials: A Novel Approach to Controlling the Structure, Morphology, and Functional Properties, 2501P
Ichimaru, A. See Tsutsumi, C., 3572C
Ichizawa, K. See Imanishi, Y., 3632C
Idemura, S.
—; Preston, J.: Molecular Composites Prepared by *in situ* Direct Synthesis of Wholly Aromatic Rigid-Rod Polyamides via the Phosphorylation Reaction in a Dissolved Nylon-6 Matrix, 1014C
Ihara, E.
—; Todaka, T.; Inoue, K.: Anionic Polymerization of Methyl Methacrylate Initiated with Late Transition-Metal Halides/Organolithium/Triisobutylaluminum Systems, 1962C
Iijima, T. See Miyagawa, T., 861C
Ikeda, H.
—; Monoi, T.; Sasaki, Y.: Performance of the Cr $CH(SiMe_3)_2]_3/SiO_2$ Catalyst for Ethylene Polymerization Compared with the Performance of the Phillips Catalyst, 413C
İlter, Z.
—; Soykan, C.; Koca, M.: Synthesis and Spectral and Thermal Properties of Copolymers of (2-Cyclopentylidene-1,3-dioxolane-4-yl)-methyl Methacrylate with Styrene and Acrylonitrile and the Determination of the Monomer Reactivity Ratios, 2996C
Ilundain, P.
—; Alvarez, D.; Da Cunha, L.; Salazar, R.; Barandiaran, M. J.; Asua, J. M.: Modification of the Microstructure of Emulsion Polymers, 3744C
Imae, I. See Ohsedo, Y., 2471P
Imai, T. See Koizumi, T., 476C
Imai, Y. See Takeuchi, H., 1428C
Imanishi, Y.
—; Kawazoe, N.; Ichizawa, K.: Dielectric Assembly of a Collagen-Model Polypeptide in a Triple Helix, 3632C
—; See Furukawa, A., 3227C; Naga, N., 441C, 939C
Immanuel, C. D.
—; Crowley, T. J.; Meadows, E. S.; Cordeiro, C. F.; Doyle, F. J., III: Evolution of Multimodal Particle Size Distribution in Vinyl Acetate/Butyl Acrylate Emulsion Copolymerizations, 2232C
Imuta, J.-I. See Kashiwa, N., 3657C
Inaki, Y. See Hashida, T., 2937P
Ince, B. S. See Xu, H., 3026P
Inoue, K. See Ihara, E., 1962C
Inoue, S. See Sugimoto, H., 3549C
Inoue, S.-I. See Tanaka, T., 274P
Interrante, L. V. See Zhang, T., 984C, 1411C
Isayev, A. I. See Oh, J. S., 2959P; Shyu, G. D., 1850P; Yashin, V. V., 965P
Isayev, I. See Shim, S. E., 454P
Iseki, Y. See Nakajima, H., 3324P
Ishigaki, T. See Harada, M., 1739P
Ishizone, T.
—; Takata, T.; Kobayashi, M.: Synthesis of New Crosslinkable Polymers by Chemoselective Polymerizations of 2-(1-

Aziridinyl)ethyl Methacrylate, 1335C
Islam, M. See Stephens, C. H., 2062P; Yang, H., 2107C
Isobe, Y.
—; Suito, Y.; Habaue, S.; Okamoto, Y.: Stereocontrol during the Free-Radical Polymerization of Methacrylamides in the Presence of Lewis Acids, 1027C
—; See Morioka, K., 3354C
Ito, H.
—; Chemical Amplification Resists: Inception, Implementation in Device Manufacture, and New Developments, 3863C
Ito, N.
—; Kudo, H.; Kameyama, A.; Nishikubo, T.; Anada, T.: Synthesis and Characterization of Fluorine-Containing Polyesters by the Polyaddition of Bis(epoxide)s with Active Diesters, 213C
Ito, Y. See Nemoto, N., 699C; Shimazu, A., 308P
Itoh, R. See Kobayashi, S., 3541C
Ivankova, E. M.
—; Adhikari, R.; Michler, G. H.; Weidisch, R.; Knoll, K.: Investigation of the Micromechanical Deformation Behavior of Styrene–Butadiene Star Block Copolymer/Polystyrene Blends with High-Voltage Electron Microscopy, 1157P
Iwamoto, R.
—; Murase, H.: Infrared Spectroscopic Study of the Interactions of Nylon-6 with Water, 1722P
Iwasaki, Y.
—; Shimakata, K.; Morimoto, N.; Kurita, K.: Hydrogel-Like Elastic Membrane Consisting of Semi-Interpenetrating Polymer Networks Based on a Phosphorylcholine Polymer and a Segmented Polyurethane, 68C
Iyoda, T. See Tian, Y., 1871C, 2197C

Jääskeläinen, P. See Weng, J., 2342P
Jaffiol, F. See Brun, C., 1183P
Jakisch, L.
—; Komber, H.; Böhme, F.: Multifunctional Coupling Agents: Synthesis and Model Reactions, 655C
Jang, M.
—; Crivello, J. V.: Synthesis and Cationic Photopolymerization of Epoxy-Functional Siloxane Monomers and Oligomers, 3056C
Janíčková, S. See Capek, I., 804C
Janmey, P. See Granick, S., 2755P
Jayakumar, R.
—; Lee, Y.-S.; Nanjundan, S.: Studies on Calcium-Containing Poly(urethane ether)s, 2865C
Jeanmaire, T. See Gaboyard, M., 2469C
Jędrzejewska, B. See Kabatc, J., 3017C
Jérôme, R. See Harrats, C., 202P
Jerome, R. See Martin, E., 569C
Jesberger, M.
—; Barner, L.; Stenzel, M. H.; Malmström, E.; Davis, T. P.; Barner-Kowollik, C.: Hyperbranched Polymers as Scaffolds for Multifunctional Reversible Addition–Fragmentation Chain-Transfer Agents: A Route to Polystyrene-*core*-Polyesters and Polystyrene-*block*-Poly(butyl acrylate)-*core*-Polyesters, 3847C
Jhon, M. S. See Lim, S. T., 2052P
Ji, Q. See Muggli, M. W., 2850P
Jia, H. T. See Zhao, Y. H., 2257P
Jia, L. See Zhao, J., 376C
Jian, X. See Gao, Y., 497C, 2731C
Jiang, D.-L. See Kimata, S.-I., 3524C
Jiang, J. See Sun, J., 636C
Jiang, S. See Lei, C., 661P
Jiménez-Piqué, E.
—; Dortmans, L. J. M. G.; With, G. D.: Fracture and Crack Profile Fictitious Crack Modeling of Porous Poly(methyl methacrylate), 1112P
Jin, J.
—; Mariott, W. R.; Chen, E. Y.-X.: Polymerization of Methyl Methacrylate by Metallocene Imido Complexes and Tris(pentafluorophenyl)alane, 3132C
Jin, J.-S. See Park, S.-J., 55P
Jing, X. See Tang, Z., 1934C
Jog, J. P. See Kalgaonkar, R. A., 3102P; Priya, L., 31P; Wanjale, S. D., 1014P
Jones, R. G. See Rossi, N. A. A., 30C
Jonkheijm, P. See Henze, O., 1737C
Jonkman, H. T. See Veenstra, S. C., 2549P
Joubert, C.
—; Michel, A.; Choplin, L.; Cassagnau, P.: Influence of the Crosslink Network Structure on Stress-Relaxation Behavior: Viscoelastic Modeling of the Compression Set Experiment, 1779P
Jousseaume, V. See Shoji, E., 3006C
Jung, I. G. See Son, S. U., 76C
Jungnickel, B.-J. See Liu, J., 873P

Kabatc, J.
—; Jędrzejewska, B.; Pączkowski, J.: Hemicyanine *n*-Butyltriphenylborate Salts as Effective Initiators of Free-Radical Polymerization Photoinitiated via Photoinduced Electron-Transfer Process, 3017C
Kacar, T. See Serhatli, I. E., 1892C
Kadkin, O.
—; Osajda, K.; Kaszynski, P.; Barber, T. A.: Polyester Polyols: Synthesis and Characterization of Diethylene Glycol Terephthalate Oligomers, 1114C
Kaempfer, D. See Gorrasi, G., 1798P
Kafafi, Z. H. See Kim, W. H., 2522P
Kahn, A.
—; Koch, N.; Gao, W.: Electronic Structure and Electrical Properties of Interfaces between Metals and π-Conjugated Molecular Films, 2529P
Kaim, A.
—; Cieplak, P.: Further Evidence for the Inseparability of the Theoretical Enthalpic Terminal and Penultimate Unit Effects in the Radical Copolymerization of Styrene with Acrylonitrile, 1778C
Kaito, A. See Dikshit, A. K., 1665P

Kakimoto, M.-A. See Takeuchi, H., 1428C
Kalgaonkar, R. A.
—; Jog, J. P.: Copolyester/Layered Silicate Nanocomposites: The Effect of the Molecular Size and Molecular Structure of the Intercalant on the Structure and Viscoelastic Properties of the Nanocomposites, 3102P
Kaliaguine, S. See Gao, Y., 2731C
Kallitsis, J. K.
—; Andreopoulou, A. K.: Processable Photonic Polymers with Controllable Properties, 2485P
Kameshima, H. See Nemoto, N., 185C, 1521C
Kameyama, A. See Ito, N., 213C; Yashiro, T., 2304C
Kamigaito, M. See Ando, T., 3597C
Kanamoto, T. See Nakamura, K., 1701P
Kanaoka, S. See Sugihara, S., 3300C
Kaneko, D.
—; Narita, T.; Gong, I. P.; Osada, Y.; Ando, J.; Yamamoto, K.; Ohnishi, S.; Yaminsky, V. V.: Thickness Decrease of a Grafted Polyelectrolyte Membrane Exposed to Shear Flow, 2808P
Kaneko, H. See Kashiwa, N., 3657C; Matsugi, T., 3964C
Kaneko, T. See Kang, E.-C., 841C
Kang, E.-C.
—; Kaneko, T.; Shiino, D.; Akashi, M.: Novel Functional Polymers: Poly(dimethyl siloxane)–Polyamide Multiblock Copolymers. XI. The Effects of Sequence Regularity on the Thermal and Mechanical Properties, 841C
—; See Lim, B.-H., 881C
Kang, J.-W. See Kim, J.-P., 1497C
Kanie, K. See Kawashima, Y., 3556C
Kannan, P. See Kumaresan, S., 3188C, 3862C
Kantoğlu, Ö. See Çaykara, T., 1656P
Karagoz, B. See Bicak, N., 2549C
Karasz, F. E. See Liao, L., 2650C, 3149C
Karim, A. See Crosby, A. J., 883P; Sung, L., 1697P
Kasahara, M. See Nakanishi, T., 2829P
Kasapoglu, F.
—; Cianga, I.; Yagci, Y.; Takeichi, T.: Photoinitiated Cationic Polymerization of Monofunctional Benzoxazine, 3320C
Kasemjit, P.
—; Srikhirin, T.; Sutapun, B.; Bualek-Limcharoen, S.: Preparation and Photoinduced Isomerization Study of a Homopolymer and a Copolymer Based on 4′-(6-Acryloxy)hexyloxy-4-methoxyazobenzene and Acrylic Acid, 4016C
Kashiwa, N.
—; Matsugi, T.; Kojoh, S.-I.; Kaneko, H.; Kawahara, N.; Matsuo, S.; Nobori, T.; Imuta, J.-I.: Functionalization of Polyethylene Based on Metallocene Catalysis and Its Application to Syntheses of New Graft Copolymers Possessing Polar Polymer Segments, 3657C
—; See Matsugi, T., 3964C
Kaszynski, P. See Kadkin, O., 1114C
Kataoka, H. See Hori, A., 3478C
Katayama, S. See Shimazu, A., 308P
Kato, T. See Hoshino, K., 3486C; Kawashima, Y., 3556C
Katsov, K. See Müller, M., 1441P
Kaul, B. L. See Tronc, F., 766C
Kawahara, N. See Kashiwa, N., 3657C; Matsugi, T., 3964C
Kawashima, Y.
—; Nozaki, K.; Hiyama, T.; Yoshio, M.; Kanie, K.; Kato, T.: Liquid-Crystalline Stereoregular Polyketone Prepared from a Mesogenic Vinylarene and Carbon Monoxide, 3556C
Kawazoe, N. See Imanishi, Y., 3632C
Kazmer, D. O. See Fan, B., 859P
Kazmierski, K. See Sauvet, G., 2939C
Ke, Z. See Gao, Y., 1837P
Kelley, E. D. See Pan, X. D., 757P
Kennedy, J. P. See Peetz, R. M., 732C, 740C
Kern, J.-M.
—; Sauvage, J.-P.; Bidan, G.; Divisia-Blohorn, B.: Transition-Metal-Templated Synthesis of Rotaxanes and Catenanes: From Small Molecules to Polymers, 3470C
Khil, M. S. See Bhattarai, N., 1955P
Khotimsky, V. S.
—; Tchirkova, M. V.; Litvinova, E. G.; Rebrov, A. I.; Bondarenko, G. N.: Poly 1-(trimethylgermyl)-1-propyne} and Poly 1-(trimethylsilyl)-1-propyne} with Various Geometries: Their Synthesis and Properties, 2133C
Kido, J. See Chen, F.-C., 2681P
Kiguchi, T.
—; Aota, H.; Matsumoto, A.: Crosslinking Polymerization Leading to Interpenetrating Polymer Network Formation. I. Polyaddition Crosslinking Reactions of Poly(methyl methacrylate-*co*-2-methacryloyloxyethyl isocyanate)s with Ethylene Glycol Resulting in Polyurethane Networks, 606C
—; Aota, H.; Matsumoto, A.: Crosslinking Polymerization Leading to Interpenetrating Polymer Network Formation. II. Polyaddition Crosslinking Reactions of Poly(methyl methacrylate-*co*-2-methacryloyloxyethyl isocyanate) with Various Diols, 3243C
Kihara, N. See Matsumura, S., 1330C
Kilburn, D.
—; Bamford, D.; Dlubek, G.; Pionteck, J.; Alam, M. A.: The Size and Number of Local Free Volumes in Polypropylenes: A Positron Lifetime and PVT Study, 3089P
Kilian, L.
—; Wang, Z.-H.; Long, T. E.: Synthesis and Cleavage of Core-Labile Poly(Alkyl Methacrylate) Star Polymers, 3083C
Kim, C. K. See Kim, J. H., 1401P
Kim, D.
—; Kyu, T.: Theoretical Simulation of Thermally Induced Phase Separation in

a Main-Chain Liquid-Crystalline Polymer Solution, 913P
Kim, D. H. See Son, S. U., 76C
Kim, D. U. See Han, Y. S., 2502C
Kim, D.-Y. See Lee, T. S., 1196C
Kim, G.-M.
—; Qin, H.; Fang, X.; Sun, F. C.; Mather, P. T.: Hybrid Epoxy-Based Thermosets Based on Polyhedral Oligosilsesquioxane: Cure Behavior and Toughening Mechanisms, 3299P
Kim, H. See Kim, W. H., 2522P
Kim, H. Y. See Bhattarai, N., 1955P; Lee, K. H., 1256P
Kim, J.-B.
—; Huang, W.; Miller, M. D.; Baker, G. L.; Bruening, M. L.: Kinetics of Surface-Initiated Atom Transfer Radical Polymerization, 386C
Kim, J. H.
—; Kim, Y.; Kim, C. K.; Lee, J. W.; Seo, S. B.: Miscibility of Polysulfone Blends with Poly(1-vinylpyrrolidone-*co*-styrene) Copolymers and Their Interaction Energies, 1401P
Kim, J.-J. See Kim, J.-P., 1497C
Kim, J. J. See Myung, B. Y., 3361C
Kim, J.-P.
—; Kang, J.-W.; Kim, J.-J.; Lee, J.-S.: Synthesis and Optical Properties of Fluorinated Poly(arylene ether phosphine oxide)s, 1497C
Kim, J.-S. See Lim, H., 1791P
Kim, J. S. See Myung, B. Y., 3361C
Kim, K.-M.
—; Chujo, Y.: Polymer Hybrids with Functionalized Silsesquioxanes via Two Physical Interactions in One System, 1306C
Kim, K. W. See Lee, K. H., 1256P
Kim, M.-J. See Lee, T. S., 1196C
Kim, S.
—; Flame Retardancy and Smoke Suppression of Magnesium Hydroxide Filled Polyethylene, 936P
—; See Lee, D., 2365P
Kim, S. D. See Han, Y. S., 2502C
Kim, S. Y. See Lim, J. Y., 1175P
Kim, W. G. See Lim, B.-H., 881C
Kim, W. H.
—; Kushto, G. P.; Kim, H.; Kafafi, Z. H.: Effect of Annealing on the Electrical Properties and Morphology of a Conducting Polymer used as an Anode in Organic Light-Emitting Devices, 2522P
Kim, Y. See Kim, J. H., 1401P; Lim, H., 1791P
Kim, Y. S.
—; Wang, F.; Hickner, M.; McCartney, S.; Hong, Y. T.; Harrison, W.; Zawodzinski, T. A.; McGrath, J. E.: Effect of Acidification Treatment and Morphological Stability of Sulfonated Poly(arylene ether sulfone) Copolymer Proton-Exchange Membranes for Fuel-Cell Use above 100 °C, 2816P
—; See Harrison, W. L., 2264C
Kim, Y.-T. See Seoul, C., 1572P
Kimata, S.-I.
—; Jiang, D.-L.; Aida, T.: Morphology-Dependent Luminescence Properties of Poly(benzyl ether) Dendrimers, 3524C
Kimura, K.
—; Horii, T.; Yamashita, Y.: Morphology of Poly(*p*-oxybenzoyl) Crystal Prepared by Direct Polycondensation of *p*-Hydroxybenzoic Acid with *p*-Toluenesulfonyl Chloride in Pyridine, 3275C
Kimura, M. See Suzuki, M., 3564C
Kimura, S. See Kitagawa, K., 3493C; Kobayashi, S., 3541C
Kimura, T. See Harada, M., 1739P; Nge, T. T., 711P
King, S. M. See De Luca, E., 1352P
Kint, D. P. R.
—; Martínez de Ilarduya, A.; Alla, A.; Muñoz-Guerra, S.: Poly(ethylene terephthalate) Terpolyesters Containing Isophthalic and 5-*tert*-Butylisophthalic Units, 124C
Kippelen, B. See Domercq, B., 2726P
Kirkmeyer, B. P.
—; Puetter, R. C.; Yahil, A.; Winey, K. I.: Deconvolution of Scanning Transmission Electron Microscopy Images of Ionomers, 319P
Kiserow, D. J. See Shi, C., 1143P
Kishida, A. See Korematsu, A., 2840C
Kishimoto, K. See Hoshino, K., 3486C
Kissin, Y. V.
—; Multicenter Nature of Titanium-Based Ziegler–Natta Catalysts: Comparison of Ethylene and Propylene Polymerization Reactions, 1745C
Kitagawa, K.
—; Morita, T.; Kowasaki, M.; Kimura, S.: Electric Properties of Self-Assembled Monolayers of Helical Peptides by Scanning Tunneling Spectroscopy, 3493C
Kitayama, T. See Hamada, K.-I., 1807C
Kivilahti, J. K. See Ge, J., 623P
Klee, J. E.
—; Hägele, K.; Przybylski, M.: Metal-Template Synthesis of Cyclic Epoxide-Amine Oligomers: Uncrosslinked Epoxide-Amine Addition Polymers, 47(asterik), 2047C
Klein, E. See Assouline, E., 520P
Klein, P. G. See Vanhaecht, B., 2082C
Kline, S. R. See Ho, D. L., 135P
Klok, H.-A. See Lecommandoux, S., 3501C; Rodríguez Hernández, J., 1167C
Knaus, S.
—; Liska, A.; Sulek, P.: Metalization of Polypropylene. I. Synthesis and Melt Free-Radical Grafting of Novel Maleimides and Methacrylates Containing Chelating Moieties, 3400C
Knoll, K. See Ivankova, E. M., 1157P
Ko, Y. S.
—; Woo, S. I.: Shape and Diffusion of the Monomer-Controlled Copolymerization of Ethylene and α-Olefins over Cp_2ZrCl_2 Confined in the Nanospace of the Supercage of NaY, 2171C
Kobayashi, M. See Ishizone, T., 1335C; Tanaka, T., 274P
Kobayashi, S.
—; Itoh, R.; Morii, H.; Fujikawa, S.-I.; Kimura, S.; Ohmae, M.: Synthesis of Glycosaminoglycans via Enzymatic Polymerization, 3541C
Kober, E. M. See Rasmussen, K. Ø., 104P
Koca, M. See İlter, Z., 2996C
Koch, N. See Kahn, A., 2529P

Koch, U.
—; Yaacoub, E.-J.: Batch Emulsion Copolymerization of 3-*O*-Methacryloyl-1,2: 5,6-di-*O*-isopropylidene-α-D-glucofuranose and Butyl Acrylate: Synthesis and Properties of the Sugar Latices, 788C
Kodaira, T. See Rahman, MD. S., 281C
Koerner, H. See Vaia, R. A., 3214P
Koizumi, T.
—; Imai, T.; Endo, T.: Pd(0)-Catalyzed Polyaddition of Bifunctional Vinyloxiranes with Phenol Derivatives: The Synthesis of Polymers Containing an Allyl Aryl Ether Moiety in the Main Chain, 476C
Kojio, K. See Furukawa, M., 2355P
Kojoh, S.-I. See Kashiwa, N., 3657C; Matsugi, T., 3964C
Kokubo, H. See Yamamoto, T., 1449C
Kokufuta, E. See Yoshida, T., 779C
Kolařík, J.
—; Tensile Creep of Thermoplastics: Time-Strain Superposition of Non-Iso Free-Volume Data, 736P
Komber, H. See Jakisch, L., 655C
Kondo, Y. See Dong, Y., 2033P
Kong, X. See Tian, Y., 2197C
Koning, C. E. See Vanhaecht, B., 2082C
Kontani, T. See Ouchi, T., 2462C
Korematsu, A.
—; Furuzono, T.; Kishida, A.: Synthesis of a Novel Block Copolymer Containing Aromatic Polyamide and Fluoroethylene Segments, 2840C
Korhonen, H. See Helminen, A. O., 3788C
Köseli, V.
—; Rzaev, Z. M. O.; Pişkin, E.: Bioengineering Functional Copolymers. III. Synthesis of Biocompatible Poly (*N*-isopropylacrylamide-*co*-maleic anhydride)-*g*-poly(ethylene oxide)]/Poly(ethylene imine) Macrocomplexes and Their Thermostabilization Effect on the Activity of the Enzyme Penicillin G Acylase, 1580C
Koshio, M. See Higashi, F., 616C
Kowalewski, T. See Huang, H., 1659C
Kowasaki, M. See Kitagawa, K., 3493C
Kowsari, E. See Mallakpour, S., 3973C
Kramer, E. J. See Granick, S., 2755P
Krasko, M. Y.
—; Shikanov, A.; Ezra, A.; Domb, A. J.: Poly(ester anhydride)s Prepared by the Insertion of Ricinoleic Acid into Poly(sebacic acid), 1059C
Krasnikov, V. V. See Melzer, C., 2665P
Krause-Rehberg, R. See Dlubek, G., 3077P
Kricheldorf, H. R.
—; Chatti, S.; Schwarz, G.; Krüger, R.-P.: Macrocycles 27: Cyclic Aliphatic Polyesters of Isosorbide, 3414C
—; Garaleh, M.; Schwarz, G.: Macrocycles. XXVIII. Cyclic Poly(benzonitrile ether)s Derived from Bisphenol A, 3838C
—; Schwarz, G.; Böhme, S.; Schultz, C.-L.: Polymers of Carbonic Acid 32: Influence of Catalysts on Propagation and Cyclization in the Interfacial Polycondensation of Bisphenol A with Diphosgene, 890C
Krishnamoorti, R. See Kuppa, V., 3285P; Pham, J. Q., 3339P
Krüger, R.-P. See Kricheldorf, H. R., 3414C
Kuan, H.-C. See Chiang, C.-L., 905C
Kubisa, P.
—; Hyperbranched Polyethers by Ring-Opening Polymerization: Contribution of Activated Monomer Mechanism, 457C
Kubota, T.
—; Yamamoto, C.; Okamoto, Y.: Preparation and Chiral Recognition Ability of Cellulose 3,5-Dimethylphenylcarbamate Immobilized on Silica Gel through Radical Polymerization, 3703C
Kuchanov, S. See Zharnikov, T., 892P
Kuchel, P. W. See Strauch, J., 2491C
Kuckling, D.
—; Pareek, P.: Synthesis of Transition-Metal-Ion-Selective Poly(*N*-isopropylacrylamide) Hydrogels by the Incorporation of an Aza Crown Ether, 1594C
Kucybała, Z. See Pyszka, I., 3048C
Kudo, H.
—; Ueda, K.; Šano, N.; Nishikubo, T.: Synthesis of Polyesters with Pendant Oxetane Groups by the Chemoselective Alternating Copolymerization of 3-Ethyl-3-(glycidyloxymethyl)oxetane with Carboxylic Anhydride and Its Photochemical Reaction, 1952C
—; See Ito, N., 213C
Kujawa, P.
—; Audibert-Hayet, A.; Selb, J.; Candau, F.: Compositional Heterogeneity Effects in Multisticker Associative Polyelectrolytes Prepared by Micellar Polymerization, 3261C
Kumar, R. See Brar, A. S., 313C
Kumar, S. K. See Granick, S., 2755P
Kumaresan, S.
—; Kannan, P.: Substituent Effect on Azobenzene-Based Liquid-Crystalline Organophosphorus Polymers, 3188C
—; Kannan, P.: Substituent Effect on Azobenzene-Based Liquid-Crystalline Organophosphorus Polymers, 3862C
Kuo, P.-L.
—; Liang, W.-J.; Wang, F.-Y.: Hyperbranch-Polyethyleniminated Functional Polymers. I. Synthesis, Characterization of Novel ABA Type of Dumbbell-Like Polyethyleniminated Polyoxypropylenediamines, and Their Complexing Properties with Copper(II) Ions in Aqueous Solution, 1360C
—; See Ni, S.-C., 106C
Kuo, Y.-H. See Woo, E. M. , 2394P
Kuppa, V.
—; Menakanit, S.; Krishnamoorti, R.; Manias, E.: Simulation

Insights on the Structure of Nanoscopically Confined Poly(ethylene oxide), 3285P
Kurita, K. See Iwasaki, Y., 68C
Kurotaki, M. See Chen, F.-C., 2681P
Kushto, G. P. See Kim, W. H., 2522P
Kwak, G.
—; Sumiya, K.-I.; Sanda, F.; Masuda, T.: Synthesis and Absorption/Emission Properties of Novel Poly(silylenearylenevinylene)s, 3615C
Kwak, Y. See Wang, A. R., 2833C
Kwon, S.-H. See Lim, B.-H., 881C
Kwon, Y. See Han, Y. S., 2502C
Kwon, Y. K. See Cho, J., 1889P
Kyu, T. See Kim, D., 913P

Lacks, D. J. See Lei, Y., 2302P
Laguna, M. F.
—; Cerrada, M. L.; Benavente, R.; Pérez, E.; Quijada, R.: Permeation Measurements in Ethylene-1-hexene, Ethylene-1-octene, and Ethylene-1-dodecene Copolymers Synthesized with Metallocene Catalysts, 2174P
Lahn, B. See Siewing, A., 3143C
Lai, A. See Lai, S., 3123C
Lai, S.
—; Locci, E.; Saba, G.; Husu, I.; Masci, G.; Crescenzi, V.; Lai, A.: Solid-State ^{13}C and ^{129}Xe NMR Study of Poly(vinyl alcohol) and Poly(vinyl alcohol)/Lactosilated Chitosan Gels, 3123C
Lam, J. W. Y.
—; Tang, B. Z.: Liquid-Crystalline and Light-Emitting Polyacetylenes, 2607C
Lam, L. S. M. See Hui, C. S., 1708C
Lam, Y. C. See Tan, L. P., 2307P
Lamberti, G.
—; Brucato, V.: Real-Time Orientation and Crystallinity Measurements during the Isotactic Polypropylene Film-Casting Process, 998P
Lappalainen, K. See Castro, P. M., 1380C
Larraz, E.
—; Elvira, C.; San Román, J.: Novel Acrylic Macromonomer with Amphiphilic Character Derived from Triton X-100: Radical Copolymerization with Methyl Methacrylate and Thermal Properties, 1641C
Laurienzo, P. See Capitani, D., 3916C
Laza, J. M. See Cuevas, J. M., 1965P
Leahy, M. R. See Hayden, L. M., 2492P
Lebret, B. See Boutevin, B., 1400C
Lecommandoux, S.
—; Klok, H.-A.; Sayar, M.; Stupp, S. I.: Synthesis and Self-Organization of Rod–Dendron and Dendron–Rod–Dendron Molecules, 3501C
Lednický, F. See Horák, D., 1848C
Lee, C.-F.
—; Wen, C.-J.; Chiu, W.-Y.: Synthesis of Poly(chitosan-*N*-isopropylacrylamide) Complex Particles with the Method of Soapless Dispersion Polymerization, 2053C
Lee, C. H.
—; Ryu, S. H.; Oh, S. Y.: Characteristics of a Single-Layered Organic Electroluminescent Device Using a Carrier-Transporting Copolymer and a Nonconjugated Light-Emitting Polymer, 2733P
—; See Lim, S. T., 2052P
Lee, C. K. S. See Tang, J., 2200P
Lee, D.
—; Lee, S.-H.; Kim, S.; Char, K.; Park, J. H.; Bae, Y. H.: Micro-Phase-Separation Behavior of Amphiphilic Polyurethanes Involving Poly(ethylene oxide) and Poly(tetramethylene oxide), 2365P
Lee, H. See Pittman, C. U, Jr., 1759C
Lee, H.-W. See Lim, B.-H., 881C
Lee, J.-S. See Kim, J.-P., 1497C
Lee, J. W. See Kim, J. H., 1401P
Lee, K. H.
—; Kim, H. Y.; Ryu, Y. J.; Kim, K. W.; Choi, S. W.: Mechanical Behavior of Electrospun Fiber Mats of Poly(vinyl chloride)/Polyurethane Polyblends, 1256P
Lee, M.-H. See Zhang, A., 22C
Lee, R.-S.
—; Lin, T.-F.; Yang, J.-M.: Synthesis and Characterization of Novel Poly(ester-carbonate)s by Copolymerization of *Trans*-4-hydroxy-L-proline with Cyclic Carbonate, 1435C
Lee, S.-G. See Son, S. U., 76C
Lee, S.-H. See Lee, D., 2365P
Lee, S. J. See Hwang, I. H., 1881C
Lee, S.-M.
—; Chen, C.-Y.; Wang, C.-C.: Conductivity and Characterization of Polyurea Electrolytes with Carboxylic Acid, 4006C
Lee, T. S.
—; Ahn, H.; Park, W. H.; Sohn, B.-H.; Kim, M.-J.; Kim, D.-Y.: Synthesis and Optical Properties of an Azoaromatic, Chromophore-Functionalized, Oligomeric Polyelectrolyte, 1196C
Lee, Y. See Lim, H., 1791P
Lee, Y.-S. See Jayakumar, R., 2865C
Lei, C.
—; Li, G.; Yang, Q.; Chen, D.; Jiang, S.: Effect of Shear Flow on the Phase-Separation Behavior in a Blend of Polystyrene and Polyvinyl Methyl Ether, 661P
Lei, Y.
—; Cummins, K.; Lacks, D. J.: First-Principles Enthalpy Landscape Analysis of Structural Recovery in Glasses, 2302P
Leibler, L. See Barrière, B., 166P, 183P; Domingues Dos Santos, F., 224P
Leloup, G. See Truffier-Boutry, D., 1691C
Le Moël, A. See Boullier, I., 1509P
Lemos, F. See Zhang, Y., 3768C
Lemos, M. A. N. D. A. See Zhang, Y., 3768C
León, L. M. See Cuevas, J. M., 1965P
Leonardi, A. See Bongiovanni, R., 2890C
Leskelä, M. See Castro, P. M., 1380C
Lessard, D. G.
—; Ousalem, M.; Zhu, X. X.; Eisenberg, A.; Carreau, P. J.: Study of the Phase Transition of Poly(*N,N*-diethylacrylamide) in Water by Rheology and Dynamic Light Scattering, 1627P

Lesser, A. J. See Constable, G. S., 1323P; Garcia-Leiner, M., 1375P; Hu, X., 2275P; Ramaswamy, S., 2248P
Leu, C.-M. See Chang, Y.-T., 3726C
Leyva, M. E.
—; Barra, G. M. O.; Moreira, A. C. F.; Soares, B. G.: Electric, Dielectric, and Dynamic Mechanical Behavior of Carbon Black/Styrene–Butadiene–Styrene Composites, 2983P
Li, C. T. See Shyu, G. D., 1850P
Li, G. See Lei, C., 661P
Li, H. See Moffitt, M., 637P; Xia, F., 797P
Li, J. C. M. See Chau, C. C., 687P
Li, M.
—; Matyjaszewski, K.: Further Progress in Atom Transfer Radical Polymerizations Conducted in a Waterborne System, 3606C
—; See Gopalan, P., 3640C; Tronc, F., 766C
Li, P. See Zhu, J., 3346C
Li, Q.
—; Fang, X.; Wang, Z.; Gao, L.; Ding, M.: Polyimides from Isomeric Oxydiphthalic Anhydrides, 3249C
Li, R. K. Y. See Xu, J., 749P
Li, S. See Liu, M., 1135P
Li, W. See Zhuo, R.-X., 152C
Li, X. See Gopalan, P., 3640C; Zhang, A., 22C
Li, X.-D.
—; Goh, S. H.: Miscibility and Interactions in Blends of Two Proton-Donating Polymers: Poly(acrylic acid)/Poly(*p*-vinylphenol) Blends, 789P
—; See Zhen, Z., 1813C
Li, X. H.
—; Tjong, S. C.; Meng, Y. Z.; Zhu, Q.: Fabrication and Properties of Poly(propylene carbonate)/Calcium Carbonate Composites, 1806P
Li, Y.
—; Yan, D.; Zhang, G.: Crystalline Structure and Thermal Behavior of Nylon-10,14, 1422P
—; See Tian, Y., 1871C
Li, Y.-G.
—; Wang, Y.-M.; Pan, C.-Y.: Block and Star Block Copolymers by Mechanism Transformation 9: Preparation and Characterization of Poly(methyl methacrylate)/Poly(1,3-dioxepane)/Polystyrene ABC Miktoarm Star Copolymers by Combination of Reversible Addition-Fragmentation Chain-Transfer Polymerization and Cationic Ring-Opening Polymerization, 1243C
Li, Z.
—; Gao, M.; Yuan, M.; Hao, J.; Deng, X.: Synthesis and Characterization of Biodegradable Poly(ester anhydride) Based on ε-Caprolactone and Adipic Anhydride Initiated by Potassium Poly(ethylene glycol)ate, 1511C
Li, Z. X.
—; Fan, L.; Ge, Z. Y.; Wu, J. T.; Yang, S. Y.: Synthesis and Characterization of Fluorinated Poly(amide imide)s Derived from 1,4-Bis(2′-trifluoromethyl-4′-trimellitimidophenoxy)benzene and Aromatic Diamines, 1831C
Liang, H. See Lu, J., 1237C
Liang, Q. See Tang, Z., 1934C
Liang, W.-J. See Kuo, P.-L., 1360C
Liang, Y. See Zhang, W., 3218C
Liao, H.-T. See Wu, C.-S., 351P
Liao, L.
—; Pang, Y.; Ding, L.; Karasz, F. E.: Blue-Emitting Poly (*m*-phenylene vinylene)-*alt*-(*o*-phenylene vinylene)]s: The Effect of Regioregularity on the Optical Properties, 2650C
—; Pang, Y.; Ding, L.; Karasz, F. E.: Yellow-Light-Emitting Cyano-Substituted Poly (1,3-phenylene vinylene)-*alt*-(1,4-phenylene vinylene)] Derivative: Its Synthesis and Optical Properties, 3149C
Liao, W.-P. See Wang, C., 2457P
Liaw, D.-J. See Capek, I., 571P
Lightfoot, J. M. See Salazar, M. R., 1136C
Lim, B.-H.
—; Kwon, S.-H.; Kang, E.-C.; Park, H.; Lee, H.-W.; Kim, W. G.: Isolation and Identification of Cyclic Oligomers of the Poly(ethylene terephthalate)–Poly(ethylene isophthalate) Copolymer, 881C
Lim, H.
—; Lee, Y.; Han, S.; Kim, Y.; Song, J.-M.; Kim, J.-S.: Wettability of Poly(styrene-*co*-acrylate) Ionomers Improved by Oxygen-Plasma Source Ion Implantation, 1791P
Lim, J. Y.
—; Kim, S. Y.: High-Modulus, High-Strength, Thick Polypropylene Monofilament Production: Response Surface Analysis Approach, 1175P
Lim, S. T.
—; Lee, C. H.; Choi, H. J.; Jhon, M. S.: Solidlike Transition of Melt-Intercalated Biodegradable Polymer/Clay Nanocomposites, 2052P
Lin, D.-J.
—; Beltsios, K.; Chang, C.-L.; Cheng, L.-P.: Fine Structure and Formation Mechanism of Particulate Phase-Inversion Poly(vinylidene fluoride) Membranes, 1578P
Lin, J.-S. See Hu, W., 403P
Lin, K.-F. See Chiu, C.-C., 2180C
Lin, Q.
—; Pasatta, J.; Long, T. E.: Synthesis and Characterization of Chiral Liquid-Crystalline Polyesters Containing Sugar-Based Diols via Melt Polymerization, 2512C
Lin, T.-F. See Lee, R.-S., 1435C
Lin, Y.-S.
—; Yasuda, H. K.: Methane Plasma Polymerization by Low-Temperature Cascade Arc Discharge for Enhanced Adhesion of Primer to Thermoplastic Olefins, 2004P
—; See Ye, Z., 2433P
Lindahl, P. See Hayden, L. M., 2492P
Ling, J.
—; Shen, Z.; Zhu, W.: Synthesis, Characterization, and Mechanism Studies on Novel Rare-Earth Calixarene Complexes Initiating Ring-Opening Polymerization of 2,2-Dimethyltrimethylene Carbonate, 1390C
Lin-Gibson, S. See Malwitz, M. M., 3237P
Liou, G.-S.
—; Hsiao, S.-H.: Synthesis and Properties of New Soluble Triphenylamine-Based Aromatic Poly(amine amide)s

Derived from *N,N'*-Bis(4-carboxyphenyl)-*N,N'*-diphenyl-1,4-phenylenediamine, 94C
Liska, A. See Knaus, S., 3400C
Litvinova, E. G. See Khotimsky, V. S., 2133C
Liu, C.
—; Naismith, N.; Huang, Y.; Economy, J.: Synthesis and Characterization of Novel Hyperbranched Poly(imide silsesquioxane) Membranes, 3736C
—; Tang, T.; Huang, B.: Preparation of Macroporous Functionalized Polymer Beads by a Multistep Polymerization and Their Application in Zirconocene Catalysts for Ethylene Polymerization, 873C
—; Tang, T.; Wang, D.; Huang, B.: *In Situ* Ethylene Homopolymerization and Copolymerization Catalyzed by Zirconocene Catalysts Entrapped inside Functionalized Montmorillonite, 2187C
—; See Yao, F., 2073C
Liu, H.
—; Hsieh, Y.-L.: Surface Methacrylation and Graft Copolymerization of Ultrafine Cellulose Fibers, 953P
—; Simone, C. D.; Scola, D. A.: Synthesis and Characterization of Phenylethynyl-End-Capped Cooligomides from Fluorinated Dianhydrides 4,4'-(Hexafluoroisopropylidene)diphthalic anhydride and 4,4'-(2,2,2-Trifluoro-1-phenylethylidene)diphthalic Anhydride and *para*- and *meta*-Phenylene Diamines and Cooligomide Blends with Phenylethynyl-End-Capped Reactive Diluents, 2630C
Liu, I.-C.
—; Tsiang, R. C.-C.: Method of Determining the Absolute Molecular Weight from Gel Permeation Chromatograms for Star-Shaped Styrenic Block Copolymers, 976C
Liu, J.
—; Jungnickel, B.-J.: Crystallization and Morphology of Poly(Vinylidene Fluoride)/Poly(3-Hydroxybutyrate) Blends. I. Spherulitic Morphology and Growth by Polarized Microscopy, 873P
Liu, L.
—; Yang, S.; Zhang, Z.; Wang, Q.; Xie, Z.: Synthesis and Characterization of Poly(diethylsiloxane) and Its Copolymers with Different Diorganosiloxane Units, 2722C
—; See Gelfer, M. Y., 44P
Liu, L. J. See Yu, Z. J., 13C
Liu, M.
—; Ding, Y.; Wang, M.; Li, S.; Liu, W.; Wang, B.: Contributions of Side Groups to the Water Diffusion in Cured Epoxy Resins (2) Study on Physical Aging, 1135P
Liu, R. Y. F.
—; Hu, Y. S.; Hibbs, M. R.; Collard, D. M.; Schiraldi, D. A.; Hiltner, A.; Baer, E.: Comparison of Statistical and Blocky Copolymers of Ethylene Terephthalate and Ethylene 4,4'-Bibenzoate Based on Thermal Behavior and Oxygen Transport Properties, 289P
Liu, T.
—; Henderson, C. L.; Samuels, R.: Quantitative Characterization of the Optical Properties of Absorbing Polymer Films: Comparative Investigation of the Internal Reflection Intensity Analysis Method, 842P
—; See Dersch, R., 545C
Liu, W. See Liu, M., 1135P; Vaia, R. A., 3124P
Liu, X.
—; Wu, Q.; Zhang, Q.; Mo, Z.: Phase Transition in Polyamide-66/Montmorillonite Nanocomposites on Annealing, 63P
Liu, X.-H. See Zhen, Z., 1813C
Liu, Y. See Zong, Z., 3440C
Liu, Y.-L.
—; Chiu, Y.-C.: Novel Approach to the Chemical Modification of Poly(vinyl alcohol): Phosphorylation, 1107C
—; Wu, C.-S.; Chiu, Y.-S.; Ho, W.-H.: Preparation, Thermal Properties, and Flame Retardance of Epoxy–Silica Hybrid Resins, 2354C
—; See Chiu, Y.-S., 432C
Liu, Z.-L.
—; Zhou, Y.; Zhuo, R.-X.: Synthesis and Properties of Functional Aliphatic Polycarbonates, 4000C
Liu, Z. L. See Sun, L. F., 2898C
Livney, Y. D.
—; Portnaya, I.; Faupin, B.; Fahoum, L.; Ramon, O.,; Cohen, Y.; Mizrahi, S.; Cogan, U.: Interactions of Glucose and Polyacrylamide in Solutions and Gels, 3053P
—; Portnaya, I.; Faupin, B.; Ramon, O.; Cohen, Y.; Cogan, U.; Mizrahi, S.: Interactions between Inorganic Salts and Polyacrylamide in Aqueous Solutions and Gels, 508P
Lizarraga, G. See Martter, T. D., 247P
Lloyd, D. R. See Shang, M., 194P
Locci, E. See Lai, S., 3123C
Lodge, T. P. See Cavicchi, K. A., 715P
Logan, J. See Taton, D., 1669C
Lohmeijer, B. G. G.
—; Schubert, U. S.: Playing LEGO with Macromolecules: Design, Synthesis, and Self-Organization with Metal Complexes, 1413C
—; See Vogel, V., 3159C
Loi, M. A. See Polec, I., 1034C
Long, T. E. See Kilian, L., 3083C; Lin, Q., 2512C; Williamson, D. T., 84C
Lookman, T. See Rasmussen, K. Ø., 104P
Loontjens, T.
—; Modular Approach for Novel Nanostructered Polycondensates Enabled by the Unique Selectivity of Carbonyl Biscaprolactam, 3198C
Louwet, F. See Crispin, X., 2561P
Lovell, C. See Garcia, C. B. W., 3346P
Lowe, A. B. See Donovan, M. S., 1262C
Lu, G.
—; Huang, Y.; Yan, Y.; Zhao, T.; Yu, Y.: Synthesis and Properties of Bismaleimide-Modified Novolak Resin/Silsesquioxane Nanocomposites, 2599C
Lu, J.
—; Liang, H.; Zhang, W.; Cheng, Q.: Synthesis of Poly(β-pinene)-*g*-Poly(meth)acrylate

by the Combination of Living Cationic Polymerization and Atom Transfer Radical Polymerization, 1237C
—; Yin, J.: Synthesis and Characterization of Photocrosslinkable, Side-Chain, Second-Order Nonlinear Optical Poly(ester imide)s with Great Film-Forming Ability and Long-Term Dipole Orientation Stability, 303C
—; See Tronc, F., 766C; Yang, J., 1225C
Lu, Q. H. See Lu, X. M., 1273P
Lu, X. M.
—; Lu, Q. H.; Yin, J.; Zhu, Z. K.; Wang, Z. G.: Laser-Induced Periodic Surface Structure on a Polymer Surface: The Effect of a Prerubbing Treatment on the Surface Structure, 1273P
Lu, Y.
—; Zhang, G.; Feng, M.; Zhang, Y.; Yang, M.; Shen, D.: Hydrogen Bonding in Polyamide 66/Clay Nanocomposite, 2313P
Ludovice, P. J. See Wilks, B. R., 2185P
Luh, T.-Y. See Hwu, T.-Y., 2218C
Lukey, C. A. See Gamage, N. J. W., 1603C
Luo, W. See Zhang, W., 3218C
Lustiger, A. See Assouline, E., 520P
Lutsen, L. See Polec, I., 1034C

Ma, C.-C. M. See Chiang, C.-L., 905C, 1371C
Ma, G.-H.
—; Fujiwara, J.; Su, Z.-G.; Omi, S.: Synthesis and Characterization of Crosslinked Uniform Polymeric Microspheres Containing a Polyimide Prepolymer by a New Emulsification Process, 2588C
—; See Fujioka, M., 1788C
Ma, H.
—; Wan, X.; Chen, X.; Zhou, Q.-F.: Reverse Atom Transfer Radical Polymerization of Methyl Methacrylate in Room-Temperature Ionic Liquids, 143C
Ma, J. See Zhang, Q.-X., 2861P
Ma, Y.
—; Wu, G.; Yang, W.: Method of Preparing Clean Poly(4-methylstyrene)-*block*-Polyisobutene by the Combination of Sequential Monomer Addition and Sequential Initiation in the Solvent CH_3Cl, 408C
—; Wu, G.; Yang, W.: Synthesis and Properties of the Ionomer Diblock Copolymer Poly(4-vinylbenzyl triethyl ammonium bromide)-*b*-Polyisobutene, 2755C
—; See Xia, F., 797P
Machado, J. C. See Ribeiro E Silva, M. E. S., 1493P
Madruga, E. L. See Martín-Gomis, L., 2659C
Maeda, K.
—; Morino, K.; Yashima, E.: Solvent-Induced Switching of the Macromolecular Helicity of Poly (4-carboxyphenyl)acetylene} Induced by a Single Chiral Amino Alcohol, 3625C
Magoshi, J. See Tanaka, T., 274P
Mai, Y.-W. See Yu, Z.-Z., 1234P; Zhang, Q.-X., 2861P
Maindron, T. See Shoji, E., 3006C
Maitra, P. See Ding, J., 1978P
Maki, T. See Shang, M., 194P
Malinconico, M. See Capitani, D., 3916C
Mallakpour, S.
—; Hajipour, A.-R.; Zamanlou, M. R.: Microwave-Assisted Synthesis of Optically Active Poly(amide imide)s Derived from Diacid Chloride Containing Epiclon and L-Leucine with Aromatic Diamines, 1077C
—; Kowsari, E.: Synthesis and Characterization of Novel, Optically Active Poly(amide-imide)s from *N,N′*-(4,4′-Sulfonediphthaloyl)-bis-L-phenylalanine Diacid Chloride and Aromatic Diamines under Microwave Irradiation, 3973C
Malmström, E. See Jesberger, M., 3847C
Malner, T. E. See Walz, S. M., 360P
Malta, V. See Gazzano, M., 1009P
Malucelli, G. See Bongiovanni, R., 2890C
Malveau, C.
—; Baille, W. E.; Zhu, X. X.; Ford, W. T.: Molecular Dynamics of Hydrophilic Poly(propylene imine) Dendrimers in Aqueous Solutions by ^1H NMR Relaxation, 2969P
Malwitz, M. M.
—; Lin-Gibson, S.; Hobbie, E. K.; Butler, P. D.; Schmidt, G.: Orientation of Platelets in Multilayered Nanocomposite Polymer Films, 3237P
Manca, J. V. See Polec, I., 1034C
Mandal, B. M. See Guha, S., 1192P
Manias, E. See Kuppa, V., 3285P; Wang, Z. M., 3173P
Mano, V. See Ribeiro E Silva, M. E. S., 1493P
Mantecón, A. See Callau, L., 3384C; Mas, C., 2794C; Ribera, D., 1465C, 2521C; Ruiz, J., 1462P
Mao, B. W. See Gan, L.-H., 2688C
Marcé, R. M. See Fontanals, N., 1927C
Marciniak, S. See Crispin, X., 2561P
Marcu, M. See Cazacu, M., 3169C
Marder, S. R. See Domercq, B., 2726P
Marin, V. See Holder, E., 3953C
Mariott, W. R. See Jin, J., 3132C
Mark, J. E. See Pan, G., 3314P; Rajan, G. S., 1897P
Marom, G. See Ryabov, Y. E., 217P
Marques, M. M. See Zhang, Y., 3768C
Marques, M. T. V.
—; Chaves, É. G.: Polypropylene Fractions Produced by Binary Metallocene Catalysts, 1478C
Marshall, E. L. See McGuinness, D. S., 3798C
Martin, C. W. See Hill, T. A., 149P
Martin, E.
—; Dubois, Ph.; Jerome, R.: Preparation of Supported Yttrium Alkoxides as Catalysts for the Polymerization of Lactones and Oxirane, 569C
Martinelli, M. See Carlini, C., 1716C, 2117C
Martínez-Burgos, J. M.
—; Benavente, R.; Pérez, E.; Cerrada, M. L.: Effect of Short Glass Fiber on Structure and Viscoelastic Behavior of Olefinic Polymers

Synthesized with Metallocene Catalyst, 1244P
Martínez, G.
—; Millán, J.; Contreras, J.: Local Chain-Configuration Dependence of the Mechanisms of the Chemical Reaction of Poly(vinyl chloride). IX. Novel Results on Stereoselectivity of Chlorination Reaction, 508C
Martínez de Ilarduya, A. See Kint, D. P. R., 124C
Martín-Gomis, L.
—; Cuervo-Rodriguez, R.; Fernández-Monreal, M. C.; Madruga, E. L.; Fernández-García, M.: Monomer Reactivity Ratios and Glass-Transition Temperatures of Copolymers Based on Dimethyl Amino Ethyl Methacrylate and Two Structural Hydroxy-Functional Acrylate Isomers, 2659C
Martín-Molina, A. See Ramos, J., 2404C
Martter, T. D.
—; Foster, M. D.; Yoo, T.; Xu, S.; Lizarraga, G.; Quirk, R. P.: Thermodynamic Interaction Parameter of Star–Star Polybutadiene Blends, 247P
Mas, C.
—; Ramis, X.; Salla, J. M.; Mantecón, A.; Serra, A.: Copolymerization of Diglycidyl Ether of Bisphenol A with γ-Butyrolactone Catalyzed by Ytterbium Triflate: Shrinkage during Curing, 2794C
Maschke, U. See Gogibus, N., 39P
Masci, G. See Lai, S., 3123C
Masubuchi, Y. See Suzuki, N., 293C
Masuda, T. See Kwak, G., 3615C
Mateva, R.
—; Filyanova, R.; Velichkova, R.; Gancheva, V.: Anionic Copolymerization of Hexanelactam with Functionalized Polyisoprene, 487C
Mather, B. D. See Williamson, D. T., 84C
Mather, P. T. See Kim, G.-M., 3299P
Mathew, A. P.
—; Groeninckx, G.; Michler, G. H.; Radusch, H. J.; Thomas, S.: Viscoelastic Properties of Nanostructured Natural Rubber/Polystyrene Interpenetrating Polymer Networks, 1680P
Matos, I. See Zhang, Y., 3768C
Matsuda, E. See Yamaguchi, T., 1393P
Matsuda, S.-I.
—; Ando, S.: Molecular Orientation of Rigid-Rod Polyimide Films Characterized by Polarized Attenuated Total Reflection/Fourier Transform Infrared Spectroscopy, 418P
Matsugi, T.
—; Kojoh, S.-I.; Kawahara, N.; Matsuo, S.; Kaneko, H.; Kashiwa, N.: Synthesis and Morphology of Polyethylene-*block*-Poly(methyl methacrylate) through the Combination of Metallocene Catalysis with Living Radical Polymerization, 3964C
—; See Kashiwa, N., 3657C
Matsumoto, A. See Kiguchi, T., 606C, 3243C; Nakamoto, S., 444P
Matsumoto, K. See Mouri, E., 1921P
Matsumoto, T. See Sugiyama, K., 1992C
Matsumoto, Y. See Sugihara, S., 3300C
Matsumura, S.
—; Kihara, N.; Takata, T.: Synthesis, Properties, and Reaction of Polysulfilimine, 1330C
Matsuoka, H. See Mouri, E., 1921P
Matsuo, S. See Kashiwa, N., 3657C; Matsugi, T., 3964C
Matsuura, G. See Suzuki, M., 3564C
Matsuyama, H. See Shang, M., 194P
Mattice, W. L. See Gallego, J., 1615P
Matyjaszewski, K. See Li, M., 3606C
Mauritz, K. A. See Siuzdak, D. A., 11P; Start, P. R., 1563P
Maya, E. M.
—; Snow, A. W.; Buckley, L. J.: Effect of *Ortho*-methylation on a Bis(4-cyanatocumyl)-benezene Low-Dielectric Resin, 60C
Mazumder, M. A. J. See Ali, S. A., 172C
McArdle, P. See Aldabbagh, F., 3892C
McCartney, S. See Kim, Y. S., 2816P
McCarty, M. See Salazar, M. R., 1136C
McCormick, C. L. See Donovan, M. S., 1262C; Fevola, M. J., 560C
McDonald, J. See Strauch, J., 2491C
McDonough, W. G. See Holmes, G. A., 2976P
McGrath, J. E. See Harrison, W. L., 2264C; Kim, Y. S., 2816P; Muggli, M. W., 2850P
McGuinness, D. S.
—; Marshall, E. L.; Gibson, V. C.; Steed, J. W.: Anionic Iron(II) Alkoxides as Initiators for the Controlled Ring-Opening Polymerization of Lactide, 3798C
Meadows, E. S. See Immanuel, C. D., 2232C
Meakin, P. See Wilks, B. R., 2185P
Mecham, J. B. See Harrison, W. L., 2264C
Meier, M. A. R.
—; Schubert, U. S.: Terpyridine-Modified Poly(vinyl chloride): Possibilities for Supramolecular Grafting and Crosslinking, 2964C
—; See Holder, E., 3953C
Meijer, E. W. See Henze, O., 1737C
Melnyk, D. See Shyichuk, A., 1070C
Melzer, C.
—; Krasnikov, V. V.; Hadziioannou, G.: Charge Transport, Injection, and Photovoltaic Phenomena in Oligo(phenylenevinylene) Based Diodes, 2665P
Menakanit, S. See Kuppa, V., 3285P
Mendicuti, F. See Gallego, J., 1615P
Meng, Y. Z. See Li, X. H., 1806P; Tjong, S. C., 1476P, 2332P; Wang, S. J., 2481C; Xu, J., 749P
Mercier, R. See Pinel, E., 2998P
Merlo, J. A.
—; Frisbie, C. D.: Field Effect Conductance of Conducting Polymer Nanofibers, 2674P
Mestdagh, M. See Truffier-Boutry, D., 1691C
Meuldijk, J. See Reynhout, X. E. E., 2985C

Meyer, N.
—; Eddine, M. N.; Delaite, C.; Hurtrez, G.; Dumas, P.: Complex Polymer Architectures through Dimethoxymethyl 1,1-Diphenylethylene Derivatives, 3329C
Michálková, D. See Fortelný, I., 609P
Michel, A. See Joubert, C., 1779P
Michielsen, S. See Bozja, J., 2297C; Sherrill, J., 41C
Michler, G. H. See Ivankova, E. M., 1157P; Mathew, A. P., 1680P
Mikešová, J. See Fortelný, I., 609P
Mikhailenko, S. D. See Gao, Y., 2731C
Mikhaleva, A. I. See Annenkov, V. V., 2256C
Mikroyannidis, J. A. See Mpallas, J. G., 1091C
Milewska, A.
—; Szydlowski, J.; Rebelo, L. P. N.: Viscosity and Ultrasonic Studies of Poly(*N*-isopropylacrylamide)–Water Solutions, 1219P
Millán, J. See Martínez, G., 508C
Miller, M. D. See Kim, J.-B., 386C
Mirabella, F. M.
—; Crystallization and Melting of Narrow Composition Distribution Polyethylenes: Investigation and Implications of Crystal Thickening, 235P
Mirzadeh, H. See Abbasi, F., 2145P
Mitchell, C. A. See Pham, J. Q., 3339P
Miyagawa, T.
—; Fukushima, T.; Oyama, T.; Iijima, T.; Tomoi, M.: Photosensitive Fluorinated Polyimides with a Low Dielectric Constant Based on Reaction Development Patterning, 861C
Miyatake, K.
—; Asano, N.; Watanabe, M.: Synthesis and Properties of Novel Sulfonated Polyimides Containing 1,5-Naphthylene Moieties, 3901C
—; See Shoji, E., 3006C
Miyauchi, M. See Harada, A., 3519C
Miyazaki, T. See Shimazu, A., 308P
Mizoguchi, K. See Breiby, D. W., 3011P
Mizrahi, S. See Livney, Y. D., 508P, 3053P
Mizutani, N. See Higashi, F., 3908C
Mo, Z. See Liu, X., 63P
Moffitt, M.
—; Rharbi, Y.; Tong, J.-D.; Farhina, J. P. S.; Li, H.; Winnik, M. A.; Zahalka, H.: Surface-Directed Morphology Evolution in Ternary Blends of Polyethylene, Polypropylene, and Ethylene–Propylene Copolymer: A Study by Laser Scanning Confocal Fluorescence Microscopy, 637P
Mohri, S. See Amutha Rani, D., 269P
Mokhtar, S. M. See Naguib, H. F., 3180C
Monleón Pradas, M. See Salmerón Sánchez, M., 1713P
Monoi, T. See Ikeda, H., 413C
Montando, G. See Samperi, F., 2778C
Monteiro, M. S. See Wang, A. R., 2833C
Montiel, R.
—; Alexander-Katz, R.: Protrusion and Deformation of an Elastic Particle at an Advancing Front Interface, 1362P
Moon, S.-H. See Choi, Y.-J., 1216C
Morales, J. See Olayo, M. G., 1501P
Moreira, A. C. F. See Leyva, M. E., 2983P
Morgan, A. B. See Bourbigot, S., 3188P
Morii, H. See Kobayashi, S., 3541C
Morimoto, M. See Harada, M., 1198P
Morimoto, N. See Iwasaki, Y., 68C
Morino, K. See Maeda, K., 3625C
Morioka, K.
—; Suito, Y.; Isobe, Y.; Habaue, S.; Okamoto, Y.: Synthesis and Chiral Recognition Ability of Optically Active Poly{*N*-(*R*)-α-methoxycarbonylbenzyl}methacrylamide} with Various Tacticities by Radical Polymerization Using Lewis Acids, 3354C
Morita, T. See Kitagawa, K., 3493C
Moriya, M. See Higashi, F., 821C
Moses, C. L.
—; Rebelo, L. P. N.; Van Hook, W. A.: Membrane Osmometer for Use at Moderate Applied Pressures, 3064P
—; Van Hook, W. A.: Pressure Dependence of the Second Virial Coefficient of Dilute Polystyrene Solutions, 3070P
Moses, D. See Gong, X., 2691P
Mosqueda, Y. See Aranda, P., 3249P
Mouri, E.
—; Matsumoto, K.; Matsuoka, H.: Carpetlike Dense-Layer Formation in a Polyelectrolyte Brush at the Air/Water Interface, 1921P
Moustafa, A. F. See Peetz, R. M., 732C, 740C
Mpallas, J. G.
—; Spiliopoulos, I. K.; Mikroyannidis, J. A.: Blue Light-Emitting Poly(*p*-phenylenevinylene) Derivatives Containing Alternating Conjugated Segments and Aliphatic Spacers, 1091C
Mudarra, M. See Tamayo, I., 1412P
Muehlebach, A.
—; Rime, F.: Synthesis of Well-Defined Macromonomers and Comb Copolymers from Polymers Made by Atom Transfer Radical Polymerization, 3425C
Muelhaupt, R. See Walz, S. M., 360P
Mueller, A. See Gan, D., 3531C
Mueller, U. See Walz, S. M., 360P
Muggli, M. W.
—; Ward, T. C.; Tchatchoua, C.; Ji, Q.; McGrath, J. E.: End-Group Effect on Physical Aging and Polymer Properties for Poly(ether sulfones), 2850P
Mukai, T. See Hoshino, K., 3486C
Mülhaupt, R. See Gorrasi, G., 1798P
Mullen, B. D.
—; Tang, C. N.; Storey, R. F.: New Aliphatic Poly(ester-carbonates) Based on 5-Methyl-5-allyloxycarbonyl-1,3-dioxan-2-one, 1978C

Müller, M.
—; Katsov, K.; Schick, M.: Coarse-Grained Models and Collective Phenomena in Membranes: Computer Simulation of Membrane Fusion, 1441P
Muñoz-Guerra, S. See Kint, D. P. R., 124C; Zazueta, D. A., 2928P
Munro, P. D. See Croll, T., 437P
Murakami, M. See Ogawa, T., 257C
Murase, H. See Iwamoto, R., 1722P
Murthy, N. S.
—; Grubb, D. T.: Deformation in Lamellar and Crystalline Structures: *in situ* Simultaneous Small-Angle X-ray Scattering and Wide-Angle X-ray Diffraction Measurements on Polyethylene Terephthalate Fibers, 1538P
Murugan, E. See Balakrishnan, T., 347C
Musikabhumma, K.
—; Spaniol, T. P.; Okuda, J.: Synthesis of Branched Polyethylenes by the Tandem Catalysis of Silica-Supported Linked Cyclopentadienyl-Amido Titanium Catalysts and a Homogeneous Dibromo Nickel Catalyst Having a Pyridylimine Ligand, 528C
Myung, B. Y.
—; Kim, J. S.; Kim, J. J.; Yoon, T. H.: Synthesis and Characterization of Novel Polyimides with 2,2-Bis 4(4-aminophenoxy)phenyl}-phthalein-3′,5′-bis(trifluoro-methyl)anilide, 3361C

Nácher, A.
—; Escribano, P.; Del Río, C.; Rodríguez, A.; Acosta, J. L.: Polymer Proton-Conduction Systems Based on Commercial Polymers. I. Synthesis and Characterization of Hydrogenated Styrene–Butadiene Block Copolymer and Isobutylene Isoprene Rubber Systems, 2809C
Naga, N.
—; Imanishi, Y.: Composition Distribution of Ethylene or Propylene–Norbornene Copolymers Obtained with Zirconocene Catalysts, 441C
—; Imanishi, Y.: Copolymerization of Styrene and Conjugated Dienes with Half-Sandwich Titanium(IV) Catalysts: The Effect of the Ligand Structure on the Monomer Reactivity, Monomer Sequence Distribution, and Insertion Mode of Dienes, 939C
Nagai, M. See Fujioka, M., 1788C
Nagai, N. See Okumura, H., 2071P
Nagase, Y. See Tian, Y., 2197C
Nagata, M.
—; Hizakae, S.: Synthesis and Properties of Biodegradable Copolymers Based on 4,4′-(Adipoyldioxy)dicinnamic Acid, 1,6-Hexanediol, and Poly(ethylene glycol)s, 2930C
Nagesh, K. See Padmanaban, G., 3929C
Naguib, H. F.
—; Mokhtar, S. M.; Ali, R. O.; Elsabeé, M. Z.: Terpolymerization of Ethyl Methacrylate, *N*-Phenylmaleimide, and Itaconic Acid, 3180C
Nagura, M. See Okumura, W., 2322P; Uddin, A. J., 2878P
Nah, C. See Zhang, A., 22C
Naismith, N. See Liu, C., 3736C
Nakagawa, K. See Tsutsumi, C., 3572C
Nakajima, H.
—; Yamada, K.; Iseki, Y.; Hosoda, S.; Hanai, A.; Oumi, Y.; Teranishi, T.; Sano, T.: Preparation and Characterization of Polypropylene/Mesoporous Silica Nanocomposites with Confined Polypropylene, 3324P
Naka, K.
—; Gelover-Santiago, A.; Uemura, T.; Chujo, Y.: Synthesis and Properties of π-Conjugated Dithiafulvene Oligomers by Addition of a Monofunctionalized Compound, 708C
—; Nemoto, T.; Chujo, Y.: Controlled Polymerization of Activated Glycine Esters by Copper(II) Chelate, 1504C
Nakamoto, S.
—; Tashiro, K.; Matsumoto, A.: Quantitative Evaluation of Stress Distribution in Bulk Polymer Samples through the Comparison of Mechanical Behaviors between Giant Single-Crystal and Semicrystalline Samples of Poly(*trans*-1,4-diethyl muconate), 444P
Nakamura, K.
—; Sawai, D.; Watanabe, Y.; Taguchi, D.; Takahashi, Y.; Furukawa, T.; Kanamoto, T.: Effect of Annealing on the Structure and Properties of Poly(vinylidene fluoride) β-Form Films, 1701P
Nakamura, M. See Takizawa, M., 1251C
Nakanishi, T.
—; Okamoto, H.; Kasahara, M.; Takeda, K.: Polymorphy in the Stereostructure of Periodic Polymer Backbones, 2829P
Nakao, S.-I. See Choi, Y.-J., 1216C; Yamaguchi, T., 1393P
Nakashima, S. See Sato, M., 2676C
Nakayama, K. See Tan, L. P., 2307P
Nanjundan, S. See Jayakumar, R., 2865C
Narita, T. See Fujiwara, H., 2743C; Kaneko, D., 2808P
Narkis, M. See Segal, E., 1428P
Nawaby, A. V. See Takahashi, M., 2214P; Zhang, Z., 1518P
Nazábal, J. See Aróstegui, A., 2236P; García, M., 1022P
Neergaard, J.
—; Hassager, O.; Szabo, P.: Molecular Model for Solubility of Gases in Flexible Polymers, 701P
Nemoto, N.
—; Ito, Y.; Endo, T.: Cationic Ring-Opening Polymerization Behavior of a Five-Membered Cyclic Thiocarbonate Having a Spiro-Linked Adamantane Moiety, 699C
—; Kameshima, H.; Okano, Y.; Endo, T.: Synthesis of Novel π-Conjugating Polymers Based on Dibenzothiophene, 1521C
—; Yoshii, K.; Kameshima, H.; Sanda, F.; Endo, T.: Controlled Cationic Ring-Opening Polymerization of Cyclic Thiocarbonates with Ester Groups, 185C
Nemoto, T. See Naka, K., 1504C
Neta, P. See Feng, H., 196C

Neyertz, S. See Pinel, E., 2998P
Ng, Y.-F. See Butler, M. F., 3941C
Nge, T. T.
—; Hori, N.; Takemura, A.; Ono, H.; Kimura, T.: Synthesis and Orientation Study of a Magnetically Aligned Liquid-Crystalline Chitin/Poly-(acrylic acid) Composite, 711P
Nguyen, B. T. See Xu, J. J., 725P
Ni, S.-C.
—; Kuo, P.-L.: Chemical and Physical Adsorption of Polymers Containing Thiophosphate, Amino, or Polysiloxane Groups at the Oil/Metal Interface under Extreme Pressure, 106C
Nicolais, L. See Di, Y., 670P; Ronda, J. C., 2918C
Nicolas, M. See Polec, I., 1034C
Nielsen, L. K. See Croll, T., 437P
Nishikubo, T. See Ito, N., 213C; Kudo, H., 1952C; Yashiro, T., 2304C
Nobori, T. See Kashiwa, N., 3657C
Nodono, M. See Tsutsumi, C., 3572C
Noguchi, H.
—; Ueda, M.; Baba, Y.; Takasu, M.: Anisotropic Friction Model of DNA Electrophoresis in Polymer Solutions: Comparison with Direct Observations, 1316P
Nolte, R. J. M. See Cornelissen, J. J. L. M., 1725C
Nonokawa, R.
—; Yashima, E.: Helicity Induction on a Poly(phenylacetylene) Derivative Bearing Aza-18-*crown*-6 Ether Pendants in Water, 1004C
Nörenberg, H. See Burlakov, V. M., 1308P
Novikov, S. V.
—; Charge-Carrier Transport in Disordered Polymers, 2584P
Nozaki, K. See Kawashima, Y., 3556C
Nunes, T. G. See Zhang, Y., 3768C
Nuriel, H. See Ryabov, Y. E., 217P
Nuzzo, R. See Granick, S., 2755P
Ober, C. K. See Gopalan, P., 3640C; Vohra, V. R., 3151P
Ochi, M. See Harada, M., 1198P, 1739P
O'Donnell, P. M.
—; Wagener, K. B.: Graft Copolymers by Acyclic Diene Metathesis and Atom Transfer Radical Polymerization Techniques, 2816C
Ogawa, T.
—; Simplified Synthesis of Carbohydrate-Functional Siloxanes via Transacetalation. I. Glucose-Functional Siloxanes, 3336C
—; Murakami, M.: Poly(silylenemethylene)-Based Polymer Blends. III. Synthesis and Properties of Polymer Blends Containing Siloxane-Crosslinked Poly(silylenemethylene)s, 257C
Ogino, K. See Fujioka, M., 1788C
Oguma, N. See Takizawa, M., 1251C
Oh, J. S.
—; Ghose, S.; Isayev, A. I.: Effects of Ultrasonic Treatment on Unfilled Butadiene Rubber, 2959P
Oh, S. Y. See Lee, C. H., 2733P
Ohkoshi, Y. See Okumura, W., 2322P; Uddin, A. J., 2878P
Ohmae, M. See Kobayashi, S., 3541C
Ohnishi, S. See Kaneko, D., 2808P
Ohno, H. See Hoshino, K., 3486C
Ohsedo, Y.
—; Imae, I.; Shirota, Y.: Synthesis and Electrochromic Properties of a New Family of Methacrylate Polymers Containing Pendant Oligothiophenes, 2471P
Ohshima, H. See Sugimoto, H., 3549C
Ohya, Y. See Ouchi, T., 2462C
Okada, M. See Yokoe, M., 2312C
Okamoto, H. See Nakanishi, T., 2829P
Okamoto, K.
—; Ray, S. S.; Okamoto, M.: New Poly(butylene succinate)/Layered Silicate Nanocomposites. II. Effect of Organically Modified Layered Silicates on Structure, Properties, Melt Rheology, and Biodegradability, 3160P
Okamoto, M. See Okamoto, K., 3160P
Okamoto, Y. See Isobe, Y., 1027C; Kubota, T., 3703C; Morioka, K., 3354C; Swager, T., 3469C
Okano, T. See Hori, A., 3478C; Yoshida, T., 779C;
Okano, Y. Nemoto, N., 1521C
Oku, F. See Yamada, B., 645C
Oku, T.
—; Furusho, Y.; Takata, T.: First Poly 3]rotaxane Synthesized through the Noncovalent Step-Growth Polymerization of a Homoditopic Dumbbell Compound and a Macrocycle with a Reversible Thiol–Disulfide Interchange Reaction, 119C
Okuda, J. See Musikabhumma, K., 528C
Okumura, H.
—; Takahagi, T.; Nagai, N.; Shingubara, S.: Depth Profile Analysis of Polyimide Film Treated by Potassium Hydroxide, 2071P
Okumura, W.
—; Ohkoshi, Y.; Gotoh, Y.; Nagura, M.: Correlation between the Tensile Properties and Network Draw Ratio of CO_2-Laser-Heated Drawn Poly(ethylene terephthalate) Fibers, 2322P
Olayo, M. G.
—; Morales, J.; Cruz, G. J.; Barocio, S. R.; Olayo, R.: Numerical and Experimental Analysis of the Plasma in the Synthesis of Polyaniline, 1501P
Olayo, R. See Arcos-Casarrubias, J. A., 1605P; Olayo, M. G., 1501P
Olesik, S. V. See Ding, L., 3804C
Olley, R. H. See Weng, J., 2342P
Omi, S. See Fujioka, M., 1788C; Ma, G.-H., 2588C
Önen, A. See Serhatli, I. E., 1892C
Ono, H. See Nge, T. T., 711P
Orfanou, K.
—; Topouza, D.; Sakellariou, G.; Pispas, S.: Graftlike Interpolymer Complexes from Poly(2-vinylpyridine) and End-Sulfonic Acid Polystyrene and Polyisoprene: Intermediates to Noncovalently Bonded Block Copolymer-Like Micelles, 2454C

Orimoto, Y.
—; Aoki, Y.: Important Role of Si Main Chain for Solvatochromism in Poly bis(4-propoxybutyl)silylene], 483C
Orler, E. B. See Salazar, M. R., 1136C
Osada, Y. See Kaneko, D., 2808P
Osajda, K. See Kadkin, O., 1114C
Osikowicz, W. See Crispin, X., 2561P
Ostroverkhov, V. See Singer, K. D., 2744P
Ostrowski, J. C. See Gong, X., 2691P
Ou, C.-F.
—; Crystallization Behavior and Thermal Stability of Poly(trimethylene terephthalate)/Clay Nanocomposites, 2902P
Ou, R.
—; Gerhardt, R. A.; Samuels, R. J.: Structure–Electrical Property Study of Anisotropic Polyaniline Films, 823P
Ouchi, M. See Ando, T., 3597C
Ouchi, T.
—; Kontani, T.; Ohya, Y.: Mechanical Property and Biodegradability of Solution-Cast Films Prepared from Amphiphilic Polylactide-Grafted Dextran, 2462C
Oumi, Y. See Nakajima, H., 3324P
Ousalem, M. See Lessard, D. G., 1627P
Oxenford, C. See Smith, E., 3988C
Oyama, T. See Miyagawa, T., 861C
Ozlem, M. See Bicak, N., 3457C

Pack, R. T. See Salazar, M. R., 1136C
Pączkowski, J. See Kabatc, J., 3017C; Pyszka, I., 3048C
Padias, A. B. See Hall, H. K., Jr., 625C
Padmanaban, G.
—; Nagesh, K.; Ramakrishnan, S.: Segmented Poly 2-methoxy-5-(2-ethylhexyloxy)-1,4-phenylene vinylene] via Xanthate and Dithiocarbamate Precursors: A Comparative Study of Thermal Eliminations, 3929C
Painter, P. See Berg, L., 2923P
Painter, P. C. See Berg, L. P., 2911P
Pakula, T. See Gogibus, N., 39P
Paluch, M. See Roland, C. M., 3047P
Pan, C.-Y. See Li, Y.-G., 1243C; Wang, W.-P., 2715C
Pan, G.
—; Mark, J. E.; Schaefer, D. W.: Synthesis and Characterization of Fillers of Controlled Structure Based on Polyhedral Oligomeric Silsesquioxane Cages and Their Use in Reinforcing Siloxane Elastomers, 3314P
Pan, X. D.
—; Kelley, E. D.; Hayes, W.: Bulk Viscoelastic Contribution to the Wet-Sliding Friction of Rubber Compounds, 757P
Pang, Y. See Liao, L., 2650C, 3149C
Pantani, R.
—; Titomanlio, G.: Effect of Pressure and Temperature History on Volume Relaxation of Amorphous Polystyrene, 1526P
Papanagopoulos, D. See Dondos, A., 707P
Pareek, P. See Kuckling, D., 1594C
Parent, J. S.
—; White, G. D. F.; Thom, D. J.; Whitney, R. A.; Hopkins, W.: Sulfuration and Reversion Reactions of Brominated Poly(isobutylene-*co*-isoprene), 1915C
Park, H. See Lim, B.-H., 881C
Park, J. H. See Lee, D., 2365P
Park, L. S. See Han, Y. S., 2502C
Park, S.-J.
—; Heo, G.-Y.; Suh, D.-H.: Thermal Properties and Fracture Toughness of Epoxy Resins Cured by Phosphonium and Pyrazinium Salts as Latent Cationic Initiators, 2393C
—; Jin, J.-S.: Effect of Silane Coupling Agent on Mechanical Interfacial Properties of Glass Fiber-Reinforced Unsaturated Polyester Composites, 55P
Park, S.-Y. See Zhang, T., 984C, 1411C
Park, W. H. See Lee, T. S., 1196C
Park, Y. H. See Yang, N. C., 674C
Pasatta, J. See Lin, Q., 2512C
Pascault, J. P. See Duchet, J., 2422P
Pasch, H. See Siewing, A., 3143C
Pasquinet, E. See Boutevin, B., 1400C
Patel, M. V. See Patel, S. A., 2335C
Patel, R. M. See Patel, S. A., 2335C
Patel, S. A.
—; Patel, M. V.; Ray, A.; Patel, R. M.: Synthesis, Characterization, and Antimicrobial Activity of Some Novel Poly(ether ketone)s, 2335C
Patil, A. O.
—; Zushma, S.; Stibrany, R. T.; Rucker, S. P.; Wheeler, L. M.: Vinyl-Type Polymerization of Norbornene by Nickel(II) Bisbenzimidazole Catalysts, 2095C
Patterson, G. See Gu, Z., 3037P
Paul, R. L. See Young, S. K., 1485P
Pawlus, S. See Roland, C. M., 3047P
Pearson, G. J. See Tilbrook, D. A., 528P
Peetz, R. M.
—; Moustafa, A. F.; Kennedy, J. P.: Cationic Polymerization of Norbornadiene, 732C
—; Moustafa, A. F.; Kennedy, J. P.: Synthesis and Characterization of Two Novel Star Blocks: tCum poly(isobutylene-*b*-norbornadiene)]$_3$ and tCum poly(norbornadiene-*b*-isobutylene)]$_3$, 740C
Pellice, S. A.
—; Fasce, D. P.; Williams, R. J. J.: Properties of Epoxy Networks Derived from the Reaction of Diglycidyl Ether of Bisphenol A with Polyhedral Oligomeric Silsesquioxanes Bearing OH-Functionalized Organic Substituents, 1451P
Peng, Y. See Di, W., 3094P
Perahia, D. See Hill, T. A., 149P
Percec, V.
—; Popov, A. V.; Ramirez-Castillo, E.; Weichold, O.: Living Radical Polymerization of Vinyl Chloride Initiated with Iodoform and Catalyzed by Nascent Cu^0/Tris(2-aminoethyl)amine or Polyethyleneimine in Water

at 25 °C Proceeds by a New Competing Pathways Mechanism, 3283C

Pereña, J. M. See Prieto, Ó., 1878P

Pérez, E. See Laguna, M. F., 2174P; Martínez-Burgos, J. M., 1244P; Prieto, O., 1878P

Pérez-Cappe, E. See Aranda, P., 3249P

Perez-Salas, U.
—; Briber, R. M.; Rafailovich, M. H.; Sokolov, J.: Interfacial Fracture Toughness between Glassy Polymer Networks, 1902P

Persello, J. See Boisvert, J.-P., 3127P

Persico, P.
—; Centore, R.; Sirigu, A.; Casalboni, M.; Quatela, A.; Sarcinelli, F.: Synthesis and Nonlinear Optical Properties of Methacrylate Polymers Based on 2- 4-(*N*-Methyl,*N*-hydroxyethylamino)-phenylazo}-phenyl-6-nitrobenzoxazole Chromophore, 1841C

Petschek, R. G. See Singer, K. D., 2744P

Pham, J. Q.
—; Mitchell, C. A.; Bahr, J. L.; Tour, J. M.; Krishanamoorti, R.; Green, P. F.: Glass Transition of Polymer/Single-Walled Carbon Nanotube Composite Films, 3339P

Phelan, M. See Aldabbagh, F., 3892C

Piao, L. See Tang, Z., 1934C

Piau, J.-M. See Verdier, C., 3139P

Pichot, C. See D'Agosto, F., 1188C; Gaboyard, M., 2469C

Pilar Sanz-Izquierdo, M. See Ramos, J., 2404C

Pillai, C. K. S. See Sandhya, K. Y., 1527C; Sudha, J. D., 335C

Pinel, E.
—; Barthe, M.-F.; De Baerdemaeker, J.; Mercier, R.; Neyertz, S.; Albérola, N. D.; Bas, C.: Copolyimides Containing Alicyclic and Fluorinated Groups: Characterization of the Film Microstructure, 2998P

Pionteck, J. See Dlubek, G., 3077P; Kilburn, D., 3089P

Pisharath, S.
—; Wong, S.-C.: Development of the Morphology and Crystalline State due to Hybridization of Reinforced Toughened Nylon Containing a Liquid-Crystalline Polymer, 549P

Pişkin, E. See Köseli, V., 1580C

Pispas, S. See Orfanou, K., 2454C

Pitsikalis, M. See Chen, H., 3264P; Vazaios, A., 3094C

Pittman, C. U, Jr.
—; Lee, H.: Radical-Initiated Polymerization of β-Methyl-α-methylene-γ-butyrolactone, 1759C

Pojman, J. A. See Gill, N., 204C

Polec, I.
—; Henckens, A.; Goris, L.; Nicolas, M.; Loi, M. A.; Adriaensens, P. J.; Lutsen, L.; Manca, J. V.; Vanderzande, D.; Sariciftci, N. S.: Convenient Synthesis and Polymerization of 5,6-Disubstituted Dithiophthalides Toward Soluble Poly(Isothianaphthene): An Initial Spectroscopic Characterization of the Resulting Low-Band-Gap Polymers, 1034C

Pollicino, A. See Bongiovanni, R., 2890C

Pomery, P. J. See Gamage, N. J. W., 1603C

Pompe, G. See Dlubek, G., 3077P

Popov, A. V. See Percec, V., 3283C

Porbeni, F. E. See Bullions, T. A., 139P

Portnaya, I. See Livney, Y. D., 508P, 3053P

Poslinski, A. J. See Fan, B., 859P

Potroková, L. See Fortelný, I., 609P

Prause, S. See Fischer, K., 1210P

Preston, J. See Idemura, S., 1014C

Prieto, Ó.
—; Pereña, J. M.; Benavente, R.; Pérez, E.; Cerrada, M. L.: Viscoelastic Relaxation Mechanisms of Conventional Polypropylene Toughened by a Plastomer, 1878P

Priola, A. See Bongiovanni, R., 2890C

Priya, L.
—; Jog, J. P.: Intercalated Poly(vinylidene fluoride)/Clay Nanocomposites: Structure and Properties, 31P

Proietti, N. See Capitani, D., 3916C

Pruden, K. G.
—; Sinclair, K.; Beaudoin, S.: Characterization of Parylene-N and Parylene-C Photooxidation, 1486C

Przybylski, M. See Klee, J. E., 2047C

Psurek, T. See Roland, C. M., 3047P

Pudney, P. D. A. See Butler, M. F., 3941C

Puetter, R. C. See Kirkmeyer, B. P., 319P

Puglisi, C. See Samperi, F., 2778C

Puiggalí, J. See Botines, E., 903P

Pyo, S. See Chen, F.-C., 2681P

Pyszka, I.
—; Kucybała, Z.; Pączkowski, J.: Development of New Dyeing Photoinitiators Based on Benzylideneimidazopyridine Dyes, 3048C

Qin, A.
—; Yang, Z.; Bai, F.; Ye, C.: Design and Synthesis of a Thermally Stable Second-Order Nonlinear Optical Chromophore and Its Poled Polymers, 2846C

Qin, H. See Kim, G.-M., 3299P

Qin, Y.
—; Tang, T.; Zhao, Z.; Huang, B.: Ethylene Polymerization with Porous Polystyrene Spheres Supported Cp_2ZrCl_2 Catalyst, 3313C

Qingyun, M. See Daming, W., 1051P

Qu, L. See Wu, X., 449C

Quatela, A. See Persico, P., 1841C

Quijada, R. See Laguna, M. F., 2174P

Quirk, R. P.
—; Gomochak, D. L.; Wesdemiotis, C.; Arnould, M. A.: Functionalization of Polymeric Organolithium Compounds with 3,4-Epoxy-1-butene: Precursors for Diene-Functionalized Macromonomers, 947C

—; Guo, Y.; Wesdemiotis, C.; Arnould, M. A.: Functionalization of Polymeric Organolithium Compounds with Formaldehyde, 2435C
—; See Martter, T. D., 247P

Racles, C. See Cazacu, M., 3169C
Radić, D. See Díaz-Calleja, R., 1059P
Radom, L. See Barner-Kowollik, C., 2828C
Radusch, H. J. See Mathew, A. P., 1680P
Rafailovich, M. See Gelfer, M. Y., 44P
Rafailovich, M. H. See Perez-Salas, U., 1902P
Rahman, MD. S.
—; Hashimoto, T.; Kodaira, T.: Cationic Cyclopolymerization of New Divinyl Ethers: The Effect of Ether and Ester Neighboring Functional Groups on Their Cyclopolymerization Tendency, 281C
Rahman, M. S. See Bhuniya, S. P., 1650C
Rajagopalan, M. See Tannenbaum, R., 1814P
Rajan, G. S.
—; Sur, G. S.; Mark, J. E.; Schaefer, D. W.; Beaucage, G.: Preparation and Characterization of Some Unusually Transparent Poly(dimethylsiloxane) Nanocomposites, 1897P
Rajulu, A. V. See Xu, J., 749P
Ramachandrarao, V. S.
—; Vogt, B. D.; Gupta, R. R.; Watkins, J. J.: Effect of Carbon Dioxide Sorption on the Phase Behavior of Weakly Interacting Polymer Mixtures: Solvent-Induced Segregation in Deuterated Polybutadiene/Polyisoprene Blends, 3114P
Ramakrishnan, S. See Padmanaban, G., 3929C; Som, A., 2345C
Ramaswamy, S.
—; Lesser, A. J.: Generic Crack Patterns in Rubber-Modified Polymers under Biaxial Stress States, 2248P
Ramesh, C. See Yoshioka, Y., 1294P
Ramirez-Castillo, E. See Percec, V., 3283C
Ramis, X. See Mas, C., 2794C
Ramon, O. See Livney, Y. D., 508P, 3053P
Ramos, J.
—; Forcada, J.: Semicontinuous Seeded Cationic Emulsion Polymerization of Styrene: The Effects of the Concentration and Type of Cationic Surfactant, 2322C
—; Martín-Molina, A.; Pilar Sanz-Izquierdo, M.; Rus, A.; Borque, L.; Hidalgo-Álvarez, R.; Galisteo-González, F.; Forcada, J.: Amino-Functionalized Latex Particles Obtained by a Multistep Method: Development of a New Immunoreagent, 2404C
Rana, P. K. See Sahoo, P. K., 2696C
Rao, T. R. G. See Guha, S., 1192P
Rasmussen, K. Ø.
—; Kober, E. M.; Lookman, T.; Saxena, A.: Morphology and Bridging Properties of $(AB)_n$ Multiblock Copolymers, 104P
Raspolli Galletti, A. M. See Carlini, C., 1716C, 2117C
Rastogi, S. See Vanhaecht, B., 2082C
Ratna, D.
—; Dalvi, V.; Chakraborty, B. C.; Deb, P. C.: Novel Ion-Exchange Resin Beads with Acid–Base Indicator Property, 2166C
—; See Sadagopan, K., 3375C
Ratner, M. A. See Burin, A. L., 2601P
Ravi, P. See Gan, L.-H., 2688C
Ray, A. See Patel, S. A., 2335C
Ray, S. S. See Bisht, H. S., 1864C; Okamoto, K., 3160P
Raziel, A. See Ben-Shabat, S., 3781C
Rebelo, L. P. N. See Milewska, A., 1219P; Moses, C. L., 3064P
Rebrov, A. I. See Khotimsky, V. S., 2133C
Recca, A. See Bongiovanni, R., 2890C
Reddy, B. S. R. See Arun, A., 1632C
Reema, See Finne, A., 3074C
Reichert, P. See Gorrasi, G., 1798P
Reina, J. A. See Callau, L., 3384C; Ronda, J. C., 2918C
Reiter, G.
—; Model Experiments for a Molecular Understanding of Polymer Crystallization, 1869P
Repo, T. See Castro, P. M., 1380C
Reynhout, X. E. E.
—; Hoekstra, L.; Meuldijk, J.; Drinkenburg, A. A. H.: Contribution of Steric and Electrostatic Repulsion Forces to the Stability of Styrene Latices Copolymerized with Acrylic Acid, 2985C
Rezac, M. E. See Wilks, B. R., 1939P, 2185P
Rharbi, Y. See Moffitt, M., 637P
Riande, E. See García, F., 1567C
Ribeiro E Silva, M. E. S.
—; Machado, J. C.; Mano, V.; Silva, G. G.: Positron Annihilation and Differential Scanning Calorimetry Studies of Polyacrylamide and Poly(dimethylacrylamide)/Poly(ethylene glycol) Blends, 1493P
Ribera, D.
—; Serra, A.; Mantecón, A.: Dimeric Liquid-Crystalline Epoxyimine Monomers: Influence of Dipolar Moments on Mesomorphic Behavior and the Formation of Liquid-Crystalline Thermosets, 1465C
—; Serra, A.; Mantecón, A.: Liquid-Crystalline Thermosets by the Curing of Dimeric Liquid-Crystalline Epoxyimine Monomers with 2,4-Toluene Diisocyanate, 2521C
Richards, R. W. See De Luca, E., 1339P, 1352P
Riedl, B. See Cai, X., 2022P; He, G., 1929P
Rightor, E. G. See Aneja, A., 258P
Rime, F. See Muehlebach, A., 3425C
Roberts, G. E.
—; Heuts, J. P. A.; Davis, T. P.: Catalytic-Chain-Transfer Polymerization of Styrene Revisited: The Importance of Monomer Purification and Polymerization Conditions, 752C
—; See Strauch, J., 2491C
Roberts, G. W. See Shi, C., 1143P

Robertson, G. P.
—; Guiver, M. D.; Bilodeau, F.; Yoshikawa, M.: Modified Polysulfones. VI. Preparation of Polymer Membrane Materials Containing Benzimine and Benzylamine Groups as Precursors for Molecularly Imprinted Sensor Devices, 1316C
—; See Gao, Y., 497C, 2731C
Robin, J. J. See David, G., 236C
Rodembusch, F. S.
—; Da Silveira, N. P.; Samios, D.; Campo, L. F.; Stefani, V.: Static Light Scattering, Ultraviolet–Visible, and Fluorescence Spectroscopy from Fluorescent Methyl Methacrylate/Benzazole Dye Copolymers Displaying an Intramolecular Proton-Transfer Mechanism in the Electronically Excited State, 341P
Rodin, W. A. See Salazar, M. R., 1136C
Rodríguez, A. See Nácher, A., 2809C
Rodríguez, M. See Cuevas, J. M., 1965P
Rodríguez-Galán, A. See Botines, E., 903P
Rodríguez Hernández, J.
—; Klok, H.-A.: Synthesis and Ring-Opening (Co)polymerization of L-Lysine *N*-Carboxyanhydrides Containing Labile Side-Chain Protective Groups, 1167C
Roland, C. M.
—; Psurek, T.; Pawlus, S.; Paluch, M.: Segmental- and Normal-Mode Dielectric Relaxation of Poly(propylene glycol) under Pressure, 3047P
Ronda, J. C.
—; Reina, J. A.; Cádiz, V.; Giamberini, M.; Nicolais, L.: Self-Organized Liquid-Crystalline Polyethers Obtained by Grafting Tapered Mesogenic Groups onto Poly(epichlorohydrin): Toward Biomimetic Ion Channels, 2918C
Rong, M. Z.
—; Zhang, M. Q.; Wang, H. B.; Zeng, H. M.: Surface Modification of Magnetic Metal Nanoparticles and Its Influence on the Performance of Polymer Composites, 1070P
—; See Hou, Y. H., 127P
Rossi, N. A. A.
—; Jones, R. G.; Holder, S. J.: Synthesis and Characterization of Poly(methyl methacrylate)-*block*-Poly(methylphenylsilane)-*block*-Poly(methyl methacrylate) by Atom Transfer Radical Polymerization, 30C
Roth, L. E.
—; Vallés, E. M.; Villar, M. A.: Bulk Hydrosilylation Reaction of Poly(dimethylsiloxane) Chains Catalyzed by a Platinum Salt: Effect of the Initial Concentration of Reactive Groups on the Final Extent of Reaction, 1099C
Roux, S.
—; Demoustier-Champagne, S.: Surface-Initiated Polymerization from Poly(ethylene terephthalate), 1347C
Roviello, A. See Capitani, D., 3916C
Rowan, A. E. See Cornelissen, J. J. L. M., 1725C
Rowan, S. J.
—; Suwanmala, P.; Sivakova, S.: Nucleobase-Induced Supramolecular Polymerization in the Solid State, 3589C
—; See Stephens, C. H., 2062P; Yang, H., 2107C
Rubio, F. See García, F., 1567C
Rucker, S. P. See Patil, A. O., 2095C
Ruiz, J.
—; Mantecón, A.; Cádiz, V.: States of Water in Poly(vinyl alcohol) Derivative Hydrogels, 1462P
Ruiz-Hitzky, E. See Aranda, P., 3249P
Rus, A. See Ramos, J., 2404C
Rusa, C. C. See Bullions, T. A., 139P
Rusch-Salazar, L. A.
—; Sheares, V. V.: A Series of New High-Performance Materials Based on Poly 4′-fluorophenyl-bis(4-phenyl)phosphine oxide}, 2277C
Russell, B. G. See Salazar, M. R., 1136C
Russell, T. P. See Granick, S., 2755P
Ryabov, Y. E.
—; Nuriel, H.; Marom, G.; Feldman, Y.: Relaxation Peak Broadening and Polymer Chain Dynamics in Aramid-Fiber-Reinforced Nylon-66 Microcomposites, 217P
Rytter, E. See Wigum, H., 1622C
Ryu, S. H. See Lee, C. H., 2733P
Ryu, Y. J. See Lee, K. H., 1256P
Rzaev, Z. M. O. See Köseli, V., 1580C

Saad, W. See Dean, J. M., 2444P
Saba, G. See Lai, S., 3123C
Sadagopan, K.
—; Ratna, D.; Samui, A. B.: Synthesis and Characterization of Liquid-Crystalline Epoxy and Its Blend with Conventional Epoxy, 3375C
Safinya, C. R. See Granick, S., 2755P
Sağlam, M. See Çakar, M., 1334P
Sahoo, A. See Sahoo, P. K., 2696C
Sahoo, P. K.
—; Rana, P. K.; Sarkar, N. D.; Sahoo, A.; Swain, S. K.: Characterization and Properties of Chemically Modified *Corchorus capsularis* Jute Fiber via Pulping and Grafting: Infrared, Thermogravimetric Analysis, Differential Scanning Calorimetry, Scanning Electron Microscopy, X-ray Diffraction, Biodegradation, and Superabsorbency, 2696C
Saithou, T. See Yashiro, T., 2304C
Saitoh, M. See Endo, K., 248C
Sajkiewicz, P.
—; Transient and Athermal Effects in the Crystallization of Polymers. II. Nonisothermal Crystallization, 68P
Sakellariou, G. See Orfanou, K., 2454C
Sakurai, K. See Dong, Y., 2033P
Salaneck, W. R. See Crispin, X., 2561P
Salazar, M. R.
—; Lightfoot, J. M.; Russell, B. G.; Rodin, W. A.; McCarty, M.; Wrobleski, D. A.; Orler, E. B.; Spieker, D. A.; Assink, R. A.; Pack, R. T.: Degradation of a Poly(ester

urethane) Elastomer. III. Estane 5703 Hydrolysis: Experiments and Modeling, 1136C
Salazar, R. See Ilundain, P., 3744C
Salla, J. M. See Mas, C., 2794C
Salmerón Sánchez, M.
—; Monleón Pradas, M.; Gómez Ribelles, J. L.: Thermal Transitions of Benzene in Copolymers and Interpenetrating Polymer Networks Based on Hydrophilic and Hydrophobic Components: Experimental Evidence of Hydrophobic Interaction, 1713P
Salovey, R. See Emami, S.-H., 520C
Samios, D. See Rodembusch, F. S., 341P
Samperi, F.
—; Puglisi, C.; Alicata, R.; Montando, G.: Essential Role of Chain Ends in the Nylon-6/Poly(ethylene terephthalate) Exchange, 2778C
Samuelsen, E. J. See Breiby, D. W., 945P, 2375P, 3011P
Samuels, R. See Liu, T., 842P
Samuels, R. J. See Ou, R., 823P
Samui, A. B. See Sadagopan, K., 3375C
Sánchez-Martínez, E. See Díaz-Calleja, R., 1059P
Sanchis, M. J. See Díaz-Calleja, R., 1059P
Sanda, F. See Kwak, G., 3615C; Nemoto, N., 185C; Takahashi, E., 3816C, 3828C; Tanaka, M., 853C
Sanderson, R. D. See Sprong, E., 223C
Sandhya, K. Y.
—; Pillai, C. K. S.; Sato, M.; Tsutsumi, N.: Highly Stable Rigid Main-Chain Nonlinear Optical Polymers with Nematic Phase: Effect of Liquid-Crystalline Phase on Nonlinear Optical Response, 1527C
Sanford, T. A. See Donovan, M. S., 1262C
Sangermano, M. See Bongiovanni, R., 2890C
Sano, N. See Kudo, H., 1952C
Sano, T. See Nakajima, H., 3324P
San Román, J. See González, N., 395C; Larraz, E., 1641C
Saraev, V. V. See Annenkov, V. V., 2256C
Sarcinelli, F. See Persico, P., 1841C
Sariciftci, N. S. See Polec, I., 1034C
Sarkar, N. D. See Sahoo, P. K., 2696C
Sasaki, S. See Yamamoto, T., 1449C
Sasaki, T. See Suzuki, M., 3564C
Sasaki, Y. See Ikeda, H., 413C
Sato, M.
—; Nakashima, S.; Uemoto, Y.: Thermotropic Liquid-Crystalline Polymers Containing Five-Membered Heterocyclic Groups. X. Relationships between Structures of Semirigid Polyesters Based on Three Disubstituted 2,5-Diphenyl-1,3,4-thiadiazoles and Thermotropic Liquid-Crystalline and Optical Properties, 2676C
—; See Sandhya, K. Y., 1527C
Sato, N. See Sato, T., 3038C
Sato, S. See Breiby, D. W., 3011P
Sato, T.
—; Hashimoto, M.; Seno, M.; Hirano, T.: Elementary Reaction Analysis of the Radical Polymerization of α-Ethyl β-*N*-(α′-Methylbenzyl)itaconamates Carrying (*RS*)- and (*S*)-α-Methylbenzylaminocarbonyl Groups, 1819C
—; Sato, N.; Seno, M.; Hirano, T.: Initiator-Fragment Incorporation Radical Polymerization of Divinylbenzene in the Presence of Glyoxylic Oxime Ether: Formation of Soluble Hyperbranched Polymer, 3038C
—; See Hirano, T., 3463C
Satyanand, A. J. See Bhuniya, S. P., 1650C
Sauer, J. A. See Chen, W. C., 429P, 1468P
Saule, M. See Taton, D., 1669C
Sauvage, J.-P. See Kern, J.-M., 3470C
Sauvet, G.
—; Fortuniak, W.; Kazmierski, K.; Chojnowski, J.: Amphiphilic Block and Statistical Siloxane Copolymers with Antimicrobial Activity, 2939C
Sawai, D. See Nakamura, K., 1701P
Sawamoto, M. See Ando, T., 3597C
Sawauchi, C. See Ando, T., 3597C
Saxena, A. See Rasmussen, K. Ø., 104P
Sayar, M. See Lecommandoux, S., 3501C
Sbrana, G. See Carlini, C., 1716C, 2117C
Scandola, M. See Gazzano, M., 1009P
Schacht, E. H. See Bernaerts, K. V., 3206C
Schaefer, D. W. See Pan, G., 3314P; Rajan, G. S., 1897P
Schaper, A. K. See Dersch, R., 545C
Scheinbeim, J. See Tang, Y., 927P
Schenning, A. P. H. J. See Henze, O., 1737C
Schick, M. See Müller, M., 1441P
Schiraldi, D. A. See Liu, R. Y. F., 289P
Schlaad, H. See Zhang, C., 2879C
Schlüter, A. D. See Zhang, C., 2879C
Schmidt, D. F. See Chen, H., 3264P; Vohra, V. R., 3151P
Schmidt, G. See Malwitz, M. M., 3237P
Schubert, D. See Vogel, V., 3159C
Schubert, U. S. See Holder, E., 3953C; Hoogenboom, R., 2425C; Lohmeijer, B. G. G., 1413C; Meier, M. A. R., 2964C; Vogel, V., 3159C
Schultz, C.-L. See Kricheldorf, H. R., 890C
Schwarz, G. See Kricheldorf, H. R., 890C, 3414C, 3838C
Scola, D. A. See Liu, H., 2630C
Scranton, A. B. See Sipani, V., 2064C
Segal, E.
—; Tchoudakov, R.; Narkis, M.; Siegmann, A.: Sensing of Liquids by Electrically Conductive Immiscible Polypropylene/Thermoplastic Polyurethane Blends Containing Carbon Black, 1428P
Séguéla, R. See Guichon, O., 327P
Sekino, A. See Sugi, R., 1341C
Selb, J. See Kujawa, P., 3261C
Sellarès, J. See Tamayo, I., 1412P

Semenyuk, N. See Horák, D., 1848C
Sen, K.
—; Bajaj, P.; Sreekumar, T. V.: Thermal Behavior of Drawn Acrylic Fibers, 2949P
Seno, M. See Hirano, T., 3463C; Sato, T., 1819C, 3038C
Seo, S. B. See Kim, J. H., 1401P
Seoul, C.
—; Kim, Y.-T.; Baek, C.-K.: Electrospinning of Poly(vinylidene fluoride)/Dimethylformamide Solutions with Carbon Nanotubes, 1572P
Seppälä, J. V. See Helminen, A. O., 3788C
Serhatli, I. E.
—; Kacar, T.; Önen, A.: Synthesis of Liquid Crystalline-Amorphous Block Copolymers by the Combination of Atom Transfer and Photoinduced Radical Polymerization Mechanisms, 1892C
Serizawa, T. See Hamada, K.-I., 1807C
Serna, F. See García, J. M., 1202C
Serra, A. See Castell, P., 1C, 1536C; Mas, C., 2794C; Ribera, D., 1465C, 2521C
Shah, A. P. See Drozdov, A. D., 476P
Shang, M.
—; Matsuyama, H.; Maki, T.; Teramoto, M.; Lloyd, D. R.: Effect of Crystallization and Liquid–Liquid Phase Separation on Phase-Separation Kinetics in Poly(ethylene-*co*-vinyl alcohol)/Glycerol Solution, 194P
Sheares, V. V. See Rusch-Salazar, L. A., 2277C
Shen, D. See Lu, Y., 2313P; Zhang, G., 23P; Zhou, X., 2290P
Shen, S. See Xu, W., 378P
Shen, Z. See Ling, J., 1390C
Sheng, J. See Zhao, Y. H., 2257P
Sherrill, J.
—; Michielsen, S.; Stojiljkovic, I.: Grafting of Light-Activated Antimicrobial Materials to Nylon Films, 41C
—; See Bozja, J., 2297C
Sheu, R.-B. See Chen, Y., 725C
Shi, C.
—; Roberts, G. W.; Kiserow, D. J.: Effect of Supercritical Carbon Dioxide on the Diffusion Coefficient of Phenol in Poly(Bisphenol A Carbonate), 1143P
Shi, D. See Gao, Y., 1837P
Shi, G. See Wu, X., 449C
Shigeta, Y. See Higashi, F., 970C
Shiino, D. See Kang, E.-C., 841C
Shikanov, A. See Krasko, M. Y., 1059C
Shim, S. E.
—; Isayev, I.; Von Meerwall, E.: Molecular Mobility of Ultrasonically Devulcanized Silica-Filled Poly(dimethyl siloxane), 454P
Shimakata, K. See Iwasaki, Y., 68C
Shimano, R. See Abe, Y., 2250C
Shimazu, A.
—; Miyazaki, T.; Katayama, S.; Ito, Y.: Permeability, Permselectivity, and Penetrant-Induced Plasticization in Fluorinated Polyimides Studied by Positron Lifetime Measurements, 308P
Shimoyama, N. See Harada, M., 1739P
Shingubara, S. See Okumura, H., 2071P
Shiomi, T. See Yaegashi, T., 1545C
Shirai, H. See Uddin, MD. Z., 2119P
Shiraishi, K. See Sugiyama, K., 1992C
Shirota, Y. See Ohsedo, Y., 2471P
Shoji, E.
—; Miyatake, K.; Hlil, A. R.; Hay, A. S.; Maindron, T.; Jousseaume, V.; Dodelet, J. P.; Tao, Y.; D'Iorio, M.: Immiscible Polymers in Double Spin-Coated Electroluminescent Devices Containing Phenyl-Substituted Tris(8-hydroxyquinoline)aluminum Derivatives Soluble in a Host Polymer, 3006C
Shu, C.-F. See Chang, Y.-T., 3726C; Wu, S.-C., 1160C
Shuai, X. See Bullions, T. A., 139P
Shyichuk, A.
—; Melnyk, D.; White, J. R.: Delocalized Free Electron Densities in Degraded Polystyrene and Polypropylene Macroradicals: The Source of Different Photooxidation Rates, 1070C
Shyu, G. D.
—; Isayev, A. I.; Li, C. T.: Residual Thermal Birefringence in Freely Quenched Plates of Amorphous Polymers: Simulation and Experiment, 1850P
Si, M. See Gelfer, M. Y., 44P
Siegel, R. W. See Zheng, J., 1033P
Siegmann, A. See Segal, E., 1428P
Siewing, A.
—; Lahn, B.; Braun, D.; Pasch, H.: Two-Dimensional Chromatography of Complex Polymers. IV. Analysis of the Grafting Reaction of Methyl Methacrylate onto Polybutadiene, 3143C
Silva, G. G. See Ribeiro E Silva, M. E. S., 1493P
Silverman, J. See Feng, H., 196C
Silvestre, C.
—; Cimmino, S.; Triolo, R.: Structure, Morphology, and Crystallization of a Random Ethylene–Propylene Copolymer, 493P
Simone, C. D. See Liu, H., 2630C
Sinclair, K. See Pruden, K. G., 1486C
Singer, K. D.
—; Petschek, R. G.; Ostroverkhov, V.; Twieg, R. J.; Sukhomlinova, L.: Nonpolar Second-Order Nonlinear and Electrooptic Materials: Axially Ordered Chiral Polymers and Liquid Crystals, 2744P
Sinsawat, A.
—; Anderson, K. L.; Vaia, R. A.; Farmer, B. L.: Influence of Polymer Matrix Composition and Architecture on Polymer Nanocomposite Formation: Coarse-Grained Molecular Dynamics Simulation, 3272P
Sinyukov, A. M. See Hayden, L. M., 2492P
Sipani, V.
—; Scranton, A. B.: Dark-Cure Studies of Cationic Photopolymerizations of Epoxides: Characterization of the Active Center Lifetime and Kinetic Rate Constants, 2064C

Sirigu, A. See Persico, P., 1841C
Siuzdak, D. A.
—; Start, P. R.; Mauritz, K. A.: Surlyn®/Titanate Hybrid Materials via Polymer *in situ* Sol–Gel Chemistry, 11P
Sivakova, S. See Rowan, S. J., 3589C
Sivakumar, M. See Amutha Rani, D., 269P
Skvortsov, N. K. See Zuev, V. V., 3761C
Šloufová, I. See Fortelný, I., 609P
Smedberg, A.
—; Hjertberg, T.; Gustafsson, B.: Characterization of an Unsaturated Low-Density Polyethylene, 2974C
Smith, E.
—; Bai, J.; Oxenford, C.; Yang, J.; Somayaji, R.; Uludag, H.: Conjugation of Arginine–Glycine–Aspartic Acid Peptides to Thermoreversible *N*-isopropylacrylamide Polymers, 3988C
Snow, A. W. See Maya, E. M., 60C
Soares, B. G. See Leyva, M. E., 2983P
Soares, J. B. P. See Anantawaraskul, S., 1762P
Sohn, B.-H. See Lee, T. S., 1196C
Sokolov, J. See Perez-Salas, U., 1902P
Solli, K.-A. See Wigum, H., 1622C
Som, A.
—; Ramakrishnan, S.: Linear Soluble Polybenzyls, 2345C
Somayaji, R. See Smith, E., 3988C
Sommerdijk, N. A. J. M. See Cornelissen, J. J. L. M., 1725C
Son, S. U.
—; Kim, D. H.; Jung, I. G.; Chung, Y. K.; Lee, S.-G.; Chun, S.-H.: Use of the Pauson–Khand Reaction Products as Monomers in the Palladium(II)-Catalyzed Homopolymerization and Copolymerization of Norbornene Derivatives, 76C
Song, H. H. See Gelfer, M. Y., 44P
Song, J. See Garcia-Leiner, M., 1375P
Song, J.-M. See Lim, H., 1791P
Song, X. See Zheng, Q., 983P
Song, Y. See Zheng, Q., 983P
Song, Z. See Wang, Z., 1681C
Sonnenschein, M. F.
—; Porosity-Dependent Young's Modulus of Membranes from Polyetherether Ketone, 1168P
Soppera, O.
—; Croutxé-Barghorn, C.: Real-Time Fourier Transform Infrared Study of Free-Radical UV-Induced Polymerization of Hybrid Sol–Gel. I. Effect of Silicate Backbone on Photopolymerization Kinetics, 716C
—; Croutxé-Barghorn, C.: Real-Time Fourier Transform Infrared Study of the Free-Radical Ultraviolet-Induced Polymerization of a Hybrid Sol–Gel. II. The Effect of Physicochemical Parameters on the Photopolymerization Kinetics, 831C
Sosnowski, S. See Gadzinowski, M., 3750C
Soucek, M.-D. See Zong, Z., 3440C
Soykan, C.
—; Erol, İ.: Synthesis, Characterization, and Biological Activity of *N*-(4-Acetylphenyl)maleimide and Its Oxime, Carbazone, Thiosemicarbazone Derivatives and Their Polymers, 1942C
—; See Ilter, Z., 2996C
Spange, S. See Fischer, K., 1210P
Spaniol, T. P. See Musikabhumma, K., 528C
Spieker, D. A. See Salazar, M. R., 1136C
Spiliopoulos, I. K. See Mpallas, J. G., 1091C
Sprong, E.
—; De Wet-Roos, D.; Tonge, M. P.; Sanderson, R. D.: Characterization and Rheological Properties of Model Alkali-Soluble Rheology Modifiers Synthesized by Reversible Addition–Fragmentation Chain-Transfer Polymerization, 223C
Sreekumar, T. V. See Sen, K., 2949P
Srikhirin, T. See Kasemjit, P., 4016C
Srivastava, A. K. See Yadav, S., 1700C
Stanek, L. G.
—; Heilmann, S. M.; Gleason, W. B.: Synthesis and Monomer Reactivity Ratios of Methyl Methacrylate and 2-Vinyl-4,4′-dimethylazlactone Copolymers, 3027C
Start, P. R.
—; Mauritz, K. A.: Surlyn®/Silicate Nanocomposite Materials via a Polymer *in situ* Sol-Gel Process: Morphology, 1563P
—; See Siuzdak, D. A., 11P
Steed, J. W. See McGuinness, D. S., 3798C
Stefani, V. See Rodembusch, F. S., 341P
Stenzel, M. H. See Barner-Kowollik, C., 365C; Jesberger, M., 3847C
Stephens, C. H.
—; Yang, H.; Islam, M.; Chum, S. P.; Rowan, S. J.; Hiltner, A.; Baer, E.: Characterization of Polyethylene with Partially Random Chlorine Substitution, 2062P
Stibrany, R. T. See Patil, A. O., 2095C
Stivala, S. S. See Taylor, T. J., 1263P
Stojiljkovic, I. See Bozja, J., 2297C; Sherrill, J., 41C
Storey, R. F. See Mullen, B. D., 1978C
Støvneng, J. A. See Wigum, H., 1622C
Strauch, J.
—; McDonald, J.; Chapman, B. E.; Kuchel, P. W.; Hawkett, B. S.; Roberts, G. E.; Tönge, M. P.; Gilbert, R. G.: Diffusion Coefficients of the Monomer and Oligomers in Hydroxyethyl Methacrylate, 2491C
Stribeck, N.
—; Funari, S. S.: Nanostructure Evolution in a Poly(ether ester) Elastomer during Drawing and the Displacement of Hard Domains from Lamellae, 1947P
Struth, B. See Breiby, D. W., 945P
Stupp, S. I. See Lecommandoux, S., 3501C
Su, S.
—; Wilkie, C. A.: Exfoliated Poly(Methyl Methacrylate)

and Polystyrene Nanocomposites Occur When the Clay Cation Contains a Vinyl Monomer, 1124C

Su, Z.-G. See Ma, G.-H., 2588C

Sudha, J. D.
—; Pillai, C. K. S.: Hydrogen-Bonded Thermotropic Liquid-Crystalline Polyester–Amides from Bis(hydroxy alkamido)aranes: Synthesis and Properties, 335C

Sudo, A.
—; Endo, T.: Solid-Supported Well-Defined Synthesis of Telechelic Polyester by Acid-Promoted Ring-Opening Polymerization of ϵ-Caprolactone, 116C
—; See Tanaka, M., 853C

Sugihara, S.
—; Hashimoto, K.; Matsumoto, Y.; Kanaoka, S.; Aoshima, S.: Thermosensitive Polyalcohols: Synthesis via Living Cationic Polymerization of Vinyl Ethers with a Silyloxy Group, 3300C

Sugi, R.
—; Hitaka, Y.; Sekino, A.; Yokoyama, A.; Yokozawa, T.: Bidirectional Propagation of Chain-Growth Polycondensation: Its Application to Poly(ethylene glycol)–Aromatic Polyamide–Poly(ethylene glycol) Triblock Copolymer with Low Polydispersity, 1341C

Sugimoto, H.
—; Ohshima, H.; Inoue, S.: Alternating Copolymerization of Carbon Dioxide and Epoxide by Manganese Porphyrin: The First Example of Polycarbonate Synthesis from 1-atm Carbon Dioxide, 3549C

Sugito, Y. See Takizawa, M., 1251C

Sugiyama, K.
—; Shiraishi, K.; Matsumoto, T.: Assembly of Amphiphilic Poly 2-(methacryloyloxy)ethyl phosphorylcholine} with Cholesteryl Moieties as Terminal Groups, 1992C

Suh, D.-H. See Park, S.-J., 2393C

Suh, D. H. See Yang, N. C., 674C

Suito, Y. See Isobe, Y., 1027C; Morioka, K., 3354C

Sukhomlinova, L. See Singer, K. D., 2744P

Sulek, P. See Knaus, S., 3400C

Sumiya, K.-I. See Kwak, G., 3615C

Sun, F. C. See Kim, G.-M., 3299P

Sun, J.
—; Gerberich, W. W.; Francis, L. F.: Electrical and Optical Properties of Ceramic–Polymer Nanocomposite Coatings, 1744P
—; Tang, H.; Jiang, J.; Zhou, X.; Xie, P.; Zhang, R.; Fu, P.-F.: Hydrogen-Bonding-Aided Synthesis of Novel Ladderlike Organobridged Polysiloxane Containing Side-Chain Naphthyl Groups, 636C

Sun, L. F.
—; Zhuo, R. X.; Liu, Z. L.: Synthesis and Enzymatic Degradation of 2-Methylene-1,3-dioxepane and Methyl Acrylate Copolymers, 2898C

Sun, X. See Chai, Z., 159P

Sung, L.
—; Douglas, J. F.; Han, C. C.; Karim, A.: Suppression of Phase-Separation Pattern Formation in Blend Films with Block Copolymer Compatibilizer, 1697P

Supej, M. See Dlubek, G., 3077P

Sur, G. S. See Chang, J.-H., 94P; Rajan, G. S., 1897P

Sutapun, B. See Kasemjit, P., 4016C

Suwanmala, P. See Rowan, S. J., 3589C

Suzuki, M.
—; Sasaki, T.; Matsuura, G.; Kimura, M.: Solvent-Free Polycondensation of 1,3-Bis(hydroxyphenylmethyl)benzene. II. The Dramatic Difference in the Polymerization Behavior between Meso and Racemic Isomers, 3564C

Suzuki, N.
—; Yu, J.; Masubuchi, Y.; Horiuchi, A.; Wakatsuki, Y.: Nickel- and Palladium-Catalyzed Olefin Polymerization under High Pressures, 293C

Suzuki, S. See Yamaguchi, T., 1393P

Swager, T.
—; Okamoto, Y.: Foreword, 3469C

Swager, T. M. See Tovar, J. D., 3693C

Swain, S. K. See Sahoo, P. K., 2696C

Swier, S.
—; Van Durme, K.; Van Mele, B.: Modulated-Temperature Differential Scanning Calorimetry Study of Temperature-Induced Mixing and Demixing in Poly(vinylmethylether)/Water, 1824P
—; Van Mele, B.: Reaction Thermodynamics of Amine-Cured Epoxy Systems: Validation of the Enthalpy and Heat Capacity of Reaction as Determined by Modulated Temperature Differential Scanning Calorimetry, 594P

Szabo, P. See Neergaard, J., 701P

Szydlowski, J. See Milewska, A., 1219P

Taguchi, D. See Nakamura, K., 1701P

Takadoum, J. See Brun, C., 1183P

Takahagi, T. See Okumura, H., 2071P

Takahashi, E.
—; Sanda, F.; Endo, T.: Photocationic and Radical Polymerizations of Epoxides and Acrylates by Novel Sulfonium Salts, 3816C
—; Sanda, F.; Yamamoto, T.; Endo, T.: Novel *N*-Methylbenzothiazolium Salts as Hardeners for Epoxy and Acrylate Monomers, 3828C

Takahashi, M.
—; Yamamoto, Y.; Nawaby, A. V.; Handa, Y. P.: Raman Spectroscopic Investigation of the Phase Behavior and Phase Transitions in a Poly(methyl methacrylate)–Carbon Dioxide System, 2214P

Takahashi, Y. See Nakamura, K., 1701P

Takasu, M. See Noguchi, H., 1316P

Takata, T. See Ishizone, T., 1335C; Matsumura, S., 1330C; Oku, T., 119C

Takeda, K. See Nakanishi, T., 2829P

Takeichi, T. See Kasapoglu, F., 3320C

Takemura, A. See Nge, T. T., 711P
Takenaka, K. See Yaegashi, T., 1545C
Takeshita, H. See Yaegashi, T., 1545C
Takeuchi, H.
—; Kakimoto, M.-A.; Imai, Y.: New Regioselective Synthesis of Metalinked Aromatic Polyketones from Metasubstituted Bis(arylsilane)s and Aromatic Dicarboxylic Acid Chlorides, 1428C
Takizawa, M.
—; Sugito, Y.; Oguma, N.; Nakamura, M.; Horiguchi, S.; Fukutomi, T.: Charge-Mosaic Membrane Prepared from Microspheres, 1251C
Tam, K.-C. See Gan, L.-H., 2688C; Tan, L. P., 2307P
Tamayo, I.
—; Belana, J.; Cañadas, J. C.; Mudarra, M.; Diego, J. A.; Sellarès, J.: Thermally Stimulated Depolarization Currents of Crosslinked Polyethylene Relaxations in the Fusion Range of Temperatures, 1412P
Tammaro, L. See Gorrasi, G., 1798P
Tan, H. See Wang, C., 273C
Tan, L. P.
—; Yue, C. Y.; Tam, K. C.; Lam, Y. C.; Hu, X.; Nakayama, K.: Relaxation of Liquid-Crystalline Polymer Fibers in Polycarbonate–Liquid-Crystalline Polymer Blend System, 2307P
Tan, N. C. B. See Young, S. K., 1485P
Tanaka, F.
—; Gel Formation with Multiple Interunit Junctions. I—Molecules Carrying Different Functional Groups, 2405P
—; Gel Formation with Multiple Interunit Junctions. II—Mixture of Different Functional Molecules, 2413P
Tanaka, M.
—; Sudo, A.; Sanda, F.; Endo, T.: Samarium Enolate on Crosslinked Polystyrene Beads. II. An Anionic Initiator for the Well-Defined Synthesis of Poly(allyl methacrylate) on a Solid Support, 853C
Tanaka, T.
—; Kobayashi, M.; Inoue, S.-I.; Tsuda, H.; Magoshi, J.: Biospinning: Change of Water Contents in Drawn Silk, 274P
Tang, B. Z. See Lam, J. W. Y., 2607C
Tang, C. N. See Mullen, B. D., 1978C
Tang, H. See Sun, J., 636C
Tang, J.
—; Lee, C. K. S.; Belfiore, L. A.: Effects of Several Lanthanide Trichloride Hydrates on the Melting Behavior and Spherulitic Superstructure of Poly(ethylene oxide), 2200P
Tang, R.
—; Du, Y.; Fan, L.: Dialdehyde Starch-Crosslinked Chitosan Films and Their Antimicrobial Effects, 993P
Tang, T. See Cui, D., 2667C; Liu, C., 837C, 2187C; Qin, Y., 3313C
Tang, X. See Hong, L., 120P
Tang, Y.
—; Scheinbeim, J.: Miscibility and Ferroelectric Behavior in Blends of Poly(vinylidene fluoride/trifluoroethylene) and Poly(vinyl acetate), 927P
Tang, Z.
—; Chen, X.; Liang, Q.; Bian, X.; Yang, L.; Piao, L.; Jing, X.: Strontium-Based Initiator System for Ring-Opening Polymerization of Cyclic Esters, 1934C
Tanihara, M. See Furukawa, A., 3227C
Tannenbaum, R.
—; Rajagopalan, M.; Eisenberg, A.: Fourier Transform Infrared Studies of Ionic Interactions in Perfluorinated Acid Copolymer Blends, 1814P
Tao, R. See Wang, Q., 998C
Tao, Y. See Shoji, E., 3006C
Taromi, F. A. See Fazeli, N., 135C
Tashiro, K. See Hashida, T., 2937P; Nakamoto, S., 444P; Yoshioka, Y., 1294P
Taton, D.
—; Saule, M.; Logan, J.; Duran, R.; Hou, S.; Chaikof, E. L.; Gnanou, Y.: Polymerization of Ethylene Oxide with a Calixarene-Based Precursor: Synthesis of Eight-Arm Poly(ethylene oxide) Stars by the Core-First Methodology, 1669C
Taylor, T. J.
—; Stivala, S. S.: Small-Angle X-Ray Scattering Study of a Weak Polyelectrolyte in Water, 1263P
Tchatchoua, C. See Muggli, M. W., 2850P
Tchirkova, M. V. See Khotimsky, V. S., 2133C
Tchoudakov, R. See Segal, E., 1428P
Temüz, M. M. See Coşkun, M., 668C
Tenhu, H. See Andersson, T., 1904C
Teramoto, M. See Shang, M., 194P
Teranishi, T. See Nakajima, H., 3324P
Tezuka, Y.
—; Topological Polymer Chemistry by Electrostatic Self-Assembly, 2905C
Theriault, R. P. See Fan, B., 859P
Thom, D. J. See Parent, J. S., 1915C
Thomas, A. G. See Yamaguchi, K., 2079P
Thomas, S. See Mathew, A. P., 1680P
Tian, Y.
—; Kong, X.; Nagase, Y.; Iyoda, T.: Photocrosslinkable Liquid-Crystalline Block Copolymers with Coumarin Units Synthesized with Atom Transfer Radical Polymerization, 2197C
—; Li, Y.; Iyoda, T.: Densely Grafted Polyisocyanides Synthesized by Two Types of Polymerization Techniques, 1871C
Tilbrook, D. A.
—; Pearson, G. J.; Braden, M.; Coveney, P. V.: Prediction of Polymerization Shrinkage Using Molecular Modeling, 528P
Timpu, D. See Dragan, S., 264C
Titomanlio, G. See Pantani, R., 1526P
Tjong, S. C.
—; Meng, Y. Z.: Impact-Modified Polypropylene/Vermiculite Nanocomposites, 2332P

—; Meng, Y. Z.: Preparation and Characterization of Melt-Compounded Polyethylene/Vermiculite Nanocomposites, 1476P
—; See Li, X. H., 1806P; Wang, S. J., 2481C
Tobita, M. See Harada, M., 1739P
Toccoli, T. See Iannotta, S., 2501P
Todaka, T. See Ihara, E., 1962C
Tomoi, M. See Miyagawa, T., 861C
Tonelli, A. E. See Bullions, T. A., 139P
Toney, C. G. See Zheng, J., 1033P
Tong, J.-D. See Moffitt, M., 637P
Tonge, M. P. See Sprong, E., 223C
Tönge, M. P. See Strauch, J., 2491C
Topouza, D. See Orfanou, K., 2454C
Tortora, M. See Gorrasi, G., 1798P
Tóth, A. See Cazacu, M., 3169C
Tour, J. M. See Pham, J. Q., 3339P
Tovar, J. D.
—; Swager, T. M.: Cofacially Constrained Organic Semiconductors, 3693C
Trau, M. See Croll, T., 437P
Trautmann, C. See Adla, A., 2892P
Trevino, S. F. See Young, S. K., 1485P
Triolo, R. See Silvestre, C., 493P
Tronc, F.
—; Li, M.; Lu, J.; Winnik, M. A.; Kaul, B. L.; Graciet, J.-C.: Fluorescent Polymer Particles by Emulsion and Miniemulsion Polymerization, 766C
Truffier-Boutry, D.
—; Gallez, X. A.; Demoustier-Champagne, S.; Devaux, J.; Mestdagh, M.; Champagne, B.; Leloup, G.: Identification of Free Radicals Trapped in Solid Methacrylated Resins, 1691C
Tsiang, R. C.-C. See Liu, I.-C., 976C
Tsou, S. See Chang, C.-J., 1909P
Tsuda, H. See Tanaka, T., 274P
Tsujita, Y. See Amutha Rani, D., 269P
Tsukahara, Y. See Burlakov, V. M., 1308P
Tsutsumi, C.
—; Yamamoto, K.; Ichimaru, A.; Nodono, M.; Nakagawa, K.; Yasuda, H.: Biodegradations of Block Copolymers Composed of L- or D,L-Lactide and Six-Membered Cyclic Carbonates Prepared with Organolanthanide Initiators, 3572C
Tsutsumi, N. See Sandhya, K. Y., 1527C
Tu, H. See Yu, Z., 1454C
Tunca, U. See Bicak, N., 2549C; Celik, C., 2542C; Ucan, R., 2019C
Turunen, M. P. K. See Ge, J., 623P
Türüt, A. See Çakar, M., 1334P
Twieg, R. J. See Hayden, L. M., 2492P; Singer, K. D., 2744P

Ucan, R.
—; Tunca, U.; Hizal, G.: Reverse Atom Transfer Radical Polymerization of Methyl Methacrylate Initiated by *p*-Chlorobenzenediazonium Tetrafluoroborate, 2019C
Uchiyama, A.
—; Yatabe, T.: Molecular Orientation of Aromatic Polycarbonates Containing Fluorene Side Chains by Polarized Infrared Spectroscopy and Birefringence Analysis, 1554P
Uddin, A. J.
—; Ohkoshi, Y.; Gotoh, Y.; Nagura, M.; Hara, T.: Influence of Moisture on the Viscoelastic Relaxations in Long Aliphatic Chain Contained Semiaromatic Polyamide, (PA9-T) Fiber, 2878P
Uddin, MD. Z.
—; Watanabe, M.; Shirai, H.; Hirai, T.: Effects of Plasticizers on Novel Electromechanical Actuations with Different Poly(vinyl chloride) Gels, 2119P
Ueda, K. See Kudo, H., 1952C
Ueda, M. See Noguchi, H., 1316P
Uemoto, Y. See Sato, M., 2676C
Uemura, T. See Naka, K., 708C
Uhrich, K. E. See Anastasiou, T. J., 3667C
Uludag, H. See Smith, E., 3988C
Vaca-Garcia, C.
—; Gozzelino, G.; Glasser, W. G.; Borredon, M. E.: Dynamic Mechanical Thermal Analysis Transitions of Partially and Fully Substituted Cellulose Fatty Esters, 281P
Vaeth, K. M.
—; Dicillo, J.: High-Efficiency Doped Polymeric Organic Light-Emitting Diodes, 2715P
Vaia, R. A.
—; Liu, W.; Koerner, H.: Analysis of Small-Angle Scattering of Suspensions of Organically Modified Montmorillonite: Implications to Phase Behavior of Polymer Nanocomposites, 3214P
—; See Sinsawat, A., 3272P
Valdebenito, A.
—; Encinas, M. V.: Photopolymerization of 2-Hydroxyethyl Methacrylate: Effect of the Medium Properties on the Polymerization Rate, 2368C
Vallés, E. M. See Roth, L. E., 1099C
Vallinas, S. M. See Falk, B., 579C
Vana, P. See Barner-Kowollik, C., 365C, 2828C
van den Broek, J. A. See Vogel, V., 3159C
Van der Gon, A. W. D. See Crispin, X., 2561P
Vanderhart, D. L. See Bourbigot, S., 3188P
Van Der Linde, R. See El-Ghayoury, A., 469C
Vanderzande, D. See Polec, I., 1034C
Van Durme, K. See Swier, S., 1824P
Vanhaecht, B.
—; Devroede, J.; Willem, R.; Biesemans, M.; Goonewardena, W.; Rastogi, S.; Hoffmann, S.; Klein, P. G.; Koning, C. E.: Cocrystallization Phenomena in Piperazine-Based Copolyamides as Examined by Differential Scanning Calorimetry, Wide-Angle X-ray Diffraction, and Solid-State NMR, 2082C
Van Hook, W. A. See Moses, C. L., 3064P, 3070P
Van Mele, B. See Swier, S., 594P, 1824P

Vasanthan, N.
—; Orientation and Structure Development in Polyamide 6 Fibers upon Drawing, 2870P
Vazaios, A.
—; Pitsikalis, M.; Hadjichristidis, N.: Triblock Copolymers and Pentablock Terpolymers of *n*-Hexyl Isocyanate with Styrene and Isoprene: Synthesis, Characterization, and Thermal Properties, 3094C
Veenstra, S. C.
—; Jonkman, H. T.: Energy-Level Alignment at Metal–Organic and Organic–Organic Interfaces, 2549P
Velichkova, R. See Mateva, R., 487C
Verdier, C.
—; Piau, J.-M.: Effect of Nonlinear Viscoelastic Properties on Tack, 3139P
Vigier, G. See Guichon, O., 327P
Vijalapura, P. K.
—; Govindjee, S.: Numerical Simulation of Coupled-Stress Case II Diffusion in One Dimension, 2091P
Vilas, J. L. See Cuevas, J. M., 1965P
Villar, M. A. See Roth, L. E., 1099C
Vishalakshi, B.
—; Ghosh, S.: Nonstoichiometric Polyelectrolyte Complex of Carboxymethylcellulose and *N*-Methylated Poly(2-vinylpyridine): Formation of a Gel-Like Structure, 2288C
Vittoria, V. See Gorrasi, G., 1798P
Vlad, A. See Cazacu, M., 3169C
Vogel, V.
—; Gohy, J.-F.; Lohmeijer, B. G. G.; van den Broek, J. A.; Haase, W.; Schubert, U. S.; Schubert, D.: Metallo-Supramolecular Micelles: Studies by Analytical Ultracentrifugation and Electron Microscopy, 3159C
Vogt, B. D. See Ramachandrarao, V. S., 3114P
Vohra, V. R.
—; Schmidt, D. F.; Ober, C. K.; Giannelis, E. P.: Deintercalation of a Chemically Switchable Polymer from a Layered Silicate Nanocomposite, 3151P
Von Borczyskowski, C. See Fischer, K., 1210P
Von Meerwall, E. See Shim, S. E., 454P
Vrentas, C. M. See Vrentas, J. S., 501P, 785P
Vrentas, J. S.
—; Vrentas, C. M.: Diffusion in Glassy Polymers, 785P
—; Vrentas, C. M.: Evaluation of the Free-Volume Theory of Diffusion, 501P

Wachtel, E. See Assouline, E., 520P
Wagener, K. B. See O'Donnell, P. M., 2816C
Wagner, H. D. See Assouline, E., 520P
Wakatsuki, Y. See Suzuki, N., 293C
Walz, S. M.
—; Malner, T. E.; Mueller, U.; Muelhaupt, R.: Depth Profiling of Latex Blends of Fluorinated and Fluorine-Free Acrylates with Laser-Induced Secondary Mass Spectrometry, 360P
Wan, X. See Ma, H., 143C; Yi, Y., 1799C; Yu, Z., 1454C
Wang, A. R.
—; Zhu, S.: Modeling the Reversible Addition–Fragmentation Transfer Polymerization Process, 1553C
—; Zhu, S.; Kwak, Y.; Goto, A.; Fukuda, T.; Monteiro, M. S.: A Difference of Six Orders of Magnitude: A Reply to "The Magnitude of the Fragmentation Rate Coefficient", 2833C
Wang, B. See Liu, M., 1135P
Wang, B.-G. See Yamaguchi, T., 1393P
Wang, C.
—; Dong, Y.; Tan, H.: Biodegradable Brushlike Graft Polymers. I. Polymerization of ϵ-Caprolactone onto Water-Soluble Hydroxypropyl Cellulose as the Backbone by the Protection of the Trimethylsilyl Group, 273C
—; Liao, W.-P.; Cheng, Y.-W.: Strong Diffuse Scattering and Lamellar Morphologies of Syndiotactic Polystyrene: Polymorphic Effects, 2457P
Wang, C.-C. See Lee, S.-M., 4006C
Wang, D. See Liu, C., 2187C
Wang, F. See Harrison, W. L., 2264C; Kim, Y. S., 2816P
Wang, F.-Y. See Kuo, P.-L., 1360C
Wang, H. See Yao, F., 2073C
Wang, H. B. See Rong, M. Z., 1070P
Wang, J.
—; Cheng, X.; Zheng, X.; Yuan, M.; He, J.: Preparation and Characterization of Microcellular Polystyrene/Polystyrene Ionomer Blends with Supercritical Carbon Dioxide, 368P
Wang, K. See Gao, Y., 2731C
Wang, M. See Liu, M., 1135P
Wang, Q.
—; Hong, J.; Fan, Z.; Tao, R.: Ethyl-iso-butylaluminoxane Activated Metallocene Catalyst for Olefin Polymerization, 998C
—; See Liu, L., 2722C
Wang, S. See Zhang, G., 23P
Wang, S. J.
—; Meng, Y. Z.; Tjong, S. C.; Hlil, A. R.; Hay, A. S.: Synthesis and Characterization of Phthalazinone Containing Poly(arylene ether)s via a Novel N—C Coupling Reaction, 2481C
Wang, S.-Q.
—; Chain Dynamics in Entangled Polymers: Diffusion versus Rheology and Their Comparison, 1589P
Wang, W. See Xu, W., 378P
Wang, W.-J. See Ye, Z., 2433P
Wang, W.-P.
—; Pan, C.-Y.: Cationic Polymerization of Styrene on the Surface of Graphite Expanded, 2715C
Wang, X. See Bhowmik, P. K., 1282C; Di, W., 3094P; He, X., 2854C; Hong, L., 120P
Wang, X.-Q. See Zhen, Z., 1813C
Wang, Y. See Zhang, Q., 1P
Wang, Y. K. See Xia, F., 797P
Wang, Y.-M. See Li, Y.-G., 1243C
Wang, Y.-Z.
—; Solubility Parameters of Poly(sulfonyldiphenylene phenylphosphonate) and Its Miscibility with Poly(ethylene terephthalate), 2296P
Wang, Z.
—; Song, Z.; Zhu, X. X.: Preparation and

Characterization of Crosslinked Poly(*N*,*N*-diethylacrylamide-*co*-2-hydroxyethyl methacrylate) Resins and Their Application as Support in Solid-Phase Peptide Synthesis, 1681C
—; See Li, Q., 3249C
Wang, Z. G. See Lu, X. M., 1273P
Wang, Z.-H. See Kilian, L., 3083C
Wang, Z. M.
—; Chung, T. C.; Gilman, J. W.; Manias, E.: Melt-Processable Syndiotactic Polystyrene/Montmorillonite Nanocomposites, 3173P
Wanjale, S. D.
—; Jog, J. P.: Poly(1-butene)/Clay Nanocomposites: Preparation and Properties, 1014P
Ward, T. C. See Muggli, M. W., 2850P
Watanabe, M. See Miyatake, K., 3901C; Uddin, MD. Z., 2119P
Watanabe, Y. See Nakamura, K., 1701P
Watkins, J. J. See Ramachandrarao, V. S., 3114P
Wei, K.-H. See Chang, Y.-T., 3726C
Wei, M. See Bullions, T. A., 139P
Wei, W.-L. See Chiu, Y.-S., 432C
Weichold, O. See Percec, V., 3283C
Weidisch, R. See Ivankova, E. M., 1157P
Weihong, C. See Daming, W., 1051P
Weinkauf, D. H. See Zhang, C., 2109P
Weiss, D. E. See Feng, H., 196C
Weixiao, C. See Zhaohui, Y., 3103C
Wen, C.-J. See Lee, C.-F., 2053C
Wendorff, J. H. See Dersch, R., 545C
Weng, J.
—; Olley, R. H.; Bassett, D. C.; Jääskeläinen, P.: Changes in the Melting Behavior with the Radial Distance in Isotactic Polypropylene Spherulites, 2342P
Weng, L. See Zhou, X., 2290P
Wesdemiotis, C. See Quirk, R. P., 947C, 2435C
Wheeler, L. M. See Patil, A. O., 2095C
White, G. D. F. See Parent, J. S., 1915C
White, J. R. See Shyichuk, A., 1070C
Whitehead, J. B., Jr. See Gill, N., 204C
Whitney, R. A. See Parent, J. S., 1915C
Whittaker, M. See Barner-Kowollik, C., 365C
Wiesner, U. See Chen, H., 3264P; Garcia, C. B. W., 3346P
Wigum, H.
—; Solli, K.-A.; Støvneng, J. A.; Rytter, E.: Structure–Property Transition-State Model for the Copolymerization of Ethene and 1-Hexene with Experimental and Theoretical Applications to Novel Disilylene-Bridged Zirconocenes, 1622C
Wilkes, G. L. See Aneja, A., 258P
Wilkie, C. A. See Bourbigot, S., 3188P; Su, S., 1124C
Wilks, B. R.
—; Chung, W. J.; Ludovice, P. J.; Rezac, M. R.; Meakin, P.; Hill, A. J.: Impact of Average Free-Volume Element Size on Transport in Stereoisomers of Polynorbornene. I. Properties at 35 °C, 2185P
—; Rezac, M. E.: Impact of Average Free-Volume Element Size on Transport in Stereoisomers of Polynorbornene. II. Impact of Temperature on Solubility, 1939P
Willem, R. See Vanhaecht, B., 2082C
Williams, R. J. J. See Pellice, S. A., 1451P
Williamson, D. T.
—; Mather, B. D.; Long, T. E.: Oxidation and Epoxidation of Poly(1,3-Cyclohexadiene), 84C
Willis, J. See Gill, N., 204C
Winey, K. I. See Du, F., 3333P; Kirkmeyer, B. P., 319P
Winnik, M. A. See Moffitt, M., 637P; Tronc, F., 766C; Yang, J., 1225C
Winokur, M. J.
—; Chunwachirasiri, W.: Nanoscale Structure–Property Relationships in Conjugated Polymers: Implications for Present and Future Device Applications, 2630P
Winzor, D. J. See Croll, T., 437P
With, G. D. See Jiménez-Piqué, E., 1112P
Wong, S.-C. See Pisharath, S., 549P
Woo, E. M.
—; Kuo, Y.-H.: Complete Miscibility of Ternary Aryl Polyesters Demonstrating a New Criterion and Horizon for Miscibility Characterization, 2394P
—; See Chang, L. L., 772P; Wu, P.-L., 80P
Woo, S. I. See Ko, Y. S., 2171C
Wood-Adams, P. M. See Anantawaraskul, S., 1762P
Woogara, A. See Finlay, J., 1384P
Wooley, K. L. See Gan, D., 3531C; Huang, H., 1659C
Wrobleski, D. A. See Salazar, M. R., 1136C
Wu, C.-S.
—; Improving Polyethylene–Octene Elastomer/Chitosan by Graftation of Acrylic Acid onto Polyethylene–Octene Elastomer—Mechanical Properties and Biodegradability Examination and Composites Characterization, 3882C
—; Liao, H.-T.: *In situ* Polymerization of Silicic Acid in Polyethylene–Octene Elastomer: Properties and Characterization of the Hybrid Nanocomposites, 351P
—; See Liu, Y.-L., 2354C
Wu, D.-L. See Chiang, C.-L., 905C
Wu, D.-Q. See Zhang, X.-Z., 582P
Wu, F.-M. See Chang, C.-J., 1909P
Wu, G. See Ma, Y., 408C, 2755C; Zheng, Q., 983P
Wu, J. T. See Li, Z. X., 1831C
Wu, J.-Y. See Wu, T.-M., 560P, 1730P
Wu, P.-L.
—; Woo, E. M.: Correlation between Melting Behavior and Ringed Spherulites in Poly(trimethylene terephthalate), 80P
Wu, Q. See Liu, X., 63P
Wu, S.-C.
—; Shu, C.-F.: Synthesis and Properties of Soluble Aromatic Polyamides Derived from 2,2′-Bis(4-carboxy-

phenoxy)-9,9′-spirobifluorene, 1160C
Wu, S. M. See Chen, C. Y., 1281P
Wu, T.-M.
—; Hsu, S.-F.; Wu, J.-Y.: Effect of the Premelting Temperature and Sample Thickness on the Polymorphic Behavior of Syndiotactic Polystyrene/Clay Nanocomposites, 1730P
—; Hsu, S.-F.; Wu, J.-Y.: Nonisothermal Crystallization Behavior of Syndiotactic Polystyrene/Montmorillonite Nanocomposites, 560P
Wu, T.-Y.
—; Chen, Y.: New Poly(*p*-phenylenevinylene) Derivative Containing 2,5-Diphenyl-1,4-phenylene and 2,5-Didodecyloxy-1,4-phenylene Moieties, 1444C
—; See Chen, Y., 725C
Wu, X.
—; Shi, G.; Qu, L.; Zhang, J.; Chen, F.: Novel Route to Poly(*p*-phenylene vinylene) Polymers, 449C
Wu, Y. See Dong, Y., 2033P
Wunder, S. L. See Ding, J., 1978P
Wunderlich, B. See Androsch, R., 2039P, 2157P; Hu, W., 403P

Xanthos, M. See Dhavalikar, R., 958C
Xi, F. See Zhao, Y.-L., 2156C
Xia, F.
—; Wang, Y. K.; Li, H.; Huang, C.; Ma, Y; Zhang, Q. M.; Cheng, Z.-Y.; Bateman, F. B.: Influence of the Annealing Conditions on the Polarization and Electromechanical Response of High-Energy-Electron-Irradiated Poly(vinylidene fluoride trifluoroethylene) Copolymer, 797P
Xie, M. See Fan, H., 554C
Xie, P. See Sun, J., 636C
Xie, Z. See Di, W., 3094P; Liu, L., 2722C
Xin, Z. See Ding, Y., 387P
Xu, G. H. See Zhao, Y. H., 2257P
Xu, H.
—; Ince, B. S.; Cebe, P.: Development of the Crystallinity and Rigid Amorphous Fraction in Cold-Crystallized Isotactic Polystyrene, 3026P
Xu, J.
—; Guo, B.-H.; Chen, G.-Q.; Zhang, Z.-M.: Terraces on Banded Spherulites of Polyhydroxyalkanoates, 2128P
—; Meng, Y. Z.; Li, R. K. Y.; Xu, Y.; Rajulu, A. V.: Preparation and Properties of Poly(vinyl alcohol)–Vermiculite Nanocomposites, 749P
—; See Di, W., 3094P; Zhou, X., 2290P
Xu, J. J.
—; Nguyen, B. T.; Bates, F. S.; Hahn, S. F.; Hudack, M. L.: Hydrogenated Poly(styrene-*co*-α-methylstyrene) Polymers: A New Class of High Glass-Transition-Temperature Polyolefins, 725P
Xu, S. See Martter, T. D., 247P
Xu, W.
—; Bao, S.; Shen, S.; Wang, W.; Hang, G.; He, P.: Differential Scanning Calorimetric Study on the Curing Behavior of Epoxy Resin/Diethylenetriamine/Organic Montmorillonite Nanocomposite, 378P
Xu, Y. See Xu, J., 749P
Xu, Z.
—; Ford, W. T.: Polystyrene Latices Containing Dodecanamide-Modified Poly(propyleneimine) Dendrimers, 597C

Yaacoub, E.-J. See Koch, U., 788C
Yadav, S.
—; Srivastava, A. K.: Copolymerization of α-Terpineol with Styrene: Synthesis and Characterization, 1700C
Yaegashi, T.
—; Takeshita, H.; Takenaka, K.; Shiomi, T.: Polymerization of 1,3-Dienes with Functional Groups. II. Free-Radical Polymerization of *N*-(2-Methylene-3-butenoyl)piperidine, 1545C
Yagci, Y. See Kasapoglu, F., 3320C
Yahil, A. See Kirkmeyer, B. P., 319P
Yakovlev, A. See Zharnikov, T., 892P
Yamada, B.
—; Oku, F.; Harada, T.: Substituted Propenyl End Groups as Reactive Intermediates in Radical Polymerization, 645C
—; See Aldabbagh, F., 3892C; Dervan, P., 327C
Yamada, K. See Nakajima, H., 3324P
Yamaguchi, K.
—; Busfield, J. J. C.; Thomas, A. G.: Electrical and Mechanical Behavior of Filled Elastomers. I. The Effect of Strain, 2079P
Yamaguchi, M. See Dhavalikar, R., 958C
Yamaguchi, T.
—; Wang, B.-G.; Matsuda, E.; Suzuki, S.; Nakao, S.-I.: Prediction and Estimation of Solvent Diffusivities in Polyacrylate and Polymethacrylates, 1393P
—; See Choi, Y.-J., 1216C
Yamamoto, C. See Kubota, T., 3703C
Yamamoto, K. See Kaneko, D., 2808P; Tsutsumi, C., 3572C
Yamamoto, T.
—; Arai, M.; Kokubo, H.; Sasaki, S.: Comparison of the Organometallic Copolymerizations of Thiophene with 4-Alkylthiazole and 3-Alkylthiophene: The Control of Regioregularity in the Copolymerization with 4-Alkylthiazole, 1449C
—; See Takahashi, E., 3828C
Yamamoto, Y. See Amutha Rani, D., 269P; Takahashi, M., 2214P
Yamashita, K. See Hamada, K.-I., 1807C
Yamashita, Y. See Kimura, K., 3275C
Yaminsky, V. V. See Kaneko, D., 2808P
Yan, D. See He, X., 2854C; Li, Y., 1422P
Yan, Y. See Lu, G., 2599C
Yang, C.-P.
—; Chen, R.-S.; Chen, K.-H.: Effects of Diamines and Their Fluorinated Groups on the Color Lightness and Preparation of Organosoluble Aromatic Polyimides from 2,2-Bis 4-(4-amino-2-trifluoromethylphenoxy)phenyl}-hexafluoropropane, 922C

—; See Hsiao, S.-H., 2001C
Yang, H.
—; Islam, M.; Budde, C.; Rowan, S. J.: Ring-Opening Metathesis Polymerization as a Route to Controlled Copolymers of Ethylene and Polar Monomers: Synthesis of Ethylene-Vinyl Chloride-Like Copolymers, 2107C
—; See Stephens, C. H., 2062P
Yang, J.
—; Lu, J.; Winnik, M. A.: Synthesis and Spectroscopic Characterization of Symmetrical Isoprene-Methyl Methacrylate Diblock Copolymers Bearing Different Anthracene Derivatives at the Junctions, 1225C
—; See Smith, E., 3988C
Yang, J.-C. See Chiu, F.-C., 2264P
Yang, J.-M. See Lee, R.-S., 1435C
Yang, L. See Tang, Z., 1934C
Yang, M. See Lu, Y., 2313P; Yu, Z.-Z., 1234P; Zhang, Q.-X., 2861P
Yang, N. C.
—; Park, Y. H.; Suh, D. H.: Synthesis and Properties of New Ultraviolet–Blue-Emissive Fluorene-Based Aromatic Polyoxadiazoles with Confinement Moieties, 674C
Yang, Q. See Lei, C., 661P
Yang, S. See Liu, L., 2722C
Yang, S. Y. See Li, Z. X., 1831C
Yang, W. See Ma, Y., 408C, 2755C
Yang, Y. See Chen, F.-C., 2681P
Yang, Z. See Qin, A., 2846C
Yao, F.
—; Bai, Y.; Zhou, Y.; Liu, C.; Wang, H.; Yao, K.: Synthesis and Characterization of Multiblock Copolymers Based on L-Lactic Acid, Citric Acid, and Poly(ethylene glycol), 2073C
Yao, K. See Yao, F., 2073C
Yao, Z. See Gao, Y., 1837P
Yashima, E. See Maeda, K., 3625C; Nonokawa, R., 1004C
Yashin, V. V.
—; Isayev, A. I.: On the Theory of Radical Depolymerization: A Rigorous Solution, 965P
Yashiro, T.
—; Saithou, T.; Kameyama, A.; Nishikubo, T.: Novel Synthesis of Reactive Polycarbonates with Pendant Chloromethyl Groups by the Polyaddition of Bis(oxetane)s with 2,2′-Bis (4-chloroformyl)-oxyphenyl]propane, 2304C
Yasuda, H. See Tsutsumi, C., 3572C
Yasuda, H. K. See Lin, Y.-S., 2004P
Yatabe, T. See Uchiyama, A., 1554P
Ye, C. See Qin, A., 2846C
Ye, S.-R. See Bian, J., 2135P
Ye, Z.
—; Zhu, S.: Synthesis of Branched Polypropylene with Isotactic Backbone and Atactic Side Chains by Binary Iron and Zirconium Single-Site Catalysts, 1152C
—; Zhu, S.; Wang, W.-J.; Alsyouri, H.; Lin, Y. S.: Morphological and Mechanical Properties of Nascent Polyethylene Fibers Produced via Ethylene Extrusion Polymerization with a Metallocene Catalyst Supported on MCM-41 Particles, 2433P
Yi, Y.
—; Wan, X.; Fan, X.; Dong, R.; Zhou, Q.: Synthesis of a Novel Hybrid Liquid-Crystalline Rod–Coil Diblock Copolymer, 1799C
Yin, C. See Hui, C. S., 1708C
Yin, J. See Chen, H., 2026C; Ding, Y., 387P; Gao, Y., 1837P; Lu, J., 303C; Lu, X. M., 1273P
Ying, L. See Daming, W., 1051P
Yokoe, M.
—; Aoi, K.; Okada, M.: Biodegradable Polymers Based on Renewable Resources. VII. Novel Random and Alternating Copolycarbonates from 1,4: 3,6-Dianhydrohexitols and Aliphatic Diols, 2312C
Yokoyama, A. See Sugi, R., 1341C
Yokozawa, T. See Sugi, R., 1341C
Yoneda, T. See Furukawa, Y., 2704C
Yoo, T. See Martter, T. D., 247P
Yoon, T. H. See Myung, B. Y., 3361C
Yoshida, T.
—; Aoyagi, T.; Kokufuta, E.; Okano, T.: Newly Designed Hydrogel with Both Sensitive Thermoresponse and Biodegradability, 779C
Yoshii, K. See Nemoto, N., 185C
Yoshikawa, M. See Robertson, G. P., 1316C
Yoshimizu, H. See Amutha Rani, D., 269P
Yoshio, M. See Hoshino, K., 3486C; Kawashima, Y., 3556C
Yoshioka, Y.
—; Tashiro, K.; Ramesh, C.: New Interpretation of Progression Bands Observed in Infrared Spectra of Nylon-*m*/*n*, 1294P
Young, S. K.
—; Trevino, S. F.; Tan, N. C. B.; Paul, R. L.: Utilization of Prompt-γ Neutron Activation Analysis in the Evaluation of Nafion Membranes, 1485P
Yu, J. See Suzuki, N., 293C
Yu, Y. See Lu, G., 2599C
Yu, Y.-H.
—; Chen, Y.: Luminescent Copoly(aryl ether)s Consisting of Alternate Oxadiazole and 1,4-Distyrylbenzene Derivatives: Synthesis and Characterization, 2765C
Yu, Z.
—; Tu, H.; Wan, X.; Chen, X.; Zhou, Q.-F.: Synthesis and Characterization of Mesogen-Jacketed Liquid-Crystal Polymers Based on 2,5-Bis(4′-alkoxyphenyl)styrene, 1454C
Yu, Z. J.
—; Liu, L. J.; Zhuo, R. X.: Microwave-Improved Polymerization of ϵ-Caprolactone Initiated by Carboxylic Acids, 13C
Yu, Z.-Z.
—; Yang, M.; Zhang, Q.; Zhao, C.; Mai, Y.-W.: Dispersion and Distribution of Organically Modified Montmorillonite in Nylon-66 Matrix, 1234P
—; See Zhang, Q.-X., 2861P
Yuan, M. See Li, Z., 1511C; Wang, J., 368P
Yuan, Q. See Drozdov, A. D., 1638P
Yue, C. Y. See Fan, J., 1123P; Tan, L. P., 2307P
Yumei, D. See Daming, W., 1051P

Zahalka, H. See Moffitt, M., 637P
Zaitsev, V. See Gelfer, M. Y., 44P

Zamanlou, M. R. See Mallakpour, S., 1077C

Zawodzinski, T. A. See Kim, Y. S., 2816P

Zazueta, D. A.
—; Curcó, D.; Alemán, C.; Muñoz-Guerra, S.: Solubiilty of N_2 in Poly(α-*n*-hexyl-β,L-aspartate): Temperature and Force-Field Dependence, 2928P

Zeng, H. M. See Rong, M. Z., 1070P

Zetterlund, P. B. See Aldabbagh, F., 3892C; Dervan, P., 327C

Zhang, A.
—; Li, X.; Nah, C.; Hwang, K.; Lee, M.-H.: Facile Modifications of a Polyimide via Chloromethylation. I. Novel Synthesis of a New Photosensitive Polyimide, 22C

Zhang, C.
—; Cappleman, B. P.; Defibaugh-Chavez, M.; Weinkauf, D. H.: Glassy Polymer-Sorption Phenomena Measured with a Quartz Crystal Microbalance Technique, 2109P
—; Schlaad, H.; Schlüter, A. D.: Synthesis of Amphiphilic Poly(*para*-phenylene)s by Suzuki Polycondensation, 2879C

Zhang, G.
—; Zhang, J.; Wang, S.; Shen, D.: Miscibility and Phase Structure of Binary Blends of Polylactide and Poly(methyl methacrylate), 23P
—; See Di, W., 3094P; Li, Y., 1422P; Lu, Y., 2313P;

Zhang, H. He, X., 2854C

Zhang, J. See Wu, X., 449C; Zhang, G., 23P; Zhou, X., 2290P

Zhang, J.-T.
—; Cheng, S.-X.; Zhuo, R.-X.: Preparation of Macroporous Poly(*N*-isopropylacrylamide) Hydrogel with Improved Temperature Sensitivity, 2390C

Zhang, M. Q. See Hou, Y. H., 127P; Rong, M. Z., 1070P

Zhang, Q.
—; Wang, Y.; Fu, Q.: Shear-Induced Change of Exfoliation and Orientation in Polypropylene/ Montmorillonite Nanocomposites, 1P
—; See Liu, X., 63P; Yu, Z.-Z., 1234P

Zhang, Q. M. See Xia, F., 797P

Zhang, Q.-X.
—; Yu, Z.-Z.; Yang, M.; Ma, J.; Mai, Y.-W.: Multiple Melting and Crystallization of Nylon-66/Montmorillonite Nanocomposites, 2861P

Zhang, R. See Sun, J., 636C

Zhang, T.
—; Park, S.-Y.; Farmer, B. L.; Interrante, L. V.: Synthesis of Comb-Type Polycarbosilanes via Nucleophilic Substitution Reactions on the Main-Chain Silicon Atoms, 984C
—; Park, S.-Y.; Farmer, B. L.; Interrante, L. V.: Synthesis of Comb-Type Polycarbosilanes via Nucleophilic Substitution Reactions on the Main-Chain Silicon Atoms, 1411C

Zhang, W.
—; Liang, Y.; Luo, W.; Fang, Y.: Effects of Clay-Modifying Agents on the Morphology and Properties of Poly(methyl methacrylate)/Clay Nanocomposites Synthesized via γ-Ray Irradiation Polymerization, 3218C
—; See Lu, J., 1237C

Zhang, X.-Z.
—; Wu, D.-Q.; Chu, C.-C.: Effect of the Crosslinking Level on the Properties of Temperature-Sensitive Poly(*N*-isopropylacrylamide) Hydrogels, 582P

Zhang, Y.
—; Matos, I.; Lemos, M. A. N. D. A.; Freire, F.; Nunes, T. G.; Botelho do Rego, A. M.; Henriques, R. T.; Fonseca, I. F.; Marques, M. M.; Lemos, F.: Ethylene Polymerization over Transition-Metal Supported Catalysts. II. Cr on Zeolite, Silica, and Charcoal: Characterization and Activity Studies, 3768C
—; See Chen, H., 3264P; Garcia, C. B. W., 3346P; Lu, Y., 2313P

Zhang, Y.-D. See Domercq, B., 2726P

Zhang, Z.
—; Nawaby, A. V.; Day, M.: CO_2-Delayed Crystallization of Isotactic Polypropylene: A Kinetic Study, 1518P
—; See Liu, L., 2722C

Zhang, Z.-M. See Xu, J., 2128P

Zhao, C. See Yu, Z.-Z., 1234P

Zhao, J.
—; Ding, E.; Allgeier, A. M.; Jia, L.: Cobalt-Catalyzed Alternating and Nonalternating Copolymerization of Carbon Monoxide with Aziridine, 376C

Zhao, T. See Lu, G., 2599C

Zhao, Y. H.
—; Xu, G. H.; Jia, H. T.; Sheng, J.: Morphology of Poly(butylene terephthalate)–Poly(ethylene terephthalate-*co*-isophthalate-*co*-sebacate) Segmented Copolyesters, 2257P

Zhao, Y.-L.
—; Chen, C.-F.; Xi, F.: Living/Controlled Radical Copolymerization of N-Substituted Maleimides with Styrene in 1-Butyl-3-methylimidazolium Hexafluorophosphate and Anisole, 2156C

Zhao, Z. See Qin, Y., 3313C

Zhaohui, Y.
—; Weixiao, C.: Covalently Attached Self-Assembly of Ultrathin Films from Hydroxy-Containing Porphyrin and Diazoresin, 3103C

Zharnikov, T.
—; Yakovlev, A.; Kuchanov, S.: Quantitative Theory of Living Free-Radical Polymerization. III. Calculation of Copolymerization Products' Spinodal, 892P

Zhen, Z.
—; Li, X.-D.; Wang, X.-Q.; Huang, Y.; Liu, X.-H.: Preparation of a Graded-Index Polymeric Preform by Swollen Bulk Polymerization, 1813C

Zheng, H. See Zheng, S., 1085P

Zheng, J.
—; Siegel, R. W.; Toney, C. G.: Polymer Crystalline Structure and Morphology Changes in Nylon-6/ZnO Nanocomposites, 1033P

Zheng, Q.
—; Song, Y.; Wu, G.; Song, X.: Relationship between the Positive Temperature Coefficient of Resistivity and Dynamic Rheological Behavior for Carbon Black-

Filled High-Density Polyethylene, 983P

Zheng, S.
—; Ai, S.; Guo, Q.: Poly(hydroxyether of phenolphthalein) and Its Blends with Poly(ethylene oxide), 466P
—; Guo, Q.; Chan, C.-M.: Epoxy Resin/Poly(ϵ-caprolactone) Blends Cured with 2,2-Bis 4-(4-aminophenoxy)phenyl}-propane. II. Studies by Fourier Transform Infrared and Carbon-13 Cross-Polarization/Magic-Angle Spinning Nuclear Magnetic Resonance Spectroscopy, 1099P
—; Zheng, H.; Guo, Q.: Epoxy Resin/Poly(ϵ-caprolactone) Blends Cured with 2,2-Bis 4-(4-aminophenoxy)phenyl}-propane. I. Miscibility and Crystallization Kinetics, 1085P

Zheng, X. See Chai, Z., 159P; Wang, J., 368P

Zhou, Q. See Yi, Y., 1799C

Zhou, Q.-F. See Ma, H., 143C; Yu, Z., 1454C

Zhou, X.
—; Weng, L.; Zhang, J.; Shen, D.; Xu, J.: Novel Transmittance Change of Polyelectrolyte Hydrogel in DC Electric Field, 2290P
—; See Sun, J., 636C

Zhou, Y. See Liu, Z.-L., 4000C; Yao, F., 2073C

Zhu, J.
—; Li, P.: Synthesis and Characterization of Poly(methyl methacrylate)/Casein Nanoparticles with a Well-Defined Core-Shell Structure, 3346C

Zhu, Q. See Li, X. H., 1806P

Zhu, S. See Wang, A. R., 1553C, 2833C; Ye, Z., 1152C, 2433P

Zhu, W. See Ling, J., 1390C

Zhu, X. X. See Lessard, D. G., 1627P; Malveau, C., 2969P; Wang, Z., 1681C

Zhu, Z. K. See Lu, X. M., 1273P

Zhuo, R. X. See Sun, L. F., 2898C; Yu Z. J., 13C

Zhuo, R.-X.
—; Li, W.: Preparation and Characterization of Macroporous Poly(*N*-isopropylacrylamide) Hydrogels for the Controlled Release of Proteins, 152C
—; See Liu, Z.-L., 4000C; Zhang, J.-T., 2390C

Zidan, H. M.
—; Filling-Level Effect on the Physical Properties of $MgBr_2$- and $MgCl_2$-Filled Poly(vinyl acetate) Films, 112P

Zong, Z.
—; Soucek, M.-D.; Liu, Y.; Hu, J.: Cationic Photopolymerization of Epoxynorbornane Linseed Oils: The Effect of Diluents, 3440C

Zotti, G. See Crispin, X., 2561P

Zuev, V. V.
—; Skvortsov, N. K.: Synthesis and Characterization of Poly phenyl(fluoroalkyloxaalkane)-silanediyl}s, 3761C

Zushma, S. See Patil, A. O., 2095C

JOURNAL OF
POLYMER SCIENCE

Combined Subject Index to Volume 41

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science,* Vol. 41, 2003. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

AB_2 monomer, 3726C
Absorption, 3615C
Absorption capacity, 1650C
Acetals, 520C
Acid–base interfaces, 2022P
Acid-catalyzed, 3564C
Acidification treatment, 2816P
Acrylate, 469C
Acrylic acid, 2985C
Acrylic derivatives, 395C
Acrylic fibers, 2949P
Acrylonitrile, 1778C
Activated amino acid ester, 1504C
Activated monomer mechanism, 457C
Activation energy, 1371C, 1759C, 1942C, 2393C, 3929C, 785P
Actuator, 2119P
Acyclic diene metathesis (ADMGT), 2816C
Adamantane, 699C
Adaptive time stepping, 2091P
Addition polymerization, 76C, 213C, 248C, 2095C, 2117C, 2304C
Additives, 970C, 2119P, 2135P
Adduct radical, 645C
Adhesion, 55P, 127P, 623P, 883P, 1902P, 2004P, 3139P
Adhesives, 2207C
Adsorption, 1978P
Ageing, 807P, 1509P
Aggregation, 1627P
Aging, 1526P, 2302P
Air/water interfaces, 1921P
Aldehydes, 3336C
Alfrey–Price, 1632C
Aliphatic diol, 2312C
Aliphatic polyesters, 3074C
Alkali-soluble thickeners, 223C
Alkoxide, 3798C
Alkoxysilane, 48C
Alkyl hydroperoxide, 3346C
Alkyl 4-vinylbenzoate, 1864C
Allyl methacrylate, 853C
Allyl starch, 1650C
α-amino acid *N*-carboxy-anhydrides, 1167C
α-hydroxymethylacrylates, 2207C
α-terpineol, 1700C
AlQ_3, 3006C
Alternating copolymerization, 3549C
Amine, 1316C
Amino acids, 1004C
Amino alcohol, 3597C
Amino functionality, 2404C
Amino-containing polymers, 106C
Aminosalicylic acid, 3667C
Ammonium quaternization, 2755C
Amorphous, 94C, 1160C, 1892C, 1850P, 2302P, 2601P, 2998P
Amorphous complexes, 2200P
Amorphous orientation, 2870P
Amphiphiles, 684C, 1641C, 1992C, 2879C, 3531C, 1441P
Amphiphilic, 2462C
Amphiphilic polymers, 395C, 3261C
Analytical ultracentrifugation, 3159C
Anhydrides, 3788C
Anionic, 1251C
Anionic polymerization, 487C, 853C, 947C, 1225C, 1335C, 1962C, 2435C, 3083C, 3094C, 3549C, 2755P
Anisotropic elastomers, 3384C
Annealing, 202P, 403P, 1638P, 1701P, 2522P
Anodes, 2649P
Antenna, 3713C
Antimicrobial, 41C, 2297C
Antimicrobial effects, 993P
Antimony-doped tin oxide, 1744P
Apparent heat capacity, 1824P
Aramid, 841C
Architecture, 1296C
Aromatic electrophilic ipso-substitution, 1428C
Aromatic polyamide, 2840C
Aromatic poly(amine amide)s, 94C
Aromatic polyketones, 1428C
Aromatic–aliphatic, 335C
Artificial muscle, 2119P
Artificial pigments, 766C
Association, 970C
Atactic, 313C, 1380C
Atom transfer radical polymerization (ATRP), 30C, 386C, 1677C, 1799C, 1864C, 1871C, 1892C, 2019C, 2156C, 2197C, 2425C, 2542C, 2688C, 2854C, 3206C, 3425C, 3457C, 3606C, 2485P
Atomic force microscopy (AFM), 1659C, 149P, 403P, 1273P, 1869P, 2128P, 2422P, 2674P
Atomic force miscroscopy, 1563P
ATRP, 668C, 1237C
Attenuated total reflection (ATR), 418P
Automated parallel synthesis, 2425C
Autophotosensitive, 2026C
Avidin, 3037P
Avrami equation, 2135P
Aza-18-*crown*-6 ether, 1004C
Aziridine ring, 1335C
2-(1-aziridinyl)ethyl methacrylate, 1335C
Azlactone, 3027C
Azobenzene, 2854C, 4016C
Azobisisobutyronitrile, 1700C
Azoinitiators, 2404C
Azo polymers, 1196C

Barrier, 1486C, 1334P
Benzene, 1713P
Benzoate radical, 520C
Benzoic acid, 13C
Benzophenone-containing, 2026C

Benzothiazolium salts, 3828C
Benzothioxanthene dyes, 766C
Benzoxazine, 3320C
Benzoxazole, 1841C
Benzylic diol, 3564C
β-form crystal, 1701P
β-pinene, 1237C
4,4′-Bibenzoate, 289P
Bicyclobutane, 625C
Bidirectional propagation, 1341C
Binary catalyst system, 1152C
Biocidal properties, 2939C
Biocompatibility, 3988C
Biodegradability, 3882C
Biodegradability polycondensation, 2312C
Biodegradable, 13C, 273C, 779C, 779C, 1059C, 1511C, 1650C, 2073C, 2462C, 2696C, 2898C, 2930C, 3572C, 3750C, 3781C, 3788C, 4000C, 1955P, 2052P, 3160P
Biological activity, 1942C
Biological applications of polymers, 1188C, 1441P
Biomaterials, 3027C
Biomimetic, 1725C, 2918C, 3988C
Biopolymer, 274P
Biopolymers, 841C, 3941C, 281P, 2755P
Biphenol, 2264C
Birefringence, 1554P
2,2-bis 4-(4-amino-2-trifluoromethyl-phenoxy)phenyl}hexafluoro-propane, 922C
2,5-bis(4′-alkoxyphenyl)styrene, 1454C
Bis(1,5-cyclooctadiene) nickel, 1716C
Bis(aminophenol)s, 914C
Bis(arylsilane)s, 1428C
Bis(epoxide), 213C
Bismaleimide, 1123P
Bismaleimide-modified novolak resins, 2599C
Bisphenol A, 2264C
Bisphenol AF, 2264C
Bisphenol structures, 2264C
Bis 3,5-dinitro-*N*(2,6-diiso-propyl-phenyl)salicylaldiminate}-nickel(II), 2117C
Bis 3,5-dinitro-*N*(phenyl)salicyl-aldiminate}nickel(II), 2117C
Blends, 257C, 2082C, 3006C, 3123C, 3375C, 3781C, 23P, 202P, 247P, 637P, 661P, 679P, 789P, 873P, 927P, 1022P, 1157P, 1256P, 1384P, 1401P, 1428P, 1493P, 1665P, 2264P, 2923P
Blends, POE-*g*-AA/chitosan, 3882C
Block copolymers, 30C, 143C, 185C, 365C, 408C, 684C, 853C, 976C, 1188C, 1225C, 1341C, 1511C, 1659C, 1737C, 1871C, 1892C, 2073C, 2156C, 2197C, 2667C, 2840C, 2854C, 2930C, 2939C, 3074C, 3094C, 3206C, 3501C, 3572C, 3964C, 104P, 289P, 715P, 725P, 1955P, 1994P, 2444P, 2485P, 2755P, 2983P, 3346P
Block polymers, 3159C, 3640C
Block terpolymers, 3094C
Blocked isocyanates, 3198C
Blown films, 327P
Bovine serum albumin, 3941C
Branched, 457C, 1152C, 235P
Brill transition, 1294P
Bringing fractions, 104P
Brominated butyl rubber, 1915C
Bromination, 2755C
Bulk polymerization, 196C
1,3-butadiene, 939C
1,3-butadiene derivative, 1545C
Butadiene rubber, 2959P
Butyl acrylate, 1237C, 3457C
Butylacrylate, 2469C
1-Butyl-3-methylimidazolium hexafluorophosphate ATRP, 143C

Calcium-containing poly(urethane ether)s, 2865C
Calculations, 2595P
Calorimetry, 1C, 1465C, 1536C, 903P, 1978P
Canonical analysis, 1175P
Carbanion, 135C
Carbazone, 1942C
Carbohydrates, 3336C
Carbon black, 127P, 757P, 1428P
Carbon dioxide, 3549C, 3804C, 1518P
Carbon nanotubes, 520P, 1572P
Carbonyl biscaprolactam, 3198C
Cardo polymer, 1554P
Carpet layers, 1921P
Carrier-transporting copolymers, 2733P
Cascade theory, 2405P, 2413P
Case II diffusion, 2091P
Casein, 3346C
Catalysis, 376C, 752C, 2095C, 3680C, 3713C
Catalysts, 213C, 476C, 528C, 1478C, 1952C, 2667C
Catalytic chain transfer, 752C
Catenanes, 3470C
Cathodes, 2649P
Cationic, 1251C
Cationic emulsion polymerization, 2322C
Cationic latices, 2322C
Cationic photoinitiators, 3816C, 3828C
Cationic photopolymerization, 2556C, 2570C, 2890C
Cationic polymerization, 281C, 408C, 457C, 579C, 699C, 732C, 740C, 1952C, 2064C, 2715C, 2794C, 3320C, 3816C, 3828C
Cationic ring-opening polymerization, 185C, 1335C, 3206C
Cationic surfactants, 2322C
Cationic thermal initiators, 3816C, 3828C
Cellulose, 953P
Cellulose fatty esters, 281P
Cellulose fibers, 2022P
Ceraset, 3346P
Chain extension, 3198C
Chain transfer, 560C, 645C
Chain transfer reaction, 1700C
Chain walking, 3680C
Chain-growth polycondensation, 1341C
Chain-transfer reaction, 3463C
Charge mosaic, 1251C
Charge transfer, 2846C, 1412P, 2549P
Charge transport, 2584P, 2595P, 2622P, 2665P, 2674P
Charred layer, 936P
Chelate polymers, 3169C
Chelating monomers, 3400C
Chemical amplification, 3863C
Chemical modification, 3384C
Chemical resistance, 2890C
Chemisorption layers, 106C
Chemoselective polymerization, 1335C
Chiral, 1004C, 1725C, 2512C, 3354C, 3556C, 3625C, 2744P
Chiral stationary phase (CSP), 3703C
Chirality recognition, 1004C
Chitosan, 3941C, 993P, 2033P
Chlorinated polyethylene, 2062P
Chloromethylation, 22C
Chondroitin, 3541C
Circular dichroism, 3625C
Citric acid, 2073C
Classification, 2905C, 892P
Clathrate form, 269P
Clay, 3218C, 63P, 1798P, 2052P, 2275P, 2313P, 2902P, 3214P, 3237P
Cluster, 135P
Cluster–cluster aggregation, 3037P
^{13}C NMR, 2531C
CO_2-laser-heated drawing, 2322P
Coagulation, 2232C, 2985C
Coarse-grained molecular dynamics, 3272P
Coating characteristics, 2865C
Coatings, 469C, 1603C, 2865C, 2890C, 3198C, 3531C, 360P, 807P

Cobaloxime, 752C
Cocatalyst, 998C
Cocontinuous morphology, 202P
Cold crystallization, 1665P, 3026P
Cold plasma, 1791P
Collagen-model polypeptides, 3632C
Collapse pressure, 1168P
Colloids, 1360C, 2454C, 2985C, 2755P, 3214P
Color intensity, 922C
Comonomers, 821C
Compact disc molding, 859P
Compatibility, 3964C, 1493P
Compatibilization, 609P, 1837P, 2307P
Competitive interactions, 466P
Complex, 1904C
Complex stoichiometry, 264C
Composites, 2715C, 127P, 549P, 711P, 1244P, 1806P, 2022P, 2976P
Composition distribution, 441C
Compost, 3572C
Computer modeling, 1778C, 892P, 1112P, 1441P, 1501P
Conducting polymers, 3470C, 3693C, 3901C, 945P, 983P, 1428P, 2522P, 2561P, 2622P, 2674P, 2816P, 3094P
Conductivity, 4006C, 2561P, 2983P
Conductivity effects, 1059P
Cone calorimetry, 1124C
Confinement, 3324P
Conformation, 1263P
Conformational analysis, 483C, 1725C
Conformational order, 269P
Conformational rearrangement, 2288C
Conformational versatility, 1059P
Conjugated polymers, 449C, 708C, 725C, 1034C, 1444C, 1521C, 1737C, 2345C, 2502C, 2650C, 2879C, 3149C, 3470C, 3615C, 3693C, 3916C, 3929C, 1334P, 1676P, 2375P, 2485P, 2549P, 2630P, 2649P, 2715P, 3011P
Constitutional isomerism, 1202C
Contacts, 2649P
Controlled living radical polymerization, 2833C
Controlled radical polymerization, 1188C
Controlled release, 152C, 4000C
Convective constraint release, 1281P
Cooperative effects, 483C, 2256C
Copolyamides 2.14/piperazine.14, 2082C
Copolyesteramide characterization, 2778C
Copolyesters, 3102P
Copolyethers, 2765C
Copolymer chemical composition, 1762P
Copolymerization, 76C, 395C, 408C, 441C, 616C, 625C, 645C, 699C, 821C, 939C, 1167C, 1521C, 1545C, 1580C, 1622C, 1641C, 1650C, 1681C, 1700C, 1759C, 1778C, 1864C, 1952C, 2082C, 2166C, 2180C, 2374C, 2659C, 2667C, 2731C, 3109C, 3180C, 3549C, 3908C, 341P, 655P, 725P, 1615P
Copolymers, 48C, 2107C, 2218C, 2722C, 3038C, 3953C, 235P, 1713P, 2219P, 3264P
Copolymers of 4,4′-(adipoyldioxy)-dicinnamic acid, 1,6-hexanediol, and poly(ethylene glycol)s, 2930C
Core-first method, 1669C
Core-shell nanoparticles, 3346C
Core-shell polymers, 1188C, 1659C
Correlated disorder, 2584P
Coumarin, 2197C
Coumarine dye, 1210P
Counterion form membranes, 1485P
Coupling agent, 655C
Covalent crosslinking, 3941C
Covalent synthesis, 1047C
Cp_2ZrCl_2, 2171C
Cr catalysts, 3768C
Cracks, 2248P
Crazing, 1157P, 2248P
Creep, 736P
Critical interparticle distance, 2236P
Crosslinked polyethylene (PE), 1412P
Crosslinking, 1C, 257C, 281C, 303C, 469C, 520C, 606C, 779C, 1296C, 1335C, 1465C, 1536C, 1603C, 1659C, 1952C, 2521C, 2588C, 2794C, 2964C, 3243C, 3384C, 3531C, 3703C, 3788C, 3941C, 582P, 993P, 1183P, 1323P, 1412P, 1451P, 1739P, 1779P, 1902P
Crosslinking density, 757P
Crystal, 3275C, 2433P
Crystal morphology, 2033P
Crystal structures, 1380C, 1009P, 1422P, 2937P
Crystalline, 23P
Crystalline infrared vibrations, 2200P
Crystalline orientation, 2870P
Crystallinity, 549P, 998P, 1878P, 2174P
Crystallization, 124C, 545C, 2082C, 3275C, 63P, 68P, 235P, 520P, 873P, 903P, 1014P, 1244P, 1384P, 1518P, 1578P, 1869P, 2135P, 2342P, 2861P, 2902P, 2937P, 3324P
Crystallization analysis fractionation (CRYSTAF), 1762P
Crystallization kinetics, 560P, 1085P
CsF-injecting material, 2733P
Curing of polymers, 432C, 1915C, 2890C, 378P, 594P, 1929P, 1965P
Cyanate ester, 60C, 1123P
Cyanurate, 60C
Cyclam, 1594C
Cyclic carbonate, 1435C
Cyclic dimers, 881C
Cyclic polymers, 3838C
Cyclic rings, 1059P
Cyclic thiocarbonate, 185C, 699C
Cyclic trimers, 881C
Cyclic voltammetry, 1444C
Cyclization, 3414C
Cyclized polymers, 281C
Cyclobutene, 625C
Cyclodextrin, 3519C
(2-cyclopentylidene-1,3-dioxolane-4-yl)methyl methacrylate, 2996C
Cyclopolymerization, 281C, 2047C

Damage, 2248P
Damage tone, 2892P
Damping, 281P
Damping peak, 1680P
DC electric field, 2290P
Dead-end polymerization, 236C
Deconvolution, 319P
Deformation, 687P
Deformation behavior, 429P
Degenerative chain transfer, 3283C
Degradation, 84C, 1136C, 1435C, 3083C, 3788C, 965P, 2071P, 2561P
Degree of branching, 3726C
Degree of polymerization (DP), 708C
Dehydration, 3564C
Dehydrocoupling, 3056C
Deintercalation, 3151P
Delayed addition, 347C
Delocalization, 1070C
Demineralization, 2166C
Dendrimers, 597C, 1047C, 2156C, 3501C, 3524C, 3680C, 3713C, 3847C, 2755P, 2969P
Dendritic, 2026C
Density, 1526P, 2850P
Density functional theory (DFT) calculations, 1778C

Dental resins, 1691C
Deprotection, 3863C, 3151P
Derivatization methods, 1509P
Dewetting, 149P
Diacetylene, 1881C
Dialdehyde starch, 993P
Dialysis, 1251C
Dianhydrohexitol, 2312C
Diazonaphthoquinone compound, 861C
Diazoresin, 3103C
Dibenzothiophene, 1521C
Diblock copolymers, 160C, 1799C, 2688C, 3300C, 1869P, 1889P, 1921P, 3264P
Dicyclopentadiene, 1323P
Dielectric, 1059P
Dielectric assembly, 3632C
Dielectric constant, 3361C
Dielectric properties, 60C, 861C, 922C, 217P, 1123P, 2983P, 3047P
Dielectric relaxation, 1059P, 2983P
Diene macromonomers, 947C
2-(Diethylamino)ethyl methacrylate (DEAEMA), 2688C
Differential scanning calorimetry (DSC), 264C, 1306C, 1371C, 2082C, 2676C, 2696C, 2704C, 4006C, 31P, 44P, 112P, 235P, 274P, 378P, 403P, 797P, 1014P, 1033P, 1085P, 1123P, 1384P, 1462P, 1493P, 1518P, 1713P, 2959P, 3026P
Diffuse scattering, 2457P
Diffusion, 2491C, 166P, 183P, 476P, 501P, 715P, 785P, 807P, 1143P, 1339P, 1393P, 1589P, 1605P, 1798P, 2174P, 2185P, 2755P, 2794P
Diffusive release, 68C
Diffusivity, 454P
Difluorobenzonitrile, 3838C
Diluents, 3440C
Dimethyl amino ethyl methacrylate, 2659C
Dimethyl-formamide, 1572P
Di-*n*-butyl itaconate, 3463C
5,6-dioctyloxydithiophthalide, 1034C
Diodes, 1334P, 2649P
1,1-Diphenylethylene derivatives, 3329C
2,5-diphenyl-1,4-phenylene, 1444C
Diphosgene, 890C
Dipiperidino ethane, 668C
Direct copolymerizations, 2264C
Direct polycondensation, 3275C
Disorder, 2601P
Dispersing stability, 1909P
Dispersion, 2053C
Dispersion polymerization, 3804C
Dispersions, 204C, 1848C, 3804C, 1051P, 3214P
Distribution of co-oligomers, 616C
Distyrylbenzene, 725C
5,6-dithiooctyldithiophthalide, 1034C
Divinyl ethers, 281C
Divinylbenzene, 2218C, 3038C
Dodecanamide-modified dendrimer, 597C
1,5-Dioxepan-2-one (DXO), 2412C
Dopant, 1813C
Double-star polymer, 135C
$(\overline{DP}n)_{cum}$, 236C
Drawing, 274P, 327P, 1375P, 1947P, 2322P, 2433P, 2949P
Droplet degradation, 804C
Droplet growth, 194P
Drug carrier, 3713C
Drug delivery systems, 779C, 1059C, 3667C, 3781C, 2794P
Dual cure, 469C
Dual initiators, 3206C
Dual-mode sorption model, 2109P
Ductile, 224P
Dyeing photoinitiator, 3048C
Dye-labeled polymers, 637P
Dyes/pigments, 842P, 1909P
Dynamic light scattering, 135P
Dynamic mechanical analysis (DMA), 31P, 1014P, 1085P, 2983P
Dynamic mechanical behavior, 1680P
Dynamic mechanical thermal analysis (DMTA), 281P, 1965P

Effect of structure, 3048C
Efficiency factor, 1567C
Elastomers, 2930C, 166P, 183P, 1779P, 1897P, 1947P, 2079P, 2236P, 2332P, 2355P
Electric field, 2119P, 2595P
Electrical conduction, 127P
Electrical conductivity, 1572P, 3333P
Electrical properties, 1831C, 1701P, 2079P
Electroabsorption, 2649P
Electrochemical polymerization, 945P
Electrochemical property, 725C
Electrochemistry, 3693C
Electrodes, 2649P
Electrokinetics, 2469C
Electroluminescence, 3006C
Electrolytes, 1251C
Electromechanical response, 797P
Electron beam irradiation, 797P
Electron energy, 1501P
Electron microscopy, 2036C, 3159C, 319P, 1157P, 1563P, 2342P
Electron transport, 674C
Electrophosphorescence, 2691P
Electrospinning, 953P, 1256P, 1572P, 1955P
Electrostatic self-assembly, 2905C
Ellipsometry, 842P, 1554P
Elongation, 3139P
Emission, 1091C
Empirical correlations based on the trivalent cation size, 2200P
Emulsification, 2588C
Emulsion copolymerization, 788C
Emulsion polymerization, 597C, 684C, 1188C, 2232C, 2404C, 2425C, 2469C, 2985C, 3313C, 3606C, 3744C
Enantiomer excess effect, 1819C
Enantiomers, 3703C
Encapsulation, 3713C
End groups, 2435C, 2850P
Energy migration, 1615P
Energy transfer, 1225C, 1615P
Entangled polystyrene, 1281P
Enzymatic polymerization, 3541C
Enzymes, 1580C, 2898C, 3541C, 3572C
Epoxide, 1978C, 3549C
Epoxide-amine oligomers, 2047C
Epoxies, 1451P, 2444P
3,4-epoxy-1-butene, 947C
Epoxy resins, 1C, 1465C, 1536C, 2521C, 2794C, 1085P, 1099P, 1135P, 1965P
Epoxy–amine, 594P
Epoxy–amine network, 2422P
Epoxy–silicone monomers, 3056C
Epoxynorbornane linseed oil (ENLO), 3440C
EPR, 1691C
Equation-of-state model, 2911P
Equilibrium polymerization, 2722C
ESCA/X-ray photoelectron spectroscopy (XPS), 106C, 2890C, 3169C, 1791P, 2004P, 2561P
ESR/EPR, 1567C, 1819C, 3768C, 1192P, 3011P
Ester group, 185C
Esterification, 616C, 821C, 970C, 1114C, 3908C
Esters, 281C
Ethers, 281C
Ethyl acrylate, 1632C
Ethyl acrylate copolymer, 313C
1-Ethyl-3-(3-dimethylamino-propyl) carbodimide hydrochloride (EDC), 41C
Ethyl α-hydroxymethyl acrylate, 2659C
Ethylene and propylene polymerization, 1745C
Ethylene copolymers, 2062P

Ethylene extrusion polymerization, 2433P
2-Ethyl hexyl acrylate, 3457C
2-Ethylhexyl acrylate, 196C
Ethylene polymerization, 2171C
Ethylene–propylene copolymer, 387P, 493P
Ethylene–propylene–1-decene terpolymers, 2531C
Exchange reaction, 2778C
Excimer, 725C
Exfoliated, 873C
Exfoliation, 1P
Extraction, 269P

Failure, 2976P, 3139P
Ferroelectricity, 797P, 927P
Fiber morphology, 2433P
Fiber relaxation, 2307P
Fiber–fiber interactions, 2976P
Fibers, 545C, 1813C, 2250C, 953P, 1538P, 1572P, 1955P, 2322P, 2976P
Fictitious crack, 1112P
Field effect transistor, 2674P
Fillers, 112P, 757P, 1806P, 2079P
Films, 554C, 1831C, 2180C, 418P, 993P, 1869P, 2033P
Flame retardance, 432C, 1107C, 1371C, 2207C, 2354C, 2296P
Flame retardancy, 936P
Flame retardants, 2277C
Flory-Huggins, 2923P
Flory-Huggins interaction parameter, 183P
Flory-Huggins theory, 2911P
Flory's parameter Φ, 707P
Fluorene, 1521C, 1554P
Fluorescence, 674C, 766C, 1091C, 1225C, 1521C, 2218C, 2650C, 3524C, 3761C, 3929C, 341P, 571P, 637P, 1210P, 1615P, 1676P
Fluorescent particles, 766C
Fluorescent probe, 1992C
Fluorinated poly(amide imide)s, 1831C
Fluorinated polyimides, 2001C
Fluorinated vinyl ethers, 2890C
Fluorine, 3361C
Fluorine-containing, 420C
Fluorine-containing polyimides, 922C
Fluoroalkoxyalkyl(phenyl)-dichlorosilane, 3761C
Fluoroethylene, 2840C
Fluoropolymers, 160C, 213C, 420C, 2001C, 2704C, 2743C, 3804C, 149P, 360P, 1509P
Flux, 1251C
Foam extrusion, 1051P
Foams, 258P
Formaldehyde, 2435C
Fox equation, 281P
Fractal dimension, 3037P
Fractionation of polymers, 1478C, 235P
Fracture, 2393C, 883P, 1112P, 1198P, 1902P, 2444P, 2976P
Free amide, 1722P
Free quenching, 1850P
Free radicals, 1691C
Free spin, 1070C
Free volume, 736P, 1526P, 2185P, 2998P
Free-radical copolymerization, 3027C
Free-radical photopolymerization, 716C, 831C
Free-radical polymerization, 196C, 752C, 1347C, 1545C, 3953C
Free-volume distribution, 2185P
Friedel–Crafts alkylation, 1837P
Friedel–Crafts polycondensation, 2345C
Friedel–Crafts reaction, 2335C
Friedel-Crafts-type polycondensation, 1428C
Frontal polymerization, 204C
FTIR, 716C, 831C, 1216C, 1978C, 2974C, 3227C, 4006C, 120P, 418P, 789P, 807P, 823P, 998P, 1099P, 1198P, 1294P, 1509P, 1722P, 2071P, 2313P, 2870P
FT-IR mapping, 1216C
Fuel cells, 497C, 2264C, 2731C, 2816P
Fullerenes, 2549P
Functionalization of polymers, 41C, 84C, 116C, 236C, 655C, 947C, 1188C, 1316C, 1330C, 1347C, 1486C, 2036C, 2435C, 2939C, 3198C, 3400C, 3657C, 3761C, 3988C, 387P
Functionally graded property, 2355P
γ-Methacryloxypropyltrimethoxysilane, 55P
Gas, 2214P
Gas permeability, 94P
Gas permeation, 2133C, 289P, 1308P, 1939P, 2109P, 2174P, 2185P, 2928P
Gas solubility, 701P
Gel effect, 1567C, 1691C
Gel permeation chromatography (GPC), 970C, 976C, 1504C, 1716C, 2047C, 2117C, 2335C, 2974C, 3027C, 3143C, 707P
Gelatin, 3941C
Gelation, 135C, 449C, 606C, 3243C, 2405P, 2413P
Gels, 1681C, 2288C, 166P, 1713P, 2119P, 2755P, 2808P
Gel-spun polyethylene fibers, 403P
Genipin, 3941C
Geometric structure, 3615C
Germanium initiators, 3074C
Glass fiber, 55P
Glass transaction, 1680P
Glass transition, 264C, 732C, 1641C, 1942C, 2659C, 2722C, 2985C, 2996C, 3109C, 217P, 281P, 725P, 757P, 785P, 789P, 1965P, 2091P, 2755P, 2850P, 3047P, 3077P, 3089P, 3339P
Glass-transition temperature, 2865C
Glassy polymers, 2109P
Glycocalyx, 2808P
Glycosaminoglycans, 3541C
Graded index (GI), 1813C
Gradient high-performance liquid chromatography, 3143C
Graft copolymer, 2816C, 953P
Graft copolymerization, 668C
Graft copolymers, 116C, 273C, 1237C, 1788C, 2696C, 3143C, 3425C, 3457C, 3657C, 1393P, 1837P
Grafted membranes, 2808P
Grafting, 1580C, 2964C
Grafting polymerization, 1070P
Graphite expanded, 2715C
Ground-state interaction, 2218C
Growth dynamics, 913P

Half-sandwich titanium (IV) catalyst, 939C
Half-titanocene, 248C
Halogenated, 1497C
Halogenated, fluoropolymers, 3761C
Halogen-free, 936P
Hardness, 1183P
Heat capacity, 594P
Helical peptide, 3493C
Helical polymers, 1004C, 1871C
Helicity induction, 1004C
Helix inversion, 3625C
Hemicyanine *n*-butyltriphenylborate salts (HCBo), 3017C
Heteroarm star polymer, 135C
Heteroatom-containing polymers, 674C, 708C, 1330C, 2743C, 3615C, 3871C
Heterocyclic polymers, 914C
Hexagonal columnar phase, 2918C
Hexene, 293C
High *cis*-polybutadiene, 757P
High conversion, 3027C
High performance, 2726P
High performance liquid chromatography (HPLC), 881C, 3354C, 3703C
High performance polymers, 420C, 1330C, 2026C, 2481C, 2521C

High pressure, 293C
High ultimate elongation, 2930C
High-density polyethylene (HDPE)/carbon black (CB), 983P
High-impact poly(propylene) (PP), 1152C
High-impact polystyrene (HIPS), 1837P
High-performance polymers, 94C, 914C, 2277C
High-throughput experimentation, 2425C
^{1}H NMR, 821C
^{1}H pulse NMR, 274P
Hofmeister series, 508P
Holographic grating, 1196C
Homogeneity, 1306C
Homogeneity of networks, 2422P
Homogeneous polymerization, 1677C
Homopolymerization, 2688C
Honeycomb-structured arrays, 3847C
Host polymer, 3006C
Host-guest interaction, 3519C
Host-guest systems, 119C, 1004C, 2187C, 2492P
Host-quest system, 3519C
Hot electrons, 2595P
Hyaluronic acid, 3541C
Hybrid sol-gel, 716C, 831C
Hybrids, 905C, 549P
Hybrid thermosets, 3299P
Hydrates, 2937P
Hydrogel bonding, 1722P
Hydrogels, 68C, 152C, 395C, 520C, 779C, 1296C, 1594C, 1650C, 2390C, 3941C, 508P, 582P, 953P, 1462P, 1656P, 2145P, 2290P, 3053P
Hydrogen bond, 3463C
Hydrogen bonding, 2082C, 2290P, 2365P
Hydrogenation, 725P
Hydrogen-bonded, 335C
Hydrogen-bonding interactions, 466P
Hydrolysis, 520C, 1136C, 3336C
Hydrophilic polymers, 1188C, 1262C, 2659C, 508P, 1791P, 1824P
Hydrophilicity, 1401P
Hydrophobic, 360P
Hydrophobic polyelectrolytes, 3261C
Hydropilic polymers, 3053P
Hydroquinone, 2264C
Hydrosilation, 3056C
Hydrosilylation, 1400C, 3336C
Hydrosilylation reaction, 1099C
Hydroxylation, 2435C
2-Hydroxyethyl methacrylate, 2659C
Hydroxymethyloxetanes, 457C
Hydroxypropyl cellulose, 273C
1-hydroxy-2,3-epoxy propane, 2549C
Hyperbranched, 2026C, 2374C, 3038C, 3329C, 3531C, 3680C, 3726C, 3736C, 3847C, 3871C, 1339P, 1352P, 2755P
Hyperbranched ethylenimine, 1360C
Hyperbranched polymer, 120P

Imidazolium, 3173P
Imidazolium tetrafloroborate, 3486C
Iminodibenzyl, 725C
Immiscibility, 3006C
Immiscibility loop, 1889P
Immobilization, 3703C
Immunoassays, 2404C
Impact modifier, 1878P
Impact-resistant poly(propylene) (PP), 1745C
Impedance spectroscopy, 823P
Implant, 1059C
In situ polymerization, 257C, 3324P
In situ synthesis, 1014C
In situ X-ray diffraction, 63P
Inclusion chemistry, 119C, 3519C
Inclusion complex, 3519C
Induced circular dichroism, 1004C, 3478C
Induced orientation, 2607C
Infrared spectroscopy, 1745C, 2166C, 11P, 1554P, 1722P, 1814P, 2794P, 2937P
Inherent photosensitivity, 2026C
Inherent viscosity, 1077C, 3973C
Initial decomposition temperature, 1306C
Initiator-fragment incorporation radical polymerization, 3038C
Initiators, 116C, 1390C, 1934C, 2393C, 2556C, 2570C, 3132C, 3744C
Injection, 2529P, 2601P, 2649P
Injection compression, 859P
Injection molding, 859P, 1362P
Ink-jet ink, 1909P
Inorganic materials, 936P
Instabilities, 2219P
Instrumentation, 2232C
Interaction energy, 1401P
Interactions of water with amide, 1722P
Intercalation, 3218C, 44P, 2275P, 2902P, 3264P
Interfaces, 55P, 127P, 1070P, 1362P, 1902P, 1978P, 2529P, 2549P, 2601P, 2665P, 2715P, 2755P
Interfacial chemistry, 2561P
Interfacial reaction, 1650C
Interlaminar shear strength (ILSS), 55P
Intermolecular association, 821C
Intermolecular interaction, 3336C
Intermolecular specific interactions, 1099P
Internal reflection, 842P
Interpenetrating polymer networks (IPN), 68C, 1123P, 1680P, 1713P, 2145P
Interpolymer complexes, 2256C, 2454C
Intrinsic birefringence, 418P
Intrinsic viscosity, 2296P
Iodoform initiator, 3283C
Ion conduction, 3486C
Ion exchangers, 2166C, 1485P, 2816P
Ion tracks, 2892P
Ion-conductive polymers, 3486C
Ionic channel, 2918C
Ionic conductivity, 120P
Ionic interactions, 1814P
Ionic liquids, 143C, 2156C, 3486C
Ionic poly(*p*-phenylene terephthalamide) (PPTA), 1468P
Ionic PPTA, 429P
Ionomers, 497C, 2731C, 2755C, 3901C, 149P, 319P, 368P, 1485P, 1563P, 1791P
Iron, 3798C
Irradiation, 1070P, 1183P, 1509P, 2892P
Irridation, 3188C
Isobutene, 408C
Isocyanates, 606C, 2521C, 387P
Isomer/isomerization, 699C, 3249C, 4016C
Isomerization, 185C
Isophthalate, 124C
Isoprene, 939C
Isosorbide, 3414C
Isotactic, 1027C, 1798P
Isotactic polystyrene, 772P, 3026P
Isothermal titration calorimetry (ITC), 3053P

Jetting, 1909P
Jute pulp, 2696C

K_{IC}, 55P
Kinetic, 1371C
Kinetic and colloidal parameters, 804C
Kinetic chain lengths, 831C
Kinetic rate constant, 2833C
Kinetics, 236C, 378P, 1323P, 1824P, 2135P, 2755P
Kinetics chain lengths, 716C
Kinetics of crystallization, 68P
Kinetics of photoinduced polymerization, 3048C

Kinetics of synthesis, 1745C
Kinetics (polym.), 152C, 327C, 365C, 386C, 457C, 487C, 560C, 752C, 788C, 831C, 1136C, 1202C, 1545C, 1567C, 1700C, 1745C, 1759C, 1778C, 1819C, 1978C, 2064C, 2125C, 2322C, 2491C, 2688C, 2828C, 3132C, 3180C, 3425C, 3440C, 3847C, 3892C, 194P, 965P, 1143P, 1518P, 1929P

Labile chlorine, 3457C
Lactide, 3798C
Lactones, 2794C
Ladderlike polysilsesquioxanes, 1371C
Lamellae, 80P
Lamellar, 2365P, 2755P
Lamellar structure, 1538P
Langmuir probe, 1501P
Lanthanide chlorides, 2200P
Lanthanocene complexes, 2667C
Laser-induced periodic structure, 1273P
Laser-induced polymerization, 3017C
Laser-induced secondary mass spectrometry (L-SNMS), 360P
Laser-induced surface grafting, 2145P
Late-transition-metal catalysts, 3680C
Latex, 597C
Latex particles, 766C
Latices, 788C, 1188C, 3744C, 1744P
Lattice models, 2755P
Layered silicates, 3272P
LCP, 2307P
Lewis acid, 1027C, 3354C
Ligand, 1677C
Light harvesting, 3713C
Light scattering, 976C, 1904C, 2454C, 194P, 341P, 1339P, 1627P, 3037P
Light-emitting, 2681P
Light-emitting diodes (LED), 725C, 1444C, 2502C, 2607C, 2650C, 2765C, 3006C, 3149C, 3713C, 2601P, 2622P, 2691P, 2706P, 2715P, 2726P, 2733P
Light-emitting polymers, 674C, 1091C, 2180C
Linear, 2374C
Linear low-density polyethylene (LLDPE), 1837P
Linear poly(benzyl)s, 2345C
Linear viscoelasticity, 1850P
Liquid crystal, 1892C, 2512C, 4016C
Liquid crystalline copolymers (LCP), 2854C
Liquid crystalline polymers (LCP), 335C, 1454C
Liquid crystals, 2607C, 3188C, 3486C, 3501C
Liquid–solid two-phase reaction, 449C
Liquid-crystal, 2197C
Liquid-crystal alignment, 1273P
Liquid-crystal display (LCD), 2588C
Liquid-crystalline chitin, 711P
Liquid-crystalline polymers (LCP), 1C, 335C, 554C, 984C, 1282C, 1465C, 1527C, 1536C, 1799C, 2521C, 2676C, 2918C, 2949C, 3188C, 3375C, 3384C, 3486C, 3556C, 3640C, 549P, 623P, 1022P, 2744P
Liquid-crystalline thermosets (LCTs), 1C, 1465C, 1536C, 2521C
^{7}Li solid-state NMR, 4006C
Lithiation, 1316C
Lithium perchlorate, 4006C
Lithography, 3863C, 2091P
Living cationic polymerization, 1237C, 3300C
Living chain, 135C
Living free-radical polymerization, 365C, 2828C
Living polymerization, 116C, 143C, 185C, 223C, 293C, 327C, 684C, 732C, 740C, 853C, 1553C, 1871C, 2125C, 2425C, 2949C, 3283C, 3329C, 3597C, 3892C, 892P
Living radical polymerization, 1677C
L-Lactide, 2667C
Local chain configuration, 508C
Long-chain branching, 413C
Loss modulus, 1680P
Low conversion, 3027C
Low density, 327P
Low dielectric constants, 2001C
Low-band-gap polymers, 1034C
Low-density polyethylene (LDPE), 2974C, 202P, 1638P
Low-dielectric polymer, 60C
Lower critical solution temperature, 582P, 1401P
Lower critical solution temperature (LCST), 1627P
Luminescence, 674C, 725C, 1091C, 1444C, 2502C, 2607C, 2765C, 3149C, 3615C, 3953C, 2485P, 2706P, 2733P

Macrocycles, 119C, 890C
Macrocyclics, 2905C
Macroinitiator, 2156C
Macromolecules, 1589P
Macromonomers, 645C, 1641C, 1788C, 2491C, 2816C, 3425C, 3589C
Macroporous polymers, 152C, 873C, 1681C, 1927C, 2036C, 2390C
Macroradical, 1070C
Magnetic alignment, 711P
Magnetic polymers, 1848C
Main-chain liquid-crystalline polymer solutions, 913P
MALDI, 890C, 947C, 1962C, 2778C, 3206C, 3414C, 3838C, 3314P
Maleic anhydride, 2549C, 1476P, 2332P
Marcus theory, 3017C
Mark–Houwink–Sakurada parameters, 560C
Mark-Houwink equation, 655P
Mass spectrometry, 947C, 2047C, 3314P
Mat, 1572P
Materials properties, 3160P
Maximum extent of reaction, 1099C
Mechanical and thermal properties, 3882C
Mechanical properties, 124C, 2412C, 2462C, 104P, 224P, 444P, 476P, 1022P, 1244P, 1256P, 1375P, 1384P, 1476P, 1701P, 1806P, 1929P, 2022P, 2079P, 2433P, 2755P, 2959P, 3127P, 3314P
Mechanical relaxations, 2878P
Mechanism, 1700C
Melt, 1422P
Melt blending, 2275P
Melt intercalation, 3249P
Melt processability, 3249C
Melt processing, 3102P
Melt rheology, 3160P
Melting point, 1183P, 1978P, 2342P
Melt-processable blends, 1468P
Membrane modification, 1216C
Membranes, 497C, 1216C, 1251C, 1316C, 3736C, 3901C, 1168P, 1393P, 1441P, 1485P, 1939P, 2794P, 2928P
Mesogen-jacketed liquid-crystal polymer, 1454C
Mesophases, 4016C, 269P, 1665P
Mesoporous silica, 3324P
Mesostructure, 3346P
Metal chelate, 1504C
Metal ions uptake, 3180C
Metal–polymer complexes, 3169C
Metal-catalyzed polymerization, 3597C
Metalization, 3400C
Metallating agents, 1400C
Metallocene, 248C, 2171C
Metallocene catalysts, 998C, 1622C, 3132C, 3313C, 3657C, 3964C, 2174P

Metallocene mixture, 1478C
Metallo-supramolecular chemistry, 3159C
Metal-organic, 2529P
Metal-organic catalysts/ organometallic catalysts, 1677C
Metal-polymer complexes, 1360C, 1708C, 2256C, 2964C, 3470C
Metathesis, 2107C, 2755P
Methacrylamides, 1027C
Methacrylate, 1841C
Methacrylated resins, 1691C
2-Methacryloyloxyethyl isocyanate, 3243C
Methylaluminoxane, 248C, 1716C, 2095C, 2117C
Methyl acrylate, 2898C
2-methylene-1,3-dioxepane, 2898C
Methyl methacrylate, 143C, 313C, 1237C, 1716C, 1962C, 2019C, 2117C, 2469C, 3027C, 3597C
Methyl methacrylate/butadiene copolymer, 3143C
Methylene segment, 1294P
4-Methylstyrene, 408C
$MgBr_2$, 112P
$MgCl_2$, 112P
Micellar polymerization, 3261C
Micelles, 1262C, 3159C, 571P
Michaelis–Arbuzov, 48C
Micro structure, 2117C
Microbial screening, 2335C
Microcellular polymer, 368P
Microdeformation, 1538P
Microgels, 2755P, 3037P
Micromechanical deformation mechanism, 1157P
Microphase separation, 1889P, 2355P, 2365P
Microspheres, 1251C, 159P
Microstructure, 313C, 508C, 732C, 740C, 1545C, 2133C, 2809C, 3109C, 368P, 1476P, 1744P, 2365P, 2998P
Microstructure modification, 3744C
Microwave, 13C
Microwave irradiation, 3249P
Microwave oven, 1077C, 3973C
Microwave-assisted polycondensation, 1077C, 3973C
Miktoarm ABC star copolymers, 1243C
Miktoarm star polymer, 2542C
Mineral, 3249P
Minus peak, 1722P
Miscibility, 23P, 183P, 466P, 772P, 789P, 927P, 1085P, 1099P, 1219P, 1401P, 1680P, 2264P, 2296P, 2394P
Miscibility enhancement, 1814P
Mixing, 670P, 3151P
Mixing conditions, 609P
Mobil composition of matter 41 (MCM-41), 2433P
Model compounds, 1509P
Model networks, 1099C
Modeling, 1136C, 1553C, 1725C, 2828C, 2833C, 39P, 1308P, 1393P, 2135P
Modification, 22C, 508C, 958C, 1107C, 1216C, 1316C, 1413C, 2297C, 2755C, 3375C, 55P, 1183P, 1791P, 2004P, 2071P, 2145P
Modulated-temperature differential scanning calorimetry, 594P, 1824P
Modulus, 444P, 1168P, 1175P, 1183P, 1384P, 1798P, 3127P
Moisture, 2878P
Molding, 1112P
Molecular architecture, 327P
Molecular composites, 1014C, 429P
Molecular conductivity, 3493C
Molecular crystals, 2595P
Molecular dynamics, 308P, 1615P, 2755P, 2969P
Molecular electronics, 2501P
Molecular modeling, 528P, 1281P, 2755P, 2928P, 3285P
Molecular motion, 679P
Molecular orientation, 418P, 1665P
Molecular recognition, 1413C, 3519C
Molecular reinforcement, 429P
Molecular size, 821C
Molecular weight between crosslinks, 1656P
Molecular weight distribution, 1335C, 1341C, 1553C
Molecular weight distribution/ molar mass distribution, 281C, 655P, 965P
Monodispersed polymer particles, 1788C
Monofilament, 1175P
Monofunctional, 3320C
Monolayers, 2297C, 3493C, 1921P
Monomer reactivity ratios, 1864C, 2996C, 3908C
Monomers, 48C
Monte Carlo simulation, 1202C, 2584P, 2755P, 2928P, 3011P
Montmorillonite, 2187C, 2861P, 2902P, 3173P, 3214P
Montmorillonite (MMT), 1P
Morphological control, 1216C
Morphology, 204C, 257C, 873C, 1216C, 2053C, 2133C, 2412C, 2469C, 3275C, 3524C, 80P, 94P, 319P, 520P, 549P, 582P, 637P, 873P, 1256P, 1273P, 1316P, 1384P, 1422P, 1563P, 1578P, 1701P, 1869P, 1947P, 1994P, 2257P, 2275P, 2422P, 2665P, 2816P
Morphology, crystallization, 493P
Multi-angle laser light scattering (MALLS), 560C
Multiblock copolymers, 487C, 841C
Multifunctional molecule, 2405P
Multifunctional polyisocyanate, 3243C
Multimodal distribution, 2232C
Multiple junction, 2405P, 2413P
Multiple melting, 80P
Multistep polymerization, 873C

Nafion, 2809C, 1485P, 2816P
Nanocomposites, 716C, 905C, 1014C, 1124C, 2354C, 2599C, 3218C, 3726C, 1P, 11P, 31P, 44P, 94P, 351P, 378P, 476P, 520P, 560P, 670P, 749P, 1014P, 1051P, 1070P, 1234P, 1476P, 1563P, 1730P, 1744P, 1798P, 1897P, 1978P, 2052P, 2275P, 2313P, 2332P, 2755P, 2861P, 2902P, 3102P, 3127P, 3151P, 3160P, 3173P, 3214P, 3237P, 3249P, 3264P, 3314P, 3324P, 3333P, 3346P
Nanofabrication, 2433P
Nanofibers, 1256P, 2674P
Nanolayers, 41C, 2297C
Nanolithography, 3713C
Nanoparticles, 1659C
Nanoscopically confined polymers, 3285P
Nanostructured materials, 3486C
Nanotechnology, 545C, 1047C, 2171C, 2905C, 3493C, 3632C, 3750C
Nascent Cu^0, 3283C
Nascent polyethylene fibers, 2433P
n-Butyl acrylate, 3425C
n-butylacrylate, 1864C
Neighboring group participation, 185C
Nematic phase, 1527C
Network draw ratio, 2322P
Networks, 335C, 606C, 1099C, 1603C, 2288C, 3243C, 1451P, 1902P
Neutron reflectivity, 2755P
Neutron scattering, 247P, 2755P, 2923P, 3127P
New bis(ether acyl chloride) monomers, 914C
New diacid monomers, 94C
New monomer, 420C
N-γ-triethoxylsilylpropyl-maleamic acid, 2599C

n-hexyl isocyanate, 3094C
Nickel, 293C
Nickel catalysts, 2095C
N-isopropylacrylamide, 1580C
Nitroxide, 327C, 3892C
Nitroxide-mediated living free-radical polymerization, 3640C
NLO, 303C, 1527C, 1841C, 2846C, 2744P
NMR, 48C, 160C, 313C, 716C, 831C, 841C, 1077C, 1400C, 1864C, 2082C, 2778C, 2974C, 3027C, 3109C, 3123C, 3463C, 3908C, 3916C, 4006C, 308P, 351P, 454P, 679P, 772P, 789P, 1462P, 1605P, 2969P
Nonaffine deformation, 1281P
Non-aqueous phase dispersion polymerization, 1788C
Nonbiofouling, 68C
Nonconjugated light-emitting polymers, 2733P
Non-covalent-bonded micelles, 2454C
Noncrystalline polymers, 2722C, 2185P
Nonlinear coupled simulation, 2091P
Nonlinear effect, 1004C
Nonlinear optics, 1841C
Nonlinear polymers, 2905C, 2492P
Nonlinear stress relaxation, 1281P
Nonstoichiometric complex, 2288C
Norbornene, 441C
Norbornene polymerization, 2095C
N-tosylated polysulfilimine, 1330C
Nucleation, 2232C, 68P, 2135P
Nucleobase, 3589C
Nucleophiles, 476C
Nucleophilic aromatic substitution, 2277C
N-unsubstituted polysulfilimine, 1330C
Nylon, 41C, 545C, 1014C, 2297C, 217P, 1234P, 1294P, 1422P, 1722P, 2313P, 2861P
Nylon 6, 1033P
N-(2-methylene-3-butenoyl)-piperidine, 1545C
N-(4-acetylphenyl)maleimide, 1942C

Olefin, 998C
Olefin polymerization, 293C
Oligomers, 528C, 616C, 708C, 881C, 970C, 1114C, 1737C, 2491C, 2471P, 2501P, 2549P
Onium salts, 3320C
Optical alignment, 4016C
Optical coherence tomography, 2976P
Optical loss, 1497C
Optical media, 859P
Optical property, 2676C
Optical transparency, 2001C
Optically active polymers, 1077C, 3973C
Optics, 213C, 1813C, 1554P, 2492P, 2706P, 2744P
Order-disorder, 1889P
Organic light-emitting diodes, 2522P
Organic semiconductors, 2501P
Organic–inorganic hybrid nanocomposites, 1306C
Organically modified layered silicate, 3160P
Organoclay, 31P, 44P, 94P, 670P, 749P, 1234P, 2861P, 3264P
Organometallic catalysis, 2095C
Organometallic catalyst, 76C
Organometallic catalysts, 569C, 1380C, 1716C, 1962C, 2117C, 3132C, 3597C
Organophosphorus azobenzene polymers, 3188C
Orientation, 1527C, 3493C, 1P, 289P, 687P, 711P, 998P, 1022P, 1198P, 1234P, 1554P, 1739P, 3237P
Oriented polypeptide monolayers, 3632C
Orthoesters, 520C
Ortho-methylation, 60C
Osmotic pressure, 508P, 3053P
Osometry, 3064P
Oxadiazole, 725C
Oxazinone, 655C
Oxazoline, 655C
Oxetane, 469C
Oxetane–silicone monomers, 3056C
Oxidation, 84C, 1509P
Oxime, 1942C
Oxydiphthalic dianhydride, 3249C
Oxygen transport, 289P

Palladium, 293C, 3478C
Palladium(0)-catalyzed polymerization, 476C
Partial polymerization, 347C
Partial strand extension, 1281P
Particle size distribution, 1848C, 2232C, 2469C, 2588C
Parylene, 1486C
PA9-T, 2878P
p-chlorobenzenediazonium tetrafluoroborate, 2019C
Pendant hexafluoropropanol, 1400C
Penicillin G acylase, 1580C
1,4-pentadien-3-one-1,5-bis(*p*-hydroxyphenyl), 1632C
Penultimate effect, 1778C
Peptide nucleic acid (PNA), 3037P
Peptides, 1167C, 1504C, 3493C, 3632C
Percolation, 1744P
Percolation threshold, 1572P
Perfluorosulfonate ionomer membranes, 1485P
2-(perfluorooctyl)ethyl methacrylate, 3804C
Permeability, 308P
Permeation, 166P, 183P
Peroxides, 520C
PET–PEI copolymers, 881C
PET/PEN blend, 139P
Phase behavior, 335C, 804C, 104P, 661P, 1219P, 1401P, 2214P
Phase diagrams, 172C, 1904C, 39P, 437P, 892P, 913P
Phase separation, 204C, 841C, 2036C, 2197C, 2755C, 3531C, 194P, 258P, 661P, 1627P
Phase transfer catalysts, 449C
Phase transitions, 63P, 913P, 2214P, 2937P
Phase-inversion membranes, 1578P
Phase-separation, 1824P
Phenolic resin, 905C
Phenols, 476C
Phenol-urea-formaldehyde resol resins, 1929P
Phenyl-substituted, 3006C
Phillips catalyst, 413C
Phosgenation, 890C
Phosphonate, 48C
Phosphonated methacrylate, 2469C
Phosphonic acid esters, 48C
Phosphorescence, 2681P
Phosphorous, 1371C
Phosphorus, 2207C
Phosphorus containing polymers, 2277C
Phosphorylcholine polymer, 68C
Photochemical acid generators, 3863C
Photochemistry, 1486C, 2556C, 3017C, 3048C
Photochromism, 4016C
Photocrosslinking, 1632C, 2197C, 3103C
Photocurable, 2930C
Photoinduced intermolecular electron-transfer process (PET), 3017C
Photoinduced radical polymerization, 1892C
Photoinitiated cationic

polymerization, 3056C, 3440C
Photoinitiated free-radical polymerization, 3017C
Photoinitiation, 2368C
Photoinitiators, 2556C
Photoisomerization, 3188C
Photoluminescence, 449C, 1444C, 2180C
Photooxidation, 1070C
Photophysics, 1034C, 1708C, 2218C, 3149C, 571P, 1676P, 2630P, 2665P
Photopolymerization, 469C, 579C, 716C, 1691C, 1881C, 2064C, 2207C, 2368C, 3017C, 3048C, 3227C, 3320C, 3440C, 3486C, 3816C, 3828C, 2726P
Photoresists, 861C, 2026C
Photosensitive, 22C
Photosensitive materials, 2026C
Photosensitization, 3816C
Photoviscoelasticity, 1850P
Physical aging, 1135P, 2850P
Physical interaction, 1306C
π-Conjugated polymers, 1449C
Plasma, 623P
Plasma graft-filling polymerization, 1216C
Plasma polymerization, 1216C, 1501P
Plasticization, 308P
Plasticizer, 2119P
Plastics, 224P, 1362P
Plastomers, 1878P
Platinum, 3478C
Polar monomer, 1380C
Polar sorbents, 1927C
Polarized microscopy, 873P
Poled polymer, 2846C
Poly(ε-caprolactone) PCL, 13C, 273C, 2412C, 1085P, 1099P
Poly(1,3-cyclohexadiene), 84C
Poly(1,3-dioxepane), 1243C
Poly(3,4-ethylene dioxythiophene), 2561P
Polyacetylenes, 1004C, 2607C, 3625C
Polyacrylamide, 560C, 1192P, 1493P
Polyacrylamides, 1219P
Polyacrylates, 528P
Poly(acrylic acid), 41C, 1263P
Polyacrylonitrile (PAN), 2949P
Polyaddition, 476C, 606C, 2743C
Polyaddition reaction, 655C
Polyalcohols, 3300C
Poly(alkyl methacrylate), 1335C
Polyamide 6, 2870P
Poly(amide imide)s, 1077C
Polyamide-66/montmorillonite nanocomposites, 63P
Poly(amide-imide)s, 3973C
Polyamides, 376C, 420C, 1014C, 1160C, 1202C, 1341C, 2082C, 2297C, 3973C, 63P, 387P, 2928P
Polyamines, 1501P
Poly(amino acids), 779C
Polyanhydrides, 3667C, 3781C
Polyaniline, 807P, 823P, 1501P
Polyanions, 1904C
Polyaromatics, 3916C
Poly(arylene ether phosphine oxide), 1497C
Poly(arylene ether sulfones), 2850P
Poly(arylether amides), 2374C
Polyaryletherketone amides, 2374C
Polyazomethines, 3169C
Polybenzoxazole, 914C
Poly(benzyl ether), 3524C
Poly(β-methyl-α-methylene-γ-butyrolactone), 1759C
Polybutadiene, 247P
Poly(butadienyl)lithium, 2435C
Poly(butylene succinate), 3160P
Poly(butylene terephthalate) (PBT), 2257P, 2394P
Polycaprolactone, 3781C, 670P
Polycarbonates, 890C, 1390C, 1978C, 2304C, 2312C, 3549C, 3572C, 4000C, 859P, 1143P, 1554P, 1806P, 1850P
Polycarbosilanes, 257C, 984C
Polycation/azo dye complex, 264C
Polycations, 1904C
Polycondensation, 94C, 616C, 861C, 914C, 970C, 1077C, 1114C, 1428C, 1504C, 1521C, 1831C, 2481C, 2840C, 3188C, 3414C, 3564C, 3736C, 3838C, 3908C, 3973C
Poly(cyclohexyl ethylene-*co*-2-cyclohexyl propylene) ($PCEP_x$), 725P
Poly(dicyclobutyl itaconate), 1059P
Poly(dicycloheptyl itaconate), 1059P
Poly(dicyclooctyl itaconate), 1059P
Poly(diethylsiloxane), 2722C
Poly(dimethylsiloxane) (PDMS), 841C, 1099C, 1799C, 454P, 1897P, 2145P
Polyelectrolytes, 172C, 2256C, 2288C, 4006C, 4006C, 1263P, 1656P, 1676P, 1921P, 2290P
Poly(epichlorohydrin), 2918C
Poly(ester anhydride)s, 1059C, 1511C
Poly(ester carbonate), 1435C
Poly(ester urethane), 1136C
Polyester–amide, 335C
Polyesters, 13C, 116C, 213C, 273C, 616C, 821C, 881C, 958C, 970C, 1296C, 1603C, 1934C, 1952C, 1978C, 2512C, 2676C, 3275C, 3414C, 3788C, 3908C, 289P, 1009P, 1393P, 2128P, 2236P, 2257P 2394P
Poly(ether imide)s, 2026C, 3726C
Poly(ether ketone)s, 497C, 1428C, 2335C, 2481C, 2731C
Poly(ether sulfone)s, 2264C, 2481C, 2731C
Poly(ether sulfone) copolymers, 2816P
Polyetherether ketone (PEEK), 1168P
Polyethers, 476C, 1091C, 3384C, 3564C, 3838C, 3871C, 3249P
Polyethylene, 441C, 998C, 127P, 3094P
Poly(ethylene glycol) (PEG), 2854C, 1493P
Poly(ethylene imine), 2937P
Poly(ethylene isophthalate) (PEI), 881C
Poly(ethylene oxide), 520C, 1669C, 3750C, 135P, 466P, 2200P, 2365P, 3237P, 3249P, 3285P
Poly(ethylene oxide) (PEO) graft, 1904C
Polyethylene (PE), 413C, 483C, 528C, 873C, 1745C, 2187C, 3313C, 3768C, 3964C, 327P, 609P, 701P, 936P, 1412P, 1476P, 1762P, 2062P, 2157P
Poly(ethylene terephthalate) (PET), 124C, 881C, 1347C, 289P, 2135P, 2296P, 2322P, 2394P, 2892P
Poly(ethylene terephthalate) (PET)/Ny6 blends, 2778C
Poly(ethylene terephthalate-*co*-isophthalate-*co*-sebacate) (PETIS), 2257P
Poly(ethylene-*co*-1,9-decadiene), 2974C
Poly(ethylene-*co*-cyclohexane 1,4-dimethanol terephthalate) (PETG), 2264P
Poly(ethylene-*co*-vinyl alcohol), 194P
Polyethyleneimine (PEI), 3283C
Polyfluorene, 674C
Polyglycidol, 3750C
Polyhedral oligomeric silsesquioxane (POSS), 1451P, 3314P
Poly(hydroxyether of phenolphthalein), 466P
Polyimides, 22C, 303C, 554C, 861C, 922C, 2026C, 2630C, 3249C, 3361C, 3901C, 3973C, 308P, 418P, 1273P, 2071P, 2892P, 2998P

Poly(imide silsesquioxane)s, 3736C
Polyisobutylene, 740C
Polyisocyanides, 1725C, 1871C
Poly(isoprenyl)lithium, 2435C
Polyketones, 3556C
Poly(LA)-*block*-poly(2,2-DTMC), 3572C
Poly(LA)-*block*-poly(2,2-DTMC)-*block*-poly(LA), 3572C
Poly(LA)-*block*-poly(TMC), 3572C
Poly(LA)-*block*-poly(TMC)-*block*-poly(LA), 3572C
Poly(lactic acid), 3750C, 94P
Polylactide, 2462C, 23P
Poly(*p*-phenylenevinylene), 1091C
Poly(L-lactic acid), 2073C
Polymer backbones, 2829P
Polymer blends, 2809C, 1468P, 1814P
Polymer brushes, 386C
Polymer nanocomposites, 3272P
Polymer solutions, 159P, 1219P
Polymer support, 1681C
Polymer topology, 3680C
Polymer–clay nanocomposites, 3249P
Polymeric dispersant, 1909P
Polymeric stabilizer, 159P
Polymer/inorganic nanocomposites, 3285P
Polymerization, 376C, 804C, 998C, 2026C, 3798C
Polymerization kinetics, 716C
Polymerization kinetics (polym.), 1553C
Polymerization mechanism, 2833C
Polymerization of methyl methacrylate, 3132C
Polymerization shrinkage, 528P
Polymer-metal complexes, 1413C
Polymer-supported phase-transfer catalysts, 347C
Polymethacrylates, 528P
Poly(methyl methacrylate) (PMMA), 30C, 1124C, 1243C, 3218C, 3346C, 3953C, 23P, 44P, 1112P
Polymorphism, 269P, 493P, 560P, 1014P, 1375P, 1665P
Polymorphy, 2829P
Poly(*N*-alkylacrylamide), 1681C
Poly(*N*-alkylethyleneimine), 1335C
Poly(*N*-isopropylacrylamide) (PNIPAAm), 152C, 779C, 1594C, 582P
Poly(*N,N*-diethylacrylamide), 1627P
Polynorbornadiene, 732C, 740C
Poly(*N*-vinyl carbazole), 1615P
Poly(*o*-hydroxyamide), 914C
Polyolefins, 293C, 2095C, 2107C, 3657C, 235P, 637P, 1762P, 2004P, 2174P
Polyoxadiazole, 674C
Poly(*para*-phenylene)s, 2879C
Poly(*p*-dioxanone-*co*-L-lactide)-*b*-poly(ethylene glycol) (PPDO/PLLA-*b*-PEG), 1955P
Poly(phenylacetylene), 1004C
Poly(phthalazinone arylene ether), 2731C
Poly(phthalazinone ether ketone), 497C
Poly(*p*-phenylene vinylene), 449C, 3149C
Poly(propylene glycol) methacrylate, 3804C
Poly(propylene) (PP), 441C, 998C, 1070C, 1478C, 1745C, 3400C, 1P, 520P, 998P, 1175P, 1183P, 1308P, 1518P, 1798P, 1878P, 2039P, 2332P, 2342P, 3089P, 3324P
Poly(propyleneimine), 597C
Polypyrroles, 1334P
Polyrotaxanes, 119C
Polysaccharides, 2462C, 3541C, 3703C, 1210P
Polysilanes, 30C
Polysilanes, hydrosilylation, 3761C
Polysilazane, 3346P
Polysiloxanes, 48C, 636C, 1099C, 1400C, 2250C, 2939C, 3169C, 39P, 701P
Poly(silylene methylene), 257C
Poly(silylenearylenevinylene), 3615C
Polystyrene, 327C, 597C, 1070C, 1124C, 1243C, 1347C, 1788C, 2322C, 2404C, 2542C, 2588C, 2715C, 2985C, 3313C, 3329C, 3804C, 44P, 202P, 269P, 368P, 560P, 609P, 687P, 842P, 883P, 1281P, 1526P, 1605P, 1665P, 1730P, 1837P, 1850P, 2457P
Polystyrene solutions, 3070P
Poly(styrene-*b*-isoprene), 3264P
Poly(styryl)lithium, 2435C
Polysulfides, 1330C
Polysulfobetaines, 172C
Polysulfones, 1316C, 1401P
Poly(sulfonyldiphenylene phenylphosphonate), 2296P
Poly(tetrahydropyranyl methacrylate), 3151P
Poly(tetramethylene oxide), 2365P
Polythiophene, 1449C
Polythiophene derivatives, 2375P, 3011P
Poly(*trans*-1,4-diethyl muconate), 444P
Poly(trimethylene terephthalate) (PTT), 80P, 2264P, 2275P, 2394P
Polyurea, 4006C
Polyurethanes, 606C, 1708C, 3243C, 120P, 258P, 2355P, 2365P
Poly(vinyl acetate), 112P, 927P
Poly(vinyl alcohol) (PVA), 3123C, 1462P, 3127P
Poly(vinyl chloride) (PVC), 508C, 2107C, 2964C, 3283C, 3457C, 2062P, 2119P
Poly(vinylidene fluoride) (PVDF), 31P, 873P, 1572P, 1578P, 1701P
Poly(vinylidene fluoride trifluoroethylene), 797P, 927P
Polyzwitterions, 172C
Poly 2,5-bis(4′-alkoxyphenyl)-styrene}, 1454C
Poly 1-(trimethylgermyl)-1-propyne} (PTMGP), 2133C
Poly 1-(trimethylsilyl)-1-propyne} (PTMSP), 2133C
Poly 2-(methacryloyloxy)ethyl phosphorylcholine}, 1992C
Poly(1-butene), 1014P
Poly(1-vinylpyrrolidone-*co*-styrene), 1401P
Poly(2-methoxy-5-2′-ethyl-hexyloxy-1,4-phenylene-vinylene) (MEH-PPV), 2180C
Poly(3-hydroxybutyrate), 873P
Poly(4-methylstyrene)-*b*-polyisobutene, 2755C
Poly(4-vinylpyridine) (PVP), 1468P
Porosity, 1168P
Porous membrane, 1216C
Porous supports, 3313C
Porphyrin, 41C, 2297C, 3103C
Positive temperature coefficient, 983P
Positive-temperature-coefficient effect, 3094P
Positron annihilation, 2998P
Positron annihilation lifetime spectroscopy (PALS), 1135P, 1493P
Positronium, 308P
POSS, 3299P
Precipitation, 159P
Precipitation polymerization, 1192P
Preform, 1813C
Premelting temperature, 1730P
Pressure dependence, 3064P, 3070P
Primary radical termination, 236C
Processing, 1813C, 1362P
Progression band, 1294P

Prompt-γ neutron activation analysis, 1485P
Properties, 403P
Propylene, 308P
Propylene polymerization, 1152C
Protection, 273C
Protective groups, 1167C
Protein adsorption, 3531C
Proteinase K, 2898C, 3572C
Proteins, 2404C
Proton conduction, 2809C, 3901C
Proton-exchange membranes, 497C, 2264C, 2731C
Protoporphyrin IX, 41C
Pseudo-semicontinuous mode, 804C
p-toluene sulfonic acid, 2778C
Pulsed irradiation, 196C
Puncture, 327P
PVC, 248C
PVP, 429P
Pyrroles, 3470C
Pyrrolidine, 395C
Pyrrolidone, 395C
Pyrylium salts, 1091C

Quantum chemistry, 483, 2828C
Quantum efficiency, 2733P
Quantum yield, 3615C
Quartz crystal microbalances (QCMs), 2109P
Quaternary ammonium salt, 2939C
Quenching, 1615P

Radiation, 3440C
Radical depolymerization, 965P
Radical grafting, 387P
Radical polymerization, 223C, 236C, 327C, 560C, 579C, 645C, 684C, 716C, 752C, 1027C, 1454C, 1553C, 1567C, 1759C, 1819C, 1942C, 1992C, 2368C, 2491C, 2743C, 2949C, 2996C, 3038C, 3048C, 3354C, 3463C, 3597C, 3816C, 3828C, 3892C, 3964C, 528P, 1192P, 1605P
Radical telomerization, 160C
Raman spectroscopy, 449C, 120P, 444P, 2214P
Random copolymers, 1306C
Rate constants of elementary reactions, 1819C
Reaction development patterning (RDP), 861C
Reactional mechanism, 1691C
Reactive extrusion, 3198C, 3400C, 387P
Reactive processing, 655C, 958C, 2778C, 2236P
Reactivity ratios, 1632C, 1700C, 2531C, 3027C, 3109C, 3180C
Real-time FT-IR, 716C
Real-time measurements, 998P
Rectification, 3493C
Redox polymers, 708C, 2471P
Reductive polymerization, 1034C
Refractive index, 213C, 1497C, 2704C, 823P, 842P
Refractive-index profile, 1813C
Regiocontrol, 1449C
Regioregular poly(3-hexylthiophene), 2674P
Regioselective synthesis, 1428C
Regular structure, 248C
Reinforcements, 68C, 217P, 2079P, 3314P
Relaxation processes, 1878P
Relaxation time, 327P, 1526P
Relaxations, 454P, 687P, 1059P, 1468P, 1638P, 2969P, 2983P, 3047P
Renewable resources, 2312C
Residual stress, 859P
Residual thermal birefringence, 1850P
Residual thermal stress, 1850P
Resins, 432C, 1681C
Resists, 3863C
Resolution, 3703C
Response surface analysis, 1175P
Reverse atom transfer radical polymerization, 143C
Reversible addition–fragmentation chain transfer (RAFT), 223C, 365C, 1243C, 2828C, 2949C, 3847C
Reversible addition–fragmentation transfer polymerization (RAFT), 2833C
Reversible catenation, 3478C
Reversible crystallization and melting-polyethylene (PE), 2039P
Reversible melting and crystallization of polymers, 2157P
Reversible polymers, 3589C
Rheological properties, 2959P
Rheology, 223C, 788C, 958C, 3261C, 44P, 983P, 1281P, 1589P, 1627P, 1909P, 2052P, 3139P
Rhodium complexes, 1004C
Rigid amorphous fraction, 3026P
Rigid main-chain polyester, 1527C
Ring, 80P
Ring-opening metathesis polymerization (ROMP), 2036C, 2107C, 2125C, 1323P, 2062P
Ring-opening polymerization, 13C, 569C, 625C, 699C, 1167C, 1243C, 1390C, 1511C, 1934C, 1978C, 2570C, 2667C, 2898C, 3074C, 3320C, 3541C, 3657C, 4000C
Rotaxanes, 3470C
RTX366, 60C
Rubber, 757P
Ruthenium complex, 3597C

Salicylaldimine ligands, 1716C
Sample thickness, 1730P
SANS, 1352P
SAXS, 44P, 403P, 1263P, 1538P, 1947P, 2365P, 2457P, 2755P, 3214P
Scaling relation, 983P
Scanning electron microscopy, (SEM), 106C, 2696C, 3572C, 112P
Scanning tunneling microscopy (STM), 3493C
Scanning tunneling spectroscopy (STS), 3493C
Scattering, 3237P
Second virial coefficient, 3064P, 3070P
Secondary interactions, 2454C
Secondary ion mass spectroscopy (SIMS), 44P
Segmented copolyester, 2257P
Segmented polyurethanes, 68C
Selectivity, 699C
Self-assembled monolayer, 3493C
Self-assembly, 636C, 1196C, 1282C, 1737C, 1881C, 2454C, 2918C, 3103C, 3486C, 3493C, 3589C, 3640C, 1441P, 1889P, 2755P, 3037P, 3346P
Self-consistent field theory, 104P
Self-organization, 1992C, 3501C, 360P, 1869P, 2375P, 2755P, 3011P
Self-organization in macromolecules, 2375P
Self-polyaddition, 2743C
Semiaromatic polyamide, 2878P
Semiquantitative, 347C
Sensors, 2232C, 1428P, 2109P, 2794P
Separation of polymers, 3143C
Separation techniques, 1316P, 1762P
Sequence, 821C
Sequence distribution, 3908C
Sequence regularity, 841C
Shear, 1P, 166P, 661P, 2755P, 2808P
SHG, 1841C
Shielding, 2248P
Side-chain liquid-crystalline polymers, 3556C
Side-chain polymers, 984C
Silanylene, 2218C
Silias, 3127P
Silica, 528C, 351P
Silicas, 413C, 569C, 905C, 454P, 1563P

Silicate, 3151P, 3264P
Silicones, 1371C, 2704C
Siloxane elastomers, 3314P
Siloxane-containing liquids, 3169C
Siloxanes, 3336C
Silsesquioxane, 2599C, 3299P
Silsesquioxanes, 1306C
Simulations, 1691C, 1316P, 2755P
Single electron transfer, 3283C
Single-site-type catalysts, 1152C
Single-walled carbon nanotube (SWNT), 3333P
Size exclusion chromatography (SEC), 560C
Smoke density, 936P
Sodium dodecyl sulfate, 597C
Sodium formate, 560C
Sol–gel, 905C, 2250C
Sol–gel process, 2599C, 11P
Sol–gel reaction, 1306C
Sol–gel technology, 1897P
Solid electrolytes, 3249P
Solid phase extraction, 1927C
Solid state, 1691C
Solid-state NMR, 1099P
Solid-state NMR spectroscopy, 2082C
Solid-state polymerization, 881C, 3564C, 1143P
Solid-state structure, 2501P
Solubility, 94C, 420C, 922C, 1160C, 1831C, 2001C
Solubility parameter, 2296P
Solution polymerization, 1788C
Solution properties, 501P, 655P, 707P, 1263P, 1352P, 2911P
Solution viscosity, 1339P
Solvation, 281C
Solvatochromic effect, 1196C
Solvatochromism, 1210P
Solvent effect, 1819C
Sorption kinetics, 2214P
Space charge, 1412P
Specific interactions, 1889P
Specific reversibility, 2157P
Spectral and thermal studies, 2865C
Speed of sound, 1219P
Spherulites, 873P, 903P, 1578P, 2033P, 2128P, 2342P
Spherulitic superstructure, 2200P
Spin coating, 1196C, 2706P, 2733P
Spinodal decomposition, 637P
Spirobifluorene, 1160C
S,S-dialkyl-*S*-(3,5-dimethyl-2-hydroxyphenyl)sulfonium salts, 2570C
S,S-dialkyl-*S*-(3,5-dimethyl-4-hydroxyphenyl)sulfonium salts, 2570C
S,S-dialkyl-*S*-dimethylhydroxyphenyl sulfonium salts, 2556C
Stability, 2985C, 807P
Stabilization, 1580C, 2985C
Stable free-radical polymerization (SFRP), 2542C
Staining, 2892P
Star polymers, 976C, 3083C, 3329C, 3606C, 247P
Star-block copolymers, 740C
Stars, 1669C
Static light scattering, 3070P
Statistical mechanics, 2302P
STEM, 319P
Step-growth polymerization, 119C, 1099C, 1497C, 3564C
Stereoregularity, 248C
Stereoselective chlorination, 508C
Stereospecific polymers, 1027C, 3354C, 3556C, 3625C
Stereostructure, 2829P
Steric hindrance, 645C, 2393C
Sterically stabilized microemulsion, 804C
Sterically-stabilized (micro)emulsion, 804C
Stiffness, 1878P
Stimuli-responsive copolymers, 1580C
Stimuli-sensitive polymers, 1262C, 1594C, 1659C, 1681C, 2390C, 3300C, 3988C
Storage modulus, 1680P
Strain hardening, 3139P
Strength, 1175P, 2322P
Stress, 1P, 444P, 687P, 2808P
Stretching, 2949P
Strontium, 1934C
Structural changes, 403P
Structural isomers, 616C
Structure, 124C, 939C, 1202C, 2974C, 327P, 493P, 945P, 1294P, 2630P, 2755P, 2959P, 3102P, 3127P, 3160P
Structure–property relations, 3249C
Structured latex films, 224P
Structure-property relations, 60C, 420C, 984C, 1047C, 1622C, 2001C, 258P, 281P, 429P, 528P, 1070P, 1638P, 1939P, 2850P
Styrene, 597C, 752C, 804C, 939C, 976C, 1700C, 1778C, 2985C, 3804C
Styrene derivatives, 3227C
Styrene–butadiene block copolymers, 609P
Styrene–butadiene star block copolymers, 1157P
Styrene–butadiene–styrene (SBS)/carbon black composites, 2983P
Styrene–methyl acrylate copolymer, 2166C
Styrene–methyl methacrylate copolymer, 655P
Subglass relaxation, 1059P
Substituent effect, 3188C
Sugar monomer, 788C
Sulfonated activated halide monomers, 2264C
Sulfonation, 497C, 2731C, 2809C
Sulfonium salts, 3816C
Sulfur, 1915C
Superabsorbents, 2696C
Supercritical carbon dioxide, 368P, 1143P, 1375P
Supersonic molecular beams epitaxy (SuMBE), 2501P
Supertoughness, 2236P
Supported catalysts, 2171C
Supported metallocene catalyst, 2433P
Supports, 569C, 853C, 1681C, 2187C
Supramolecular polymer, 3519C
Supramolecular structures, 264C, 365C, 1282C, 1413C, 1881C, 2454C, 2918C, 3493C, 3501C, 3589C, 3632C, 1441P, 2755P, 3151P
Surface free energy, 55P
Surface grafting, 347C
Surface modification, 41C, 2297C, 2890C
Surface roughness, 1362P
Surface tension, 1572P
Surface-enriched (with active sites), 347C
Surface-initiated polymerization, 1347C
Surfaces, 386C, 2297C, 2704C, 623P, 953P, 2071P, 2755P
Surfactants, 3336C, 571P
Surlyn®, 11P
Suspension polymerization, 1927C
Suzuki polycondensation, 2879C
Swelling, 1296C, 1594C, 1650C, 1681C, 508P, 1656P, 3053P
Swollen bulk polymerization, 1813C
Syndiotactic, 3132C, 3463C, 269P, 560P, 1665P, 1730P, 2457P
Syndiotactic polystyrene, 3173P
Synergistic effect, 936P
Synergy effect, 3094P
Synthesis, 22C, 124C, 476C, 487C, 1034C, 1114C, 1400C, 1413C, 1428C, 1454C, 1737C, 2026C, 2053C, 2073C, 2197C, 2250C, 2304C, 2556C, 2879C, 2949C, 466P, 1929P, 2755P
Synthesis of dispersants, 1788C

Tack, 3139P
Tacticity, 3556C
Tail length, 1454C
Tandem action, 1152C
Tandem catalysis, 528C
Tapered groups, 2918C
Tear, 327P
Telechelic oligomers, 487C
Telechelics, 655C, 2905C, 3283C
TEM, 545C, 3572C, 3726C, 44P, 429P, 749P, 1384P, 2257P, 2457P, 2892P
Temperature, 1813C
Temperature rising elution fractionation (TREF), 1762P
Temperature–time–transformation (TTT) diagram, 1965P
Temperature-modulated differential scanning calorimetry (TMDSC), 403P, 2039P, 2157P
Temperature-rising elution fractionation, 441C
Temperature-sensitive, 582P
Templates, 636C, 2047C, 3470C
Tensile modulus, 2433P
Tensile properties, 2322P
Tensile strength, 2433P
Tension, 1638P
Terminal effect, 1778C
Ternary blends, 2394P
Ternary polymer hybrids, 1306C
Terphenyl, 1454C
Terpolyester, 124C
Terpolymerization, 3180C
Terpyridine, 1413C, 2964C
Terraces, 2128P
tert-butylcalix 8]arene, 1669C
Tert-butyl hydroperoxide, 3346C
5-*tert*-butyl isophthalate, 124C
tert-butylperoxybenzoate, 520C
Testicular hyaluronidases, 3541C
Tetraethoxysilane, 2250C
Texture, 327P
T_g (glass transition), 2630C
TGA, 1371C, 351P
Theory, 1553C, 437P, 501P, 701P, 965P, 2584P, 2595P, 2755P
Thermagravimetric analysis (TGA), 3973C
Thermal analysis, 582P
Thermal degradation, 1371C
Thermal mechanical analysis (TMA), 281P
Thermal properties, 30C, 84C, 94C, 204C, 420C, 905C, 914C, 939C, 984C, 1107C, 1160C, 1306C, 1521C, 1603C, 1831C, 2001C, 2082C, 2335C, 2354C, 2393C, 2412C, 2865C, 3094C, 11P, 2264P, 2394P, 3077P, 3089P
Thermal resistance, 2207C
Thermal stability, 1942C, 2846C, 3109C, 3180C, 3333P
Thermal studies, 3188C
Thermally initiated cationic polymerization, 2570C
Thermally-induced phase separation, 3300C
Thermodynamics, 247P, 594P, 679P
Thermogravimetric analysis (TGA), 1077C, 1124C, 2996C, 679P, 1806P
Thermomechanical properties, 94P
Thermoplastics, 736P, 1947P, 2022P, 2214P, 3333P
Thermoresponsive polymer, 779C
Thermoreversible gel, 2405P, 2413P
Thermosensitive polymers, 1627P
Thermosensitivity, 1681C
Thermosets, 60C, 2794C, 1323P, 1451P, 1965P, 1994P, 2976P
Thermosetting blends, 1085P, 1099P
Thermostimulated depolarization current, 1412P
Thermotropic, 335C
1,3,4-Thiadiazole, 2676C
Thiadiazole, 3227C
Thin films, 2846C, 883P, 2109P, 2219P, 2501P, 2584P, 2706P, 2755P, 2892P
Thiophenes, 3470C
Thiophosphate-containing polymers, 106C
Thiosemicarbazone, 1942C
Time-strain superposition, 736P
Titanate, 11P
Toluene diisocyanate, 258P
Topochemical polymerization, 1881C
Topological polymer chemistry, 2905C
Toughening mechanism, 3299P
Toughness, 1878P, 2332P, 2444P
Transacetalation, 3336C
Transesterification, 1059C
Transient permeation, 1308P
Transition metal chemistry, 293C, 1380C, 1962C
Transition-metal ions, 1594C
Transparency, 1306C, 1897P, 2290P
Transparent conductive coatings, 1744P
Trans-4-hydroxy-L-proline, 1435C
Trapping, 1691C
Triblock copolymers, 2854C, 3750C
Trichloromethyl triazine, 3227C
Triethylsilyl perfluoroisopropenyl ether, 2743C
2,3,3-trifluoroallyl ether monomer, 3109C
Trifluoromethyl, 2001C
Trimethylsilyl groups, 273C
Triphenylamine unit, 94C
Triple helix, 3632C
Triplet, 2681P
Tris(2,2′-bipyridine)ruthenium(II) complexes, 3953C
Tris bis(trimethylsilyl)methyl}-chromium(III), 413C
Tris(2-aminoethyl)amine (TREN), 3283C
Turbidity, 1904C
Two-component functional molecules, 2413P
Two-dimensional (2D) NMR, 3519C
Two-dimensional liquid chromatography, 3143C

Ultrahigh molecular weight polyethylene fibers, 1375P
Ultrasonic spectroscopy, 1323P
Ultrasound, 2959P
Ultrathin films, 3103C
Ultraviolet stability, 1942C
Ultraviolet (UV) exposure, 2026C
Uniaxial drawing, 418P
Universal calibration, 707P
Unsaturated polyesters, 2549C
Unsaturated polyether, 476C
UV absorption, 1632C
UV cure, 2570C
UV curing, 469C
UV studies, 3188C
UV-vis spectroscopy, 725C, 2180C, 2218C, 1210P, 2471P

Vapor pressure osmometry, 3519C
Vermiculite, 1476P, 2332P
Vesicles, 2444P
Vinyl chloride, 3283C
Vinyl ether, 281C
Vinyl groups, 2974C
1-vinylimidazole, 2256C
Vinyl monomers, 2207C
Vinylidene fluoride, 3109C
Vinyloxirane, 476C
Vinyl-type polynorbornene, 2095C
Viscoelastic properties, 958C, 736P, 757P, 859P, 1779P, 2755P, 3047P, 3102P
Viscoelasticity, 2091P
Viscometry, 2288C
Viscosity, 172C, 821C, 2630C, 3038C, 707P, 1219P, 1572P, 2755P, 3094P
Vitrification, 1691C
Volume relaxation, 1850P
Vulcanization, 1915C, 757P

Warpage, 859P
Water, 1722P, 2878P

Water and methanol crossover, 2809C
Water diffusion, 1135P
Water-soluble polymers, 560C, 1188C, 1360C, 437P, 1192P
Water-soluble thickeners, 3261C
Waveguide, 1371C
WAXS, 2082C, 1009P, 1538P, 2375P, 3026P, 3151P
Weighted-average approximation, 655P
Wet-sliding friction, 757P
Wettability, 2890C, 2128P
Wetting, 2219P
Wide-angle neutron diffraction, 3285P
Wide-angle X-ray diffraction analysis, 2082C
Wide-angle X-ray diffraction (WAXD), 264C
Windowing polarization, 1412P
Winsor I-like (micro)emulsion, 804C
Wurtz reaction, 3761C

XPS, 1347C, 3768C
X-ray, 2676C, 3892C, 112P, 711P, 749P, 823P, 945P, 1033P, 1234P, 1462P, 1739P, 2755P
X-ray diffraction (XRD), 2696C, 31P, 2375P, 2870P, 2937P
X-ray photoelectron spectroscopy (XPS), 623P
X-ray reflectivity, 1921P
X-ray scattering, 715P
x′,y′-dihydroxyacetophenones, 616C

Young's modulus, 841C

Zeolites, 2171C, 3768C
Zero conductance, 3493C
Ziegler–Natta polymerization, 1716C, 1745C
Zinc protoporphyrin IX, 41C
Zirconocene, 873C, 2187C
ZnO nanoparticles, 1033P